


Cu forholdsfordeling ppm

9500
3850
5650
3000
2650.-

180
226
201
252
112

Øste bag 10
M. i. lufteggen.



ANALYSEDATA : BERGARISPRØVER
 ANALYSEINSTRUMENT : KVANTIMETER-TAPE
 PRØFPRØVINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (μM)

Gjennomsnittsverdier for
 Ultrabasalter etter
 Vinogradov 1962

	9,8%	0.01%	25%	0.03%	0.05	1	50	2000	20	1500	2000	0.1	0.5	10	40	—	30
	FE	K	MG	TI	AG	BA	CO	CR	CU	MAN	NI	PO	SN	SO	V	Y	ZN
	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
—	15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
MIN	0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25

L. RUD. DRAGEN

60290	1	4.79	.05	12.90	.03	0	0	144	1827	0	903	1549	42	0	0	0	0
60290	2	4.45	.04	13.10	.04	0	0	150	1835	10	750	2140	44	0	0	0	0
60310	3	5.26	.05	12.60	.04	0	0	100	1550	0	1000	1400	40	0	0	0	0
60301	4	4.64	0.00	14.10	.03	0	0	177	1840	10	976	2200	45	0	0	0	0
60302	5	4.70	0.00	13.90	.03	0	0	226	2019	20	980	2580	50	0	0	0	0
60303	6	6.05	.02	11.10	.14	0	0	00	1000	13	1100	1210	37	10	0	0	0
60304	7	7.59	1.02	9.85	.59	0	61	100	1000	41	1290	1340	45	14	42	251	0
60305	8	8.11	1.24	8.59	.57	0	67	100	900	50	1500	1320	46	15	44	273	0
60306	9	7.66	1.13	10.70	.51	0	0	00	932	50	1430	1100	40	12	50	231	0
60307	10	5.99	.07	11.10	.04	0	0	119	2030	0	1300	1520	35	0	0	0	0
60307	10	5.73	.10	11.20	.04	0	0	130	2019	0	1320	1710	40	10	0	0	0
60308	11	5.40	.50	10.50	.07	0	0	00	2100	0	1340	900	30	10	0	0	0
60309	12	3.70	.10	10.80	.07	0	0	00	1250	0	771	1370	28	0	0	0	0
60310	13	5.50	.10	12.00	.06	0	0	110	1520	0	1210	1720	38	0	0	0	0
60311	14	4.54	0.00	14.20	.03	0	0	150	1460	0	1030	1910	43	0	0	0	0
60312	15	4.14	0.00	14.20	.03	0	0	140	1600	0	1120	2200	40	0	0	0	0
60313	16	4.57	.71	10.30	.05	0	0	02	1820	0	1120	917	20	0	0	0	0
60314	17	4.97	.52	9.70	.06	0	0	00	1400	0	1100	1200	30	0	0	0	0
60315	18	4.26	.30	9.06	.05	0	0	00	1710	0	1120	970	25	0	0	0	0
60316	19	4.65	.42	9.56	.05	0	0	00	1000	0	1030	1120	20	0	0	0	0
60317	20	4.43	.43	9.66	.06	0	0	02	1800	0	055	1100	20	0	0	0	0
60318	21	4.02	.30	8.72	.05	0	0	00	1000	10	850	1140	26	0	0	0	0
60319	22	4.40	.47	9.39	.06	0	0	00	1700	10	972	1300	31	0	0	0	0
60320	23	4.29	.41	8.86	.05	0	0	00	1800	0	951	1100	27	0	0	0	0
60321	24	7.82	.99	10.20	.51	0	0	141	1349	30	2170	2100	51	14	11	210	0

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIREKTE
 FRAKSJONSGRAD : < 0.075 (MM)

	0.5	0.2	0.001	0.2	300	0.003	0.1
	AS	BE	SI	MO	TH	U	#
	PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY	1000	1000	1000	1000	1000	20000	1000
MTN	10	10	10	20	100	1000	100

gjennomsnitt etter Vinogradov

LÆRNO DRAYEND

60298	1	313	0	14	25	321	0	511
60299	2	351	0	14	23	325	0	504
60300	3	332	0	14	23	295	0	515
60301	4	200	0	13	0	335	0	425
60302	5	225	0	14	0	370	0	451
60303	6	351	0	15	26	118	0	415
60304	7	342	0	21	20	0	0	271
60305	8	372	0	22	26	0	0	275
60306	9	242	0	18	0	0	0	207
60307	10	266	0	13	21	287	0	424
60307	10	342	0	15	27	311	0	405
60308	11	351	0	13	26	211	0	474
60309	12	208	0	0	20	0	0	405
60310	13	332	0	14	25	264	0	483
60311	14	232	0	13	0	323	0	455
60312	15	242	0	12	20	311	0	474
60313	16	413	0	11	31	223	0	545
60314	17	342	0	11	29	219	0	501
60315	18	361	0	10	28	187	0	515
60316	19	323	0	10	25	187	0	488
60317	20	332	0	11	27	199	0	454
60318	21	323	0	0	25	199	0	504
60319	22	323	0	11	0	205	0	485
60320	23	313	0	11	20	199	0	450
60321	24	259	0	23	0	0	0	190

ANALYSEDATA : BENGARTSPRAVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGSGRUPPE : DIREKTE
 FRÅKS IONSGRAD : < .075 (NM)

		FE	CL	MG	TI	AG	HA	CO	CR	CU	MN	NI	PO	SM	SP	V	Y	Zn
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
NAV		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
MIN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
LØSNING DRAGEN																		
60322	25	4.41	.34	9.72	.06	0	0	95	1474	0	903	1244	31	0	0	54	0	102
60323	26	4.03	.40	8.32	.06	0	0	88	1700	0	837	1099	27	0	0	69	0	105
60324	27	3.72	.43	8.98	.05	0	0	91	1559	0	945	1124	29	0	0	71	0	104
60325	28	4.42	.55	8.85	.06	0	0	109	1669	25	972	1414	33	10	0	93	0	122
60326	29	4.87	.31	11.80	.04	0	0	106	1649	0	1300	1524	41	0	0	51	0	103
60327	30	4.47	.05	12.70	.03	0	0	128	1509	0	978	1939	42	0	0	0	0	44
60327	30	4.44	.05	13.00	.03	0	0	131	1520	0	976	1950	42	0	0	0	0	92
60329	31	5.11	.21	12.20	.03	0	0	112	1399	0	1250	1610	39	0	0	52	0	102
60329	32	5.35	.03	13.00	.04	0	0	127	1590	0	1270	1950	48	10	0	0	0	106
60330	33	6.06	.29	12.40	.05	0	0	131	1809	0	1270	2014	48	12	0	0	0	86
60331	34	6.27	.18	13.20	.05	0	0	159	1910	0	1239	2240	60	13	0	0	0	92
60332	35	6.11	.32	14.80	.04	0	0	144	1870	112	1309	1930	64	12	10	0	0	84
60333	36	5.41	.51	11.30	.07	0	0	110	2250	71	1169	1374	42	11	0	95	0	97
60334	37	6.52	.42	11.30	.05	0	0	136	1579	69	1250	1820	45	13	0	53	0	89
60335	38	5.46	.45	11.80	.06	0	0	140	1669	0	1349	2099	44	11	0	71	0	94
60336	39	5.13	.33	14.40	.07	0	0	150	2100	0	2199	2300	56	11	0	0	0	102
60337	40	3.15	.41	14.00	.07	0	0	128	2324	0	1610	1784	47	0	0	70	0	85
60338	41	4.24	.07	13.60	.07	0	0	122	1864	0	1230	1624	46	10	0	62	0	84
60339	42	3.98	.35	12.60	.07	0	0	131	1739	0	1370	2214	46	0	0	56	0	75
60340	43	4.04	.05	14.50	.06	0	0	142	2100	0	1090	2229	54	0	0	56	0	89
60341	44	6.13	.11	11.20	.05	0	0	125	1820	0	1649	1730	45	13	0	78	0	80
60342	45	5.00	0.00	13.20	.04	0	0	175	2110	0	875	2560	53	11	0	0	0	75
60343	46	4.12	0.00	13.80	.03	0	0	171	2130	0	842	2649	52	0	0	0	0	76
60344	47	4.74	.05	12.90	.05	0	0	122	1559	0	871	1840	41	10	0	0	0	78
60345	48	4.31	.03	14.20	.05	0	0	133	1570	0	1030	1779	47	0	0	72	0	83

ANALYSEDATA : BERGERTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIREKTE
 FRAKSJONSGRAD : < .075 (MM)

KANTON	KANTON	AS	BE	BJ	NO	TH	U	d
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
		1000	1000	1000	1000	1000	20000	1000
		10	10	10	20	100	1000	100
L. RND. DRIVEN								
60322	25	259	0	11	22	197	0	455
60323	26	332	0	10	26	179	0	483
60324	27	391	0	12	31	199	0	510
60325	28	434	0	13	30	221	0	499
60326	29	372	0	15	26	275	0	497
60327	30	342	0	14	25	304	0	497
60327	30	323	0	13	26	311	0	501
60328	31	361	0	13	26	283	0	511
60329	32	304	0	16	23	342	0	479
60330	33	266	0	17	21	410	0	452
60331	34	208	0	20	0	490	0	417
60332	35	266	0	18	0	437	0	410
60333	36	276	0	15	0	273	0	432
60334	37	285	0	17	23	365	0	483
60335	38	242	0	14	21	299	0	457
60336	39	259	0	16	0	361	0	412
60337	40	162	0	10	0	175	0	391
60338	41	266	0	13	25	217	0	450
60339	42	185	0	12	0	240	0	399
60340	43	232	0	13	21	281	0	434
60341	44	259	0	18	22	283	0	468
60342	45	200	0	15	0	401	0	439
60343	46	141	0	13	0	384	0	413
60344	47	276	0	12	24	266	0	494
60345	48	259	0	13	23	280	0	470

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PDEPAPERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		FE	K	MG	TI	AG	PA	CO	CR	CU	BN	NI	PR	SH	SO	V	Y	ZN
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
MTM		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
LÄMND SPRÄVND																		
60346	49	6.60	.51	12.90	.07	0	0	145	1860	0	1439	2159	58	14	0	71	0	109
60347	50	4.87	.20	13.20	.05	0	0	146	1829	0	1539	1939	46	11	0	56	0	39
60347	50	4.95	.15	12.70	.04	0	0	146	1829	0	1539	2049	47	0	0	0	0	103
60349	51	4.28	.05	12.90	.04	0	0	119	1439	0	892	1550	40	0	0	51	0	97
60349	52	4.46	.40	10.30	.06	0	0	95	1860	0	1009	1329	30	0	0	91	0	102
60350	53	4.65	.45	9.92	.05	0	0	97	1939	0	1090	1320	32	0	0	98	0	109
60351	54	4.77	.44	10.30	.05	0	0	97	1740	0	1059	1209	32	0	0	71	0	96
60352	55	5.43	.43	13.30	.06	0	0	127	1740	0	1120	2100	44	10	0	62	0	94
60353	56	4.94	.51	11.20	.06	0	0	128	1680	0	1199	1939	39	0	0	68	0	102
60354	57	5.05	.44	11.30	.05	0	0	123	1860	0	1239	1940	38	0	0	61	0	87
60355	58	3.41	0.00	13.20	.03	0	0	99	1820	0	930	2170	40	0	0	0	0	94
60356	59	4.08	.04	13.50	.03	0	0	115	1849	0	737	2040	43	0	0	0	0	89
60357	60	4.34	.03	13.60	.03	0	0	141	1890	0	831	1860	44	0	0	0	0	92
60358	61	4.89	.40	10.90	.05	0	0	119	1820	0	1239	1729	39	0	0	68	0	112
60359	62	5.29	.39	11.90	.06	0	0	147	1719	0	1239	2170	47	15	0	63	0	110
60360	63	5.01	.12	11.50	.10	0	0	66	918	48	1149	733	40	0	0	51	0	94
60361	64	5.00	.41	10.50	.05	0	0	106	1820	0	1109	1520	36	0	0	77	0	98
60362	65	5.51	.61	16.00	.10	0	63	135	2030	21	1190	1979	49	0	21	60	0	91
60363	66	4.95	.63	13.40	.03	0	0	141	1579	0	827	2070	45	0	0	0	0	94
60364	67	4.38	0.00	13.60	.04	0	0	127	1840	0	747	2180	43	0	0	0	0	84
60365	68	3.60	.03	13.30	.05	0	0	122	1849	0	837	2080	42	0	0	0	0	89
60366	69	4.64	.38	11.80	.05	0	0	115	1810	0	1349	1439	38	0	0	53	0	95
60367	70	4.80	.03	13.50	.04	0	0	148	1869	0	1300	2079	47	0	0	0	0	102
60367	70	5.15	.05	14.30	.04	0	0	173	1820	0	1379	2369	55	10	0	0	0	103
60368	71	3.57	.02	14.30	.04	0	0	138	1460	0	907	1890	49	0	0	0	0	95

ANALYSEDATA : KERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		AS	BE	BI	MO	TH	U	W
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY		1000	1000	1000	1000	1000	20000	1000
MTM		10	10	10	20	100	1000	100
L. RND. DRIVEN?								
60346	49	276	0	21	21	422	0	476
60347	50	232	0	14	22	292	0	450
60347	50	250	0	15	0	297	0	443
60348	51	372	0	13	31	278	0	524
60349	52	382	0	11	24	205	0	514
60350	53	401	0	13	29	217	0	510
60351	54	294	0	11	21	211	0	474
60352	55	294	0	15	23	297	0	453
60353	56	332	0	14	25	271	0	472
60354	57	304	0	13	22	264	0	465
60355	58	285	0	10	22	271	0	481
60356	59	313	0	13	24	306	0	495
60357	60	294	0	13	24	316	0	497
60358	61	342	0	13	28	262	0	495
60359	62	294	0	16	22	304	0	448
60360	63	276	0	14	0	113	0	389
60361	64	276	0	13	21	218	0	435
60362	65	225	0	15	0	205	0	382
60363	66	294	0	14	22	351	0	484
60364	67	295	0	11	23	304	0	485
60365	68	276	0	12	0	250	0	458
60366	69	342	0	13	25	248	0	494
60367	70	259	0	14	21	309	0	465
60367	70	266	0	17	21	344	0	448
60368	71	285	0	12	24	243	0	476

ANALYSEDATA : REPQARTSHOVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGSGRADE : DIREKTE
 FRAKSJONSGRAD : < .075 (MM)

		FE %	K %	MG %	TI %	AG ppm	BA ppm	CO ppm	CP ppm	CU ppm	MN ppm	NI ppm	PR ppm	SH ppm	SO ppm	V ppm	Y ppm	Zn ppm
RAY		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
NTM		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L- AND D-VALUES																		
60360	72	6.84	.07	12.90	.04	0	0	151	1559	0	1259	2200	53	11	0	0	0	102
60370	73	4.68	.47	11.70	.05	0	0	146	1570	13	1189	1730	43	0	0	62	0	99
60371	74	5.46	.15	12.60	.05	0	0	149	1520	0	1120	1349	45	0	0	52	0	98
60372	75	5.08	.94	9.91	.10	0	125	112	1800	15	1000	1270	38	11	0	113	0	100
60373	76	5.24	.07	12.90	.05	0	0	131	1410	91	1020	1770	45	0	0	0	0	103
60374	77	5.13	.38	11.70	.06	0	0	141	1440	10	1070	2109	45	0	0	67	0	93
60375	78	4.93	.68	11.90	.09	0	147	119	1869	29	1149	1849	46	0	56	45	0	119
60376	79	4.73	.47	10.90	.06	0	0	110	1429	0	1059	1500	34	0	0	73	0	100
60377	80	6.04	.35	12.90	.08	0	0	147	1759	0	1160	2309	53	11	23	63	0	102
60378	81	4.64	.65	10.40	.05	0	0	126	1270	27	1230	1899	38	16	14	61	0	94
60379	82	5.91	.51	15.90	.09	0	62	151	1829	15	1199	2360	61	11	25	68	0	115
60380	83	4.91	.53	10.90	.08	0	97	112	1820	32	1120	1589	42	10	26	48	0	117
60381	84	4.48	.35	10.30	.06	0	0	105	1479	12	1070	1349	36	0	0	85	0	106
60382	85	5.20	.59	11.00	.09	0	75	126	1860	12	1059	1680	44	11	19	104	0	113
60383	86	4.49	.43	10.20	.07	0	0	109	1739	15	945	1649	35	0	0	87	0	106
60384	87	4.60	.44	10.40	.07	0	0	116	1800	16	972	1579	38	10	0	89	0	104
60385	88	4.87	.60	11.30	.08	0	57	115	2009	0	1030	1449	38	10	0	90	0	105
60386	89	8.30	1.40	7.71	.74	0	155	89	423	23	1540	453	45	20	126	255	0	122
60387	90	6.04	.74	15.70	.11	0	0	158	2219	10	1259	2500	62	12	23	65	0	112
60387	90	5.80	.79	13.60	.13	0	59	157	2040	0	1189	2509	55	12	31	60	0	116
60388	91	5.95	.68	13.70	.09	0	0	155	2100	10	1320	2329	65	13	14	44	0	115
60389	92	5.21	.54	12.40	.07	0	0	145	1770	13	1149	2130	50	11	10	71	0	113
60390	93	6.05	.45	14.40	.05	0	0	158	1820	0	1059	2199	64	12	0	59	0	105
60391	94	5.37	.11	15.20	.05	0	0	177	1640	0	1169	2540	64	11	0	0	0	102
60392	95	5.55	.24	15.60	.06	0	0	184	1750	0	1050	2420	68	12	0	52	3	103

ANALYSEDATA : BERGANTSCHOVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARATIONS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

KAY NTM		AS	BE	BI	HO	TH	H	F
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
		1000	1000	1000	1000	1000	20000	1000
		10	10	10	20	100	1000	100
L-PROL PROVENZ								
60360	72	323	0	19	23	394	0	479
60370	73	332	0	13	23	255	0	483
60371	74	323	0	15	24	283	0	469
60372	75	342	0	15	24	183	0	443
60373	76	294	0	15	22	221	0	467
60374	77	259	0	14	0	264	0	427
60375	78	276	0	13	20	185	0	420
60376	79	285	0	12	22	216	0	455
60377	80	276	0	18	22	287	0	413
60378	81	361	0	14	28	297	0	504
60379	82	217	0	18	0	281	0	364
60380	83	294	0	14	23	186	0	436
60381	84	351	0	13	25	205	0	484
60382	85	361	0	15	25	212	0	443
60383	86	332	0	13	25	216	0	467
60384	87	332	0	14	24	221	0	455
60385	88	351	0	14	25	208	0	457
60386	89	323	0	23	21	0	0	265
60387	90	232	0	21	0	292	0	340
60387	90	276	0	18	0	254	0	359
60388	91	294	0	22	0	323	0	345
60389	92	285	0	18	0	276	0	620
60390	93	285	0	21	0	377	0	422
60391	94	266	0	20	0	385	0	415
60392	95	304	0	21	20	382	0	431

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIREKTE
 FRAKSJONSGRAD : < .075 (NO)

		FE %	K %	MG %	TI %	AL PPM	SA PPM	CO PPM	CR PPM	CU PPM	MN PPM	NI PPM	BR PPM	SN PPM	SO PPM	V PPM	Y PPM	Zn PPM
ABY		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	6000
MIN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
LAMP PDVFN2																		
60393	96	5.77	.17	13.40	.06	0	0	144	1730	56	976	2148	55	11	0	0	0	90
60394	97	5.30	.48	15.40	.11	0	0	156	2399	0	1270	2379	54	11	14	52	0	102
60395	98	6.02	.55	15.40	.09	0	0	173	2079	0	1219	2549	61	12	16	72	0	103
60396	99	6.03	.44	15.30	.09	0	0	186	1869	0	1390	2629	65	12	0	53	0	105
60397	100	4.63	.02	18.30	.05	0	0	144	1990	0	988	2799	65	0	0	0	0	102
60398	101	6.47	.53	17.40	.08	0	0	177	1950	36	1250	2570	65	12	20	56	0	106
60399	102	6.42	.35	16.10	.09	0	0	217	1879	0	1120	3009	80	13	12	50	0	105
60400	103	5.51	.31	15.10	.04	0	0	185	1930	25	1029	2269	61	11	0	53	0	115
60401	104	5.72	.23	16.30	.04	0	0	177	1950	0	1509	2250	56	10	0	0	0	94
60402	105	4.73	.58	13.30	.06	0	0	144	1860	0	1169	2229	50	11	0	72	0	104
60403	106	5.93	.45	13.60	.05	0	0	158	1890	0	1140	2170	53	11	0	70	0	113
60404	107	5.57	.45	14.40	.07	0	0	168	1990	0	1180	2600	60	12	0	80	0	115
60405	108	5.40	.44	12.80	.07	0	0	142	2009	0	1030	2089	51	11	0	77	0	112
60406	109	5.80	.35	12.90	.07	0	0	141	1750	0	1169	1559	48	11	0	66	0	109
60407	110	7.18	.12	12.00	.06	0	0	139	1730	0	1439	1910	50	13	0	74	0	110
60407	110	7.68	.11	12.50	.05	0	0	140	1789	0	1509	1930	52	13	0	68	0	109
60408	111	6.92	.17	13.30	.06	0	0	175	1739	0	1340	2280	56	13	0	58	0	112
60409	112	5.75	.51	12.30	.08	0	84	135	2269	252	1439	1890	52	11	12	116	0	116
60410	113	5.82	.74	13.10	.12	0	51	142	2119	12	1189	1910	50	12	16	125	0	112
60411	114	5.84	.75	11.80	.12	0	63	133	2210	12	1230	1610	47	12	10	142	0	119
60412	115	5.60	.60	11.30	.08	0	67	113	2110	0	1160	1539	42	11	10	103	0	122
60413	116	7.02	.58	12.10	.10	0	52	127	2079	0	1529	1669	55	13	0	106	0	105
60414	117	5.96	.61	14.30	.09	0	0	145	2060	0	1160	2170	50	11	14	91	0	100
60415	118	5.43	.47	14.50	.06	0	0	133	1759	0	1259	2190	47	10	13	59	0	97
60416	119	6.40	.50	13.00	.05	0	0	153	1759	0	1640	2259	49	12	0	71	0	125

ANALYSEDATA : BERGARI SPRAYER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		AS	RE	BT	JO	Ta	u	W
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX		1000	1000	1000	1000	1000	20000	1000
MIN		10	10	10	20	100	1000	100
L RND SPRAYEND								
60393	96	276	0	19	0	306	0	417
60394	97	217	0	17	0	221	0	342
60395	98	217	0	20	0	321	0	349
60396	99	250	0	21	0	330	0	372
60397	100	250	0	17	0	354	0	410
60398	101	206	0	20	0	353	0	359
60399	102	242	0	24	0	439	0	354
60400	103	285	0	19	0	370	0	453
60401	104	250	0	19	0	346	0	434
60402	105	323	0	16	0	237	0	453
60403	106	342	0	19	23	347	0	469
60404	107	313	0	20	22	349	0	434
60405	108	332	0	18	22	292	0	453
60406	109	342	0	18	26	259	0	462
60407	110	413	0	21	30	370	0	509
60407	110	382	0	21	25	394	0	441
60408	111	313	0	21	23	387	0	463
60409	112	266	0	18	20	252	0	394
60410	113	250	0	18	0	226	0	356
60411	114	342	0	18	26	195	0	425
60412	115	332	0	16	24	243	0	454
60413	116	304	0	21	21	283	0	396
60414	117	259	0	17	0	255	0	398
60415	118	217	0	15	0	266	0	394
60416	119	332	0	18	25	361	0	470

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PROEPAPERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (µM)

		FE	K	MG	TI	AG	BA	CO	CR	CU	MN	NI	PR	SN	SO	V	Y	ZN
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
AV		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	5000	5000	1500	1000	1000	500	1000	5000
MIN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L-PRODRÄVENR																		
60417	120	3.48	.04	13.10	.03	0	0	26	1550	0	754	1960	41	0	0	0	0	90
60418	121	4.33	.04	14.20	.04	0	0	211	1730	0	555	1869	48	0	0	0	0	94
60419	122	4.05	.29	14.40	.04	0	0	192	1700	0	1189	3049	50	0	0	0	0	99
60420	123	4.15	.08	13.30	.04	0	0	140	1660	0	1070	2310	46	0	0	0	0	94
60421	124	4.27	.03	14.30	.04	0	0	154	1610	35	1410	2500	51	0	0	0	0	112
60422	125	4.29	.03	14.20	.05	0	0	198	1920	0	1509	2920	48	0	0	0	0	100
60423	126	6.14	.42	12.00	.04	0	0	128	1430	0	1529	1349	47	11	0	68	0	94
60424	127	7.40	.11	13.00	.05	0	0	141	2079	0	1770	1979	52	12	0	59	0	115
60425	128	5.75	.00	14.30	.05	0	0	174	2049	0	1489	2180	63	11	0	54	0	109
60426	129	6.27	.01	15.00	.03	0	0	****	1980	0	1120	2560	51	11	0	0	0	102
60427	130	4.17	0.00	14.60	.03	0	0	221	1920	0	1079	2790	52	0	0	0	0	90
60428	131	4.58	0.00	14.10	.04	0	0	226	1860	0	981	2490	50	0	0	0	0	94
60429	132	4.18	0.00	13.00	.03	0	0	165	1779	0	837	1860	38	0	0	0	0	82
60430	133	3.89	0.00	13.60	.04	0	0	****	1990	0	1030	2549	46	0	0	53	0	96
60431	134	4.86	.04	14.00	.03	0	0	199	1840	0	960	2290	57	0	0	0	0	89
60432	135	6.02	.03	14.10	.04	0	0	165	1690	0	1219	2049	56	11	0	0	0	102
60433	136	4.58	.02	14.30	.04	0	0	238	2079	0	939	2610	55	9	0	59	0	92
60434	137	6.33	.57	12.60	.06	0	0	149	2130	0	1680	1950	54	12	0	78	0	122
60435	138	5.31	.14	13.20	.04	0	0	148	2049	0	1140	1930	52	10	0	56	0	97
60436	139	6.31	.29	13.40	.06	0	0	141	1960	0	1489	1939	56	12	0	64	0	106
60437	140	3.71	0.00	14.10	.04	0	0	92	2110	0	976	2240	48	0	0	54	0	89
60437	140	3.51	0.00	14.10	.04	0	0	91	2130	0	955	2110	46	0	0	58	0	87
60438	141	6.13	.30	17.20	.06	0	0	171	2589	0	1270	2420	56	10	0	62	0	103
60439	142	6.06	.10	14.30	.05	0	0	146	1710	0	1140	1950	55	11	0	57	0	103
60440	143	5.45	.62	12.10	.07	0	0	119	1689	0	1129	1950	42	10	0	73	0	110

ANALYSEDATA : BERGARISPRINGER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARATIONS-KODE : DIREKTE
 PEAKS JONSGRAD : < .075 (MM)

		AS	RE	HI	DO	TH	U	X
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY		1000	1000	1000	1000	1000	20000	1000
WLEN		10	10	10	20	100	1000	100
L RHO DPCWEND								
60417	120	364	0	11	23	262	0	498
60418	121	351	0	13	28	287	0	497
60419	122	294	0	14	23	380	0	465
60420	123	304	0	13	23	302	0	472
60421	124	313	0	14	0	316	0	460
60422	125	304	0	13	25	349	0	472
60423	126	361	0	18	21	324	0	498
60424	127	323	0	20	24	391	0	461
60425	128	250	0	20	0	375	0	432
60426	129	259	0	20	20	484	0	463
60427	130	232	0	14	21	375	0	458
60428	131	204	0	14	0	318	0	432
60429	132	304	0	11	21	255	0	497
60430	133	285	0	12	24	292	0	469
60431	134	294	0	17	21	354	0	460
60432	135	304	0	18	22	379	0	479
60433	136	313	0	16	23	347	0	467
60434	137	342	0	20	24	344	0	454
60435	138	256	0	17	20	316	0	445
60436	139	276	0	20	0	349	0	432
60437	140	285	0	13	23	271	0	465
60437	140	304	0	13	22	280	0	477
60438	141	232	0	17	0	299	0	463
60439	142	323	0	18	28	316	0	475
60440	143	382	0	15	28	250	0	475

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIREKTE
 FRAKSJONSGRAD : < .075 (MM)

		FE	K	MG	TI	AG	SA	CO	CR	CU	MM	NI	PR	SN	SP	V	Y	Zn
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	5000	5000	1500	1000	1000	500	1000	5000
MIN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L - 0.100 GRAVENO																		
60441	144	5.33	.09	14.10	.05	0	0	153	1409	0	451	2130	56	10	0	0	0	100
60442	145	6.07	.21	16.30	.12	0	94	151	2130	46	1259	1990	58	12	28	98	0	99
60443	146	5.93	.53	13.10	.09	0	65	151	1979	0	1150	2405	55	12	31	93	0	115
60444	147	6.79	.57	14.20	.09	0	0	170	1950	0	1180	2589	64	12	20	76	0	112
60445	148	5.07	.90	11.20	.08	0	0	121	1979	18	1149	1629	42	11	19	83	0	112
60446	149	4.70	.08	13.90	.05	0	0	239	1849	0	921	2500	47	0	0	56	0	100
60447	150	4.68	.04	15.00	.05	0	0	186	2040	0	842	2500	51	0	0	0	0	95
60448	151	5.86	.05	14.60	.04	0	0	156	1860	0	605	2839	65	11	0	0	0	103
60449	152	6.78	.55	14.40	.10	0	0	187	1950	0	1300	2759	68	13	15	70	0	113
60450	153	5.27	.11	15.50	.06	0	0	247	2540	0	1669	2780	68	11	0	72	0	102
60451	154	5.61	.12	12.60	.05	0	0	167	1500	0	892	2049	49	11	0	0	0	97
60452	155	4.80	.53	11.50	.06	0	0	129	1640	0	1079	1580	43	10	0	71	0	106
60453	156	6.50	.39	13.10	.07	0	0	128	1910	0	1259	1770	55	12	0	76	0	122
60454	157	5.52	.11	14.30	.04	0	0	131	1730	0	1459	2100	53	10	0	61	0	115
60455	158	4.29	.48	14.20	.06	0	0	150	1860	0	1410	2320	48	0	0	73	0	110
60456	159	4.64	.08	14.60	.04	0	0	147	1599	0	1109	1930	44	0	0	52	0	105
60457	160	5.82	.43	13.40	.07	0	0	142	1950	0	1090	2320	53	11	12	73	0	105
60457	160	5.40	.41	12.40	.07	0	0	133	1809	0	1009	2149	44	10	10	71	0	94
60458	161	6.20	.59	16.90	.10	0	0	159	2110	0	1270	2519	63	12	34	70	0	102
60459	162	6.44	.63	15.90	.09	0	0	159	2030	0	1230	2500	59	12	22	70	0	103
60460	163	6.11	.65	14.70	.10	0	51	174	2119	33	1370	2010	65	12	24	65	0	112
60461	164	3.95	0.00	18.60	.04	0	0	116	2320	0	997	2450	58	0	0	0	0	87
60462	165	3.90	.37	14.60	.04	0	0	179	1860	0	1180	1789	46	0	0	58	0	106
60463	166	4.39	.06	16.80	.04	0	0	179	1680	0	1340	2780	52	0	0	52	0	100
60464	167	5.70	.57	15.80	.10	0	0	150	2000	11	1180	2439	59	11	27	64	0	94

ANALYSEDATA : BERGARTSPRØVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERTINGS-KODE : DIREKTE
 FRAKSJONSGRAD : < .075 (MM)

		AS	RE	RI	RO	TH	D	B
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY		1000	1000	1000	1000	1000	20000	1000
MIN		10	10	10	20	100	1000	100
LEAD PRØVENO								
60441	144	232	0	16	0	304	0	424
60442	145	208	0	18	0	208	0	335
60443	146	372	0	19	28	276	0	411
60444	147	274	0	22	21	344	0	394
60445	148	401	0	15	30	219	0	441
60446	149	313	0	15	23	316	0	452
60447	150	266	0	17	21	342	0	443
60448	151	266	0	20	0	453	0	437
60449	152	276	0	23	0	370	0	380
60450	153	285	0	19	24	347	0	427
60451	154	294	0	18	0	328	0	441
60452	155	313	0	15	24	232	0	453
60453	156	351	0	20	25	314	0	453
60454	157	391	0	17	27	344	0	500
60455	158	361	0	15	28	250	0	470
60456	159	361	0	15	27	292	0	490
60457	160	285	0	18	21	287	0	420
60457	160	285	0	15	21	280	0	443
60458	161	225	0	20	0	269	0	354
60459	162	259	0	19	0	280	0	340
60460	163	242	0	21	0	292	0	361
60461	164	208	0	13	0	271	0	405
60462	165	372	0	13	29	250	0	497
60463	166	323	0	15	25	316	0	470
60464	167	185	0	18	0	243	0	325

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGSGRADE : DIREKTE
 FRAKTIONSGRAD : < 0.075 (MM)

		FE %	K %	MG %	TI %	AL PPM	CA PPM	CO PPM	CR PPM	CU PPM	MN PPM	NI PPM	PS PPM	SI PPM	SO PPM	V PPM	Y PPM	ZN PPM
DAY	PPM	15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
PPM		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
LEAD AND DRIVEN																		
60465	160	6.32	.54	10.30	.09	0	0	150	2000	0	1210	2469	63	11	23	54	0	97
60466	169	5.63	.55	17.40	.07	0	0	135	2000	0	1620	2250	61	11	0	0	0	94
60467	170	5.06	.05	14.80	.05	0	0	150	1500	0	1199	1800	60	10	0	0	0	109
60468	171	5.65	.26	13.70	.06	0	0	173	1939	45	1190	1939	57	11	0	58	0	113
60469	172	4.25	.12	14.00	.06	0	0	135	1779	0	1039	1460	45	0	0	61	0	94
60470	173	6.27	.72	14.00	.12	0	55	166	2259	17	1430	2379	83	10	37	115	10	134
60471	174	5.56	.47	14.60	.17	0	252	144	2040	19	1230	1910	52	12	43	133	0	102
60472	175	6.46	.64	16.80	.11	0	0	173	2149	11	1270	2670	65	12	22	42	0	100
60473	176	5.94	.49	15.80	.09	0	57	161	1869	0	1140	2509	56	10	10	62	0	94
60474	177	5.80	.55	15.50	.10	0	52	151	1939	14	1160	2309	54	10	21	74	0	102
60475	178	5.61	.65	13.60	.10	0	76	155	1960	26	1180	2469	56	11	27	80	0	106
60476	179	5.01	.47	16.30	.09	0	0	154	2159	0	1099	2500	55	0	15	62	0	94
60477	180	7.09	.61	15.70	.10	0	83	150	1950	0	1419	2200	59	12	28	83	0	106
60477	180	6.94	.64	15.10	.11	0	93	158	2070	0	1449	2339	64	13	32	92	0	106
60479	181	5.18	.39	12.40	.06	0	0	133	1560	0	1070	2229	45	10	13	61	0	110
60479	182	3.99	.41	11.60	.05	0	0	116	1449	42	976	1930	42	0	28	54	0	102
60480	183	5.84	.45	14.70	.21	0	132	135	2110	57	1210	1869	51	11	52	138	0	112
60481	184	4.82	.55	10.90	.12	0	0	129	1500	12	989	1960	35	0	15	103	0	102
60482	185	4.45	.44	11.00	.09	0	0	125	1400	0	903	1879	34	10	12	105	0	110
60483	186	5.24	.70	13.20	.07	0	65	127	1869	0	1259	1779	42	11	0	72	0	102
60484	187	5.57	.28	13.50	.07	0	0	135	1719	0	1239	2299	49	11	0	67	0	94
60485	188	5.77	.55	11.50	.06	0	57	115	1579	0	1259	1699	40	10	0	62	0	109
60486	189	6.07	.75	12.60	.06	0	0	136	2109	0	1300	2089	52	12	0	97	0	109
60487	190	5.69	.15	13.60	.05	0	0	141	1500	0	1210	2199	50	10	0	0	0	109
60488	191	6.63	.35	16.90	.06	0	0	146	1950	0	1300	2210	54	10	0	53	0	109

ANALYSEDATA : BEPGATSPRØVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		AS	RE	BI	BO	TH	U	V
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
WAZ		1000	1000	1000	1000	1000	20000	1000
WTH		10	10	10	20	100	1000	100
LORNO	PPROVENR							
60465	168	192	0	19	0	220	0	447
60466	169	170	0	18	0	278	0	364
60467	170	313	0	18	24	295	0	455
60468	171	342	0	19	24	321	0	446
60469	172	323	0	15	27	199	0	460
60470	173	500	0	32	25	382	0	387
60471	174	232	0	17	0	153	0	346
60472	175	225	0	10	0	311	0	358
60473	176	217	0	17	0	328	0	368
60474	177	266	0	17	0	262	0	387
60475	178	294	0	18	22	230	0	399
60476	179	155	0	14	0	274	0	335
60477	180	208	0	20	0	321	0	354
60477	180	232	0	21	0	325	0	352
60478	181	361	0	15	28	316	0	401
60479	182	331	0	13	20	273	0	477
60480	183	294	0	17	0	0	0	323
60481	184	342	0	13	23	131	0	403
60482	185	401	0	14	31	192	0	477
60482	186	332	0	15	21	243	0	443
60484	187	342	0	17	25	302	0	453
60485	188	332	0	16	0	278	0	448
60486	189	342	0	19	25	299	0	435
60487	190	342	0	18	26	330	0	470
60488	191	242	0	19	0	316	0	394

ANALYSEDATA : BERGARTSPRØVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIREKTE
 FRAKSJONSGRAD : < .075 (MM)

		FE	K	MG	TI	AG	FA	CO	CR	CU	MN	NI	PH	SM	SO	V	Y	ZN
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
Max		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
MTN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L- AND DO-VALUES																		
60489	192	5.32	.09	14.40	.05	0	0	133	1449	0	1489	2329	55	10	0	56	0	100
60490	193	4.34	.04	15.50	.05	0	0	170	1969	0	1129	2209	54	0	0	52	0	95
60491	194	6.09	.15	14.40	.05	0	0	158	1680	0	1120	2210	54	11	0	52	0	102
60492	195	4.69	.12	14.30	.05	0	0	152	2040	0	1149	2029	51	0	0	64	0	98
60493	196	4.43	.03	14.50	.05	0	0	119	1620	0	1270	2079	52	0	0	56	0	100
60494	197	3.75	.01	14.50	.04	0	0	155	1759	0	897	2899	47	0	0	0	0	92
60495	198	3.47	.02	13.80	.03	0	0	102	1850	0	793	2409	42	0	0	0	0	98
60496	199	3.01	.03	13.90	.03	0	0	116	1199	0	976	1309	36	0	0	53	0	87
60497	200	3.53	0.00	15.30	.04	0	0	105	1770	0	988	2100	53	0	0	0	0	84
60497	200	3.97	0.00	17.70	.04	0	0	109	1910	0	1050	2310	58	0	0	0	0	93
60498	201	3.85	0.00	17.00	.03	0	0	119	1809	0	1039	2610	55	0	0	0	0	92
60499	202	4.84	.01	14.50	.04	0	0	175	1960	0	871	2710	65	10	0	0	0	90
60500	203	5.41	.05	13.50	.04	0	0	148	1430	0	976	2149	54	10	0	0	0	122
60501	204	5.54	.05	13.60	.04	0	0	148	1680	18	1449	1979	53	11	0	54	0	115
60502	205	6.45	.50	11.50	.06	0	0	133	1779	0	1379	2030	52	12	0	74	0	115
60503	206	6.65	.54	12.00	.07	0	0	131	1829	0	1419	2000	53	12	0	80	0	114
60504	207	4.93	.02	14.20	.04	0	0	191	1620	0	903	2339	58	10	0	0	0	105
60505	208	6.10	.41	13.40	.05	0	0	144	2070	0	1370	2149	53	12	0	67	0	103
60506	209	5.95	.35	13.30	.05	0	0	129	1899	0	1529	1950	53	11	0	63	0	112
60507	210	6.34	.55	14.40	.09	0	0	170	1950	0	1379	2649	65	12	14	54	0	112
60508	211	5.81	.34	13.20	.07	0	0	151	1710	0	1079	2209	53	11	0	58	0	90
60509	212	5.23	.02	15.60	.05	0	0	157	1739	0	1169	2339	54	10	0	0	0	94
60510	213	6.78	.69	15.50	.11	0	54	158	2079	0	1289	2530	63	12	25	23	0	113
60511	214	6.22	.89	14.30	.12	0	221	146	1979	29	1250	2170	53	12	46	102	0	113
60512	215	5.62	.67	12.10	.07	0	0	133	2149	51	1230	2100	50	11	20	93	0	114

ANALYSEDATA : BERGARTSPROBER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PDEPAPERINGS-KODE : DIREKTE
 FOAKSLONGRAD : < .075 (MM)

LAP MTAL		AS	RE	BI	NO	TH	U	V
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
		1000	1000	1000	1000	1000	20000	1000
		10	10	10	20	100	1000	100
LAPNO	OPROVNO							
60480	192	313	0	12	23	347	0	451
60490	193	294	0	15	23	290	0	453
60491	194	361	0	20	24	377	0	461
60492	195	332	0	15	27	250	0	462
60493	196	342	0	16	26	297	0	453
60494	197	332	0	13	26	358	0	470
60495	198	372	0	12	29	292	0	500
60496	199	401	0	11	33	231	0	540
60497	200	259	0	14	21	245	0	445
60497	200	225	0	14	0	323	0	427
60498	201	192	0	13	0	309	0	399
60499	202	285	0	18	21	391	0	437
60500	203	413	0	12	24	385	0	501
60501	204	401	0	18	29	358	0	502
60502	205	342	0	20	21	351	0	437
60503	206	392	0	20	26	337	0	453
60504	207	342	0	17	24	349	0	463
60505	208	259	0	20	0	379	0	475
60506	209	342	0	19	24	335	0	455
60507	210	313	0	21	23	356	0	405
60508	211	294	0	19	21	316	0	417
60509	212	313	0	18	26	377	0	455
60510	213	323	0	21	24	309	0	395
60511	214	323	0	12	27	212	0	394
60512	215	422	0	17	36	283	0	495

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGSKODE : DIREKTE
 FRAKSJONSGRAD : < .075 (μ M)

		FE	CL	MG	TI	AL	BA	CO	CR	CU	GM	MT	PH	SM	SD	V	Y	ZN
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
MIN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	20
E-AND	PPM																	
60513	216	6.46	.67	15.00	.11	0	55	166	2140	12	1230	2500	67	13	10	51	0	110
60514	217	6.76	.65	17.00	.14	0	71	179	2000	20	1300	2500	72	13	40	52	0	102
60515	218	6.29	.72	17.00	.12	0	112	148	2080	25	1230	2360	62	11	47	50	0	100
60516	219	6.77	.67	18.10	.12	0	52	161	2140	11	1280	2540	67	12	23	72	0	158
60517	220	6.16	.49	12.30	.07	0	0	155	1730	10	1250	2530	57	12	17	61	0	115
60517	220	4.87	.35	10.60	.05	0	0	109	1460	0	1030	1680	37	10	0	0	0	94
60518	221	5.97	.64	12.10	.08	0	0	138	2019	13	1410	2100	53	14	15	51	0	115
60519	222	6.14	.53	12.00	.06	0	0	141	1730	64	1440	2190	52	13	0	56	0	122
60520	223	3.67	.05	14.60	.05	0	0	132	1940	0	820	2420	54	0	0	0	0	110
60521	224	4.78	.14	13.60	.05	0	0	212	1940	0	1300	1600	50	11	0	57	0	105
60522	225	2.83	.02	13.20	.04	0	0	102	1640	0	566	1730	44	0	0	0	0	100
60523	226	7.37	.08	14.60	.04	0	0	140	1660	0	1070	2690	70	14	0	0	0	100
60524	227	4.37	.12	15.20	.05	0	0	141	1910	0	976	2180	52	10	0	59	0	102
60525	228	4.32	.05	14.90	.05	0	0	147	1890	0	934	1900	50	10	0	54	0	104
60526	229	5.74	.04	14.20	.05	0	0	166	1870	0	1140	1960	58	12	0	52	0	100
60527	230	5.94	.64	14.10	.12	0	72	165	2040	10	1230	2510	62	13	29	50	0	105
60528	231	6.04	.60	13.90	.10	0	52	157	2040	0	1180	2510	58	13	20	55	0	109
60529	232	5.46	.45	12.60	.06	0	0	148	1960	20	1160	2430	48	12	0	50	0	100
60530	233	5.91	.58	12.10	.11	0	62	159	2040	0	1070	2540	51	13	23	50	0	100
60531	234	6.03	1.04	14.20	.15	0	257	150	2080	10	1280	2170	55	14	54	121	0	112
60532	235	5.88	.94	11.50	.08	0	0	121	2720	0	1570	2240	49	14	43	131	0	120
60533	236	6.02	.95	11.70	.09	0	0	135	2760	15	1620	2200	47	15	43	131	0	123
60534	237	5.85	.83	11.20	.09	0	0	149	2680	0	1600	2460	49	14	53	131	0	127
60535	238	5.98	.82	11.50	.08	0	0	195	2600	20	1750	2800	49	14	50	122	0	122
60536	239	5.75	.54	13.30	.07	0	0	127	1680	10	1210	2070	51	12	0	65	0	100

ANALYSEDATA : BERGARTSPRAVER
 ANALYSEINSTRUMENT : VARIOMETER-TAPE
 PREPARIERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

LERN NUM	LERN NUM	AS	BE	BT	BO	TH	U	W
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
		1000	1000	1000	1000	1000	20000	10000
		10	10	10	20	100	1000	100
60512	216	255	0	21	25	335	0	350
60514	217	232	0	22	20	306	0	311
60515	218	260	0	19	30	250	0	255
60516	219	242	0	20	0	271	6	340
60517	220	323	0	20	20	365	0	427
60517	220	294	0	14	25	290	0	452
60518	221	342	0	21	25	342	0	453
60519	222	351	0	19	23	373	0	457
60520	223	323	0	15	22	330	0	455
60521	224	372	0	17	20	325	0	455
60522	225	372	0	12	28	259	0	504
60523	226	342	0	22	27	515	0	456
60524	227	434	0	17	31	335	0	500
60525	228	391	0	15	30	311	0	504
60526	229	361	0	20	27	391	0	454
60527	230	304	0	19	24	285	0	394
60528	231	361	0	20	20	342	0	434
60529	232	372	0	18	26	349	0	474
60530	233	392	0	19	27	304	0	432
60531	234	294	0	20	0	248	0	359
60532	235	413	0	10	32	349	0	472
60533	236	476	0	19	34	342	0	435
60534	237	401	0	19	26	373	0	460
60535	238	392	0	19	27	413	0	450
60536	239	332	0	17	28	299	0	457

ANALYSEDATA : BERGGRISPRÜFER
 ANALYSEINSTRUMENT : KANTONMETER-TAFEL
 PROBEREINRICHTUNGSKODE : DIPEKTE
 FRAKTIONSGRAD : < .075 (MM)

		FE	K	MG	TI	AG	BA	CO	CR	CU	PN	SI	PR	SH	SP	V	Y	ZN
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	6000
MIN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L. END. DO. V. END.																		
60537	240	5.63	.51	12.70	.08	0	0	157	1789	0	1300	2360	55	12	14	67	0	110
60537	240	5.02	.43	12.10	.06	0	0	129	1620	0	1199	1899	44	10	11	57	0	100
60539	241	6.46	.62	13.30	.10	0	0	144	1939	0	1270	2439	63	14	19	81	0	113
60539	242	5.82	.56	12.50	.08	0	0	133	1919	17	1129	2119	49	13	0	62	0	109
60540	243	5.63	.71	11.70	.12	0	0	145	2070	0	1269	2500	50	12	20	92	0	119
60541	244	6.22	.57	13.60	.10	0	0	151	1820	10	1180	2360	58	13	20	64	0	119
60542	245	5.65	.47	11.80	.07	0	0	122	1660	30	1030	1930	44	11	12	57	0	105
60543	246	6.50	.52	14.60	.10	0	0	151	1779	0	1160	2130	61	13	12	65	0	108
60544	247	5.99	.67	11.10	.14	0	113	123	2030	12	1180	1610	50	14	33	125	0	114
60545	248	5.99	.77	11.30	.11	0	0	122	2049	0	1219	1660	46	14	19	112	0	113
60546	249	6.08	.25	15.40	.07	0	0	154	1680	0	1090	2040	64	12	0	0	0	102
60547	250	5.93	.36	14.90	.07	0	0	147	1750	0	1120	2399	58	12	0	57	0	106
60548	251	6.20	.52	14.50	.08	0	0	155	1860	34	1239	2460	69	13	0	64	0	115
60549	252	6.48	.36	15.20	.08	0	0	171	1779	0	1120	2670	68	14	0	52	0	102
60550	253	5.98	.22	12.60	.06	0	0	119	1370	0	1030	1890	43	10	0	0	0	92
60551	254	6.82	.24	18.70	.07	0	0	166	1739	0	1189	2629	64	12	0	0	0	97
60552	255	6.55	.62	16.50	.09	0	0	152	1979	15	1390	2619	65	13	22	52	0	99
60553	256	4.59	.65	8.22	.08	0	0	81	1289	13	914	1109	27	0	38	0	0	56
60554	257	6.14	.55	12.20	.07	0	0	142	1869	0	1090	2100	49	12	39	61	0	99
60555	258	6.54	.57	13.10	.09	0	0	173	2019	10	1270	2439	58	14	16	60	0	115
60556	259	6.65	.29	14.00	.06	0	0	162	1629	10	1120	2399	58	14	0	57	0	112
60557	260	7.20	.23	18.90	.07	0	0	150	1770	0	1169	2209	58	12	0	0	0	99
60557	260	5.82	.23	13.40	.06	0	0	126	1529	0	1000	1789	44	10	0	0	0	85
60558	261	6.74	1.03	15.30	.16	0	94	171	2110	10	1289	2560	65	15	75	103	0	104
60559	262	6.14	.44	14.20	.07	0	0	155	1809	0	1219	2360	56	12	0	52	0	110

ANALYSEDATA : BERGARISSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARINGS-KODE : DIREKTE
 PEAKS IONSGRAD : < .075 (MM)

		AS PPM	RE PPM	BI PPM	BO PPM	TH PPM	U PPM	X PPM
MAX		1000	1000	1000	1000	1000	20000	1000
MIN		10	10	10	20	100	1000	100
L. RND. DRIVEN								
60537	240	295	0	18	22	332	0	420
60537	240	259	0	15	22	283	0	434
60538	241	332	0	22	24	354	0	415
60539	242	372	0	18	27	315	0	453
60540	243	304	0	18	0	259	0	359
60541	244	265	0	20	0	332	0	391
60542	245	342	0	16	23	287	0	458
60543	246	351	0	21	26	313	0	435
60544	247	382	0	20	25	218	0	425
60545	248	351	0	19	26	264	0	434
60546	249	285	0	21	21	406	0	425
60547	250	342	0	19	26	344	0	444
60548	251	351	0	20	25	354	0	432
60549	252	294	0	22	20	441	0	413
60550	253	294	0	15	21	292	0	451
60551	254	250	0	20	0	389	0	397
60552	255	204	0	21	0	392	0	344
60553	256	76	0	0	0	0	0	314
60554	257	217	0	14	0	344	0	359
60555	258	313	0	21	21	375	0	413
60556	259	372	0	21	27	427	0	465
60557	260	232	0	19	0	337	0	391
60557	260	304	0	15	24	304	0	457
60558	261	332	0	21	24	299	0	399
60559	262	266	0	19	20	370	0	413

ANALYSEDATA : BERGARTSPRØVER
 ANALYSEINSTRUMENT : KVANTOMETER-TARE
 PREPARERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		FE	S	MG	TI	AL	CA	CO	CR	CU	ZN	NI	PR	SH	SO	V	Y	ZN
		%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MAX		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
MIN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L AND PROVEN																		
60560	263	6.48	.73	16.70	.12	0	0	152	2100	12	1250	2529	65	13	35	71	0	105
60561	264	6.10	.63	12.90	.10	0	0	154	1859	16	1189	2490	57	12	22	73	0	113
60562	265	5.70	.34	13.80	.06	0	0	136	1979	0	1090	2240	53	11	0	0	0	90
60562	266	6.60	.92	16.70	.14	0	123	151	2040	22	1250	2360	61	13	47	62	0	102
60564	267	7.08	.91	16.10	.14	0	125	156	2290	23	1320	2560	65	14	57	94	0	115
60565	268	5.17	.71	10.90	.06	0	0	110	1820	0	1069	1820	37	12	25	64	0	106
60566	269	4.87	.19	11.50	.05	0	0	76	1349	0	903	1370	35	0	0	0	0	94
60567	270	5.38	.63	12.00	.06	0	0	115	1449	0	1039	2030	40	11	26	86	0	110
60569	271	5.98	.95	11.00	.07	0	0	127	1410	0	1280	2170	40	13	100	52	0	95
60569	272	5.65	.50	12.50	.08	0	0	146	1659	0	934	2670	46	12	0	57	0	99
60570	273	5.51	.77	12.10	.07	0	0	131	1509	0	1160	2310	45	13	50	62	0	98
60571	274	5.95	.60	12.70	.09	0	0	140	1579	0	1180	2479	51	14	20	66	0	99
60572	275	5.70	.55	12.50	.08	0	0	140	1509	0	1140	2339	48	13	32	70	0	94
60573	276	5.65	.69	12.30	.08	0	0	139	1660	0	1219	2140	45	13	16	76	0	95
60574	277	4.68	1.05	9.71	.05	0	0	105	1129	40	1259	1390	34	13	102	54	0	89
60575	278	5.98	.65	13.70	.11	0	134	164	1509	48	1189	2449	51	14	28	80	0	108
60576	279	6.03	.70	14.30	.12	0	0	129	1570	0	1309	2299	54	14	24	67	0	112
60577	280	5.71	.55	13.00	.10	0	0	145	1960	0	1030	2560	49	13	0	94	0	105
60577	280	5.40	.55	12.70	.09	0	0	141	1919	0	1009	2530	47	12	0	88	0	100
60578	281	8.98	2.20	4.18	1.26	0	667	112	209	47	1430	234	50	26	255	445	0	123
60579	282	6.14	.63	11.90	.08	0	0	153	2249	23	1180	2449	50	14	47	165	0	136
60580	283	6.72	.55	12.40	.09	0	0	157	2688	0	1169	2449	57	15	12	121	0	133
60581	284	6.27	.59	13.30	.09	0	0	150	2540	11	1140	2409	53	14	0	112	0	125
60582	285	5.88	.55	11.50	.10	0	0	148	2640	0	1129	2360	51	14	10	109	0	134
60583	286	6.19	.55	12.30	.10	0	0	154	2750	0	1070	2519	58	15	11	115	0	138

ANALYSEDATA : BERGARTSPRAVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		AS PPM	RE PPM	RI PPM	PD PPM	TH PPM	U PPM	Z PPM
RAY		1000	1000	1000	1000	1000	20000	1000
MTD		10	10	10	20	100	1000	100
L RND PROVENZ								
60560	263	225	0	21	0	344	0	333
60561	264	225	0	19	20	337	0	345
60562	265	200	0	17	0	337	0	395
60563	266	225	0	19	0	276	0	351
60564	267	225	0	22	21	311	0	373
60565	268	413	0	15	32	323	0	515
60566	269	276	0	14	23	273	0	467
60567	270	322	0	15	25	309	0	444
60568	271	351	0	15	24	328	0	469
60569	272	342	0	18	0	358	0	431
60570	273	372	0	18	24	358	0	455
60571	274	372	0	20	21	351	0	432
60572	275	322	0	18	24	324	0	453
60573	276	301	0	18	24	318	0	451
60574	277	332	0	15	25	304	0	490
60575	278	351	0	19	24	340	0	431
60576	279	250	0	20	0	302	0	352
60577	280	351	0	18	23	335	0	434
60577	280	323	0	18	21	337	0	415
60578	281	352	0	34	0	0	0	462
60579	282	434	0	20	26	370	0	457
60580	283	476	0	23	31	349	0	455
60581	284	465	0	21	26	379	0	452
60582	285	500	0	21	31	349	0	467
60583	286	465	0	22	27	375	0	460

ANALYSEDATA : BERGANTSPRINGER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARATIONS-KODE : DIREKTE
 PEAKS IONSGRAD : < .075 (MM)

		FE	Si	MG	TI	AL	FA	CO	CH	CU	MN	NI	PA	SM	SD	W	Y	Zr
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX	MIN	15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L-RND CORREND																		
60584	287	5.97	.52	12.30	.08	0	0	138	2549	0	1150	2110	52	14	12	102	0	124
60585	288	5.05	.44	12.00	.07	0	0	145	2610	0	1199	2320	48	12	0	95	0	125
60586	289	5.13	.45	12.40	.08	0	0	144	2659	17	1270	2349	50	12	0	85	0	126
60587	290	6.24	.43	12.50	.10	0	0	193	2769	0	1350	2570	66	15	0	92	0	127
60588	291	5.35	.54	12.40	.09	0	63	158	2820	0	1189	1939	105	14	0	109	0	176
60589	292	7.64	.42	14.40	.07	0	0	179	2149	33	1109	2509	64	15	14	64	0	115
60590	293	5.01	.30	11.10	.06	0	0	121	1939	59	1399	2110	49	14	20	76	0	109
60591	294	7.48	.45	12.70	.09	0	0	186	2050	0	1430	2790	69	17	10	72	0	122
60592	295	6.22	.55	14.90	.12	0	0	156	1969	0	1129	2600	61	14	38	73	0	98
60593	296	6.22	.77	14.00	.12	0	0	153	2070	17	1189	2320	52	13	40	96	0	108
60594	297	6.96	.55	15.70	.16	0	0	179	2210	13	1239	2519	66	15	45	105	0	105
60595	298	6.55	.70	11.00	.14	0	0	145	1950	10	1230	2250	55	15	42	110	0	122
60596	299	6.05	.65	12.00	.11	0	0	150	2049	13	1180	2479	54	13	33	98	0	119
60597	300	7.05	.81	17.00	.14	0	72	178	2240	31	1300	2619	70	15	55	98	0	108
60597	300	6.79	.72	15.50	.14	0	75	179	2269	29	1280	2540	68	15	54	93	0	90
60598	301	6.29	.54	11.60	.14	0	0	152	2250	12	1270	2290	53	15	27	120	0	118
60599	302	6.49	1.17	14.30	.28	0	247	153	1990	39	1280	2320	57	14	70	134	0	109
60600	303	6.20	.50	12.20	.09	0	0	144	2610	0	1109	2540	50	13	23	98	0	124
60601	304	5.46	.57	11.70	.08	0	0	153	2640	0	1020	2449	46	12	10	102	0	125
60602	305	5.01	.50	12.20	.08	0	0	132	2550	0	1030	2199	44	11	0	81	0	115
60603	306	5.49	.52	15.50	.08	0	0	150	2649	0	1250	2610	56	11	0	81	0	125
60604	307	5.05	.54	12.30	.08	0	0	157	2999	0	1270	2540	52	11	0	95	0	145
60605	308	4.24	.41	12.40	.06	0	0	138	2560	0	1150	2119	42	0	0	72	0	122
60606	309	5.10	.54	12.30	.08	0	0	158	2860	17	1219	2530	53	12	0	100	0	136
60607	310	5.63	.48	17.80	.07	0	0	186	2899	17	1370	2699	55	11	0	80	0	127

ANALYSEDATA : BERGARTSPRÜFER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARIERUNGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		AS PPM	PE PPM	PT PPM	VO PPM	TH PPM	U PPM	W PPM
AV		1000	1000	1000	1000	1000	20000	1000
RTM		10	10	10	20	100	1000	100
LEGEND DOZVEND								
60584	287	522	0	21	31	358	0	494
60585	288	465	0	18	28	332	0	484
60586	289	465	0	19	29	335	0	475
60587	290	401	0	25	23	425	0	401
60588	291	438	0	20	32	304	0	465
60589	292	294	0	24	0	437	0	395
60590	293	361	0	19	25	363	0	463
60591	294	361	0	27	21	539	0	413
60592	295	250	0	21	0	358	0	332
60593	296	276	0	19	0	294	0	370
60594	297	250	0	22	0	323	0	332
60595	298	342	0	21	22	304	0	347
60596	299	351	0	19	22	335	0	413
60597	300	250	0	23	0	368	0	335
60597	300	225	0	23	0	394	0	329
60598	301	382	0	20	24	290	0	401
60599	302	276	0	20	0	125	0	249
60600	303	476	0	18	25	380	0	465
60601	304	434	0	17	29	344	0	479
60602	305	434	0	15	29	292	0	444
60603	306	332	0	17	0	337	0	420
60604	307	391	0	16	26	323	0	444
60605	308	332	0	13	0	250	0	432
60606	309	476	0	18	29	337	0	465
60607	310	304	0	17	0	342	0	401

ANALYSEDATA : BERGARTISPRØVEP
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIPEKTE
 FRAKTIONSGRAD : < .075 (MM)

		FE	S	MG	TI	AG	BA	CO	CR	CU	NI	PN	SI	SR	Y	Y	Zn
		%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
AV		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000
TM		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	50	10	20
F R A K T I O N S G R A D																	
60608	311	6.33	.48	13.00	.09	0	0	284	2700	0	1370	2720	64	14	10	100	0
60609	312	6.05	.60	14.50	.09	0	0	160	2640	14	1180	2490	55	13	10	98	0
60610	313	7.16	.52	15.70	.10	0	0	161	2780	12	1140	2759	66	14	17	102	0
60611	314	6.51	.61	12.40	.10	0	0	160	2660	0	1120	2640	63	15	25	110	0
60612	315	6.24	.39	13.00	.08	0	0	191	2549	0	1030	2759	63	14	10	85	0
60613	316	6.29	.70	14.20	.09	0	0	140	2540	20	1230	2320	51	13	29	91	0
60614	317	6.77	.72	12.90	.12	0	0	168	2540	11	1210	2649	62	16	33	109	0
60615	318	6.05	.75	13.90	.10	0	0	152	2310	26	1230	2440	56	13	30	92	0
60616	319	6.18	.45	12.00	.07	0	0	203	2540	0	1230	2530	58	13	0	91	0
60617	320	6.69	.60	15.70	.13	0	70	175	1860	10	1230	2620	70	15	32	53	0
60617	320	6.69	.59	15.60	.12	0	65	171	1879	10	1230	2530	67	14	30	51	0
60618	321	6.87	.35	14.00	.09	0	0	158	1719	0	945	2850	65	14	0	0	0
60619	322	6.43	.54	12.80	.11	0	0	152	1620	0	1099	2640	56	14	14	57	0
60620	323	6.26	.63	13.00	.13	0	75	147	1809	10	1149	2509	54	13	34	77	0
60621	324	6.00	.69	14.10	.17	0	145	144	1919	21	1150	2219	55	13	52	109	0
60622	325	6.42	1.07	15.00	.26	0	204	144	2060	30	1250	2519	73	16	74	134	0
60623	326	7.09	.97	15.10	.20	0	135	155	2140	25	1280	2479	64	16	56	110	0
60624	327	6.58	.92	14.60	.17	0	119	154	2000	16	1270	2339	59	14	56	113	0
60625	328	6.64	.53	13.60	.08	0	0	173	2110	0	1099	2479	57	14	20	77	0
60626	329	6.67	.82	13.50	.16	0	105	155	1869	19	1239	2320	58	15	40	113	0
60627	330	6.53	.75	14.20	.16	0	54	146	1980	12	1379	2079	58	14	40	110	0
60628	331	5.19	.49	13.50	.07	0	0	158	2799	0	1180	2519	52	11	11	82	0
60629	332	5.02	.61	13.10	.08	0	0	174	***	13	1309	2449	59	13	10	118	0
60630	333	4.75	.54	12.50	.08	0	0	161	2899	30	1250	2479	53	12	0	102	0
60631	334	2.56	.42	4.48	.15	0	0	212	1640	11	945	2750	60	11	13	144	0

ANALYSEDATA : BERGARTSPRØVER
 ANALYSEINSTRUMENT : KVANTITETER-TAPE
 PREPARERINGSKODE : DIREKTE
 FOAKS IONSGRAD : < .075 (MM)

		AS	BE	RI	PO	TH	U	A
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX		1000	1000	1000	1000	1000	20000	1000
MIN		10	10	10	20	100	1000	100
L-PRØV OPPAVENØ								
60600	311	413	0	23	20	394	0	422
60600	312	304	0	20	0	332	0	344
60610	313	332	0	23	0	425	0	349
60611	314	391	0	23	24	432	0	422
60612	315	342	0	22	23	432	0	424
60613	316	304	0	19	0	340	0	344
60614	317	351	0	23	22	401	0	401
60615	318	294	0	20	0	337	0	341
60616	319	382	0	19	26	417	0	457
60617	320	185	0	24	0	429	0	302
60617	320	178	0	22	0	410	0	304
60618	321	304	0	21	20	457	0	406
60619	322	276	0	20	0	373	0	397
60620	323	294	0	19	0	304	0	377
60621	324	295	0	19	0	225	0	330
60622	325	232	0	25	0	244	0	275
60623	326	276	0	23	0	264	0	228
60624	327	276	0	21	0	259	0	335
60625	328	304	0	21	0	427	0	406
60626	329	245	0	21	0	302	0	351
60627	330	250	0	20	0	231	0	325
60628	331	351	0	16	25	380	0	452
60629	332	443	0	21	30	328	0	453
60630	333	476	0	19	28	328	0	465
60631	334	351	0	18	20	179	0	356

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PDEPAREPINGS-KODE : DIREKTE
 PEAKS IONS GRADE : < .075 (MM)

		FE	Si	MG	TI	AL	PA	CO	CP	CU	NI	NI	PR	SN	SO	V	Y	Zn
		%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Wt%	Wt%	15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
Wt%	Wt%	0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L-RND DEAVEN2																		
60632	335	5.29	.47	14.10	.08	0	0	154	2420	12	1169	2320	58	12	6	95	0	131
60633	336	5.42	.50	12.30	.08	0	0	158	2810	0	1020	2509	53	12	0	40	0	131
60634	337	6.22	.53	11.90	.08	0	0	154	2720	0	1155	2420	55	15	13	112	0	134
60635	338	7.01	.54	12.20	.09	0	0	200	2879	21	1379	2709	62	16	12	128	0	152
60636	339	6.72	.55	12.00	.08	0	0	157	2740	0	1140	2569	55	15	16	110	0	135
60637	340	6.90	.58	12.30	.09	0	0	175	2639	76	1300	2640	58	15	16	112	0	134
60637	340	6.84	.55	12.20	.09	0	0	170	2670	75	1270	2619	55	15	14	100	0	134
60639	341	7.11	.55	11.50	.09	0	0	156	2460	15	1360	2619	60	16	27	122	0	140
60639	342	5.45	.58	13.70	.05	0	0	126	1909	0	1390	2409	40	11	31	67	0	123
60640	343	6.30	.75	10.40	.07	0	0	151	2290	0	1409	2759	53	15	15	100	0	134
60641	344	5.53	.47	10.40	.07	0	0	140	2140	0	1379	2360	41	13	40	98	0	110
60642	345	3.60	2.24	2.65	.52	0	589	59	519	32	708	467	22	10	323	62	0	60
60642	346	8.99	1.30	10.00	.29	0	143	147	1910	0	1710	1950	55	21	15	103	0	173
60644	347	6.20	*****	3.02	.95	0	973	96	307	201	1180	264	30	10	340	244	0	145
60645	348	6.29	*****	1.72	.94	0	1399	52	110	35	988	158	28	17	484	162	0	140
60646	349	6.33	*****	1.42	.83	0	1220	55	105	22	854	63	24	16	390	243	0	111
60647	350	6.61	*****	2.24	.55	0	893	52	231	0	854	323	22	13	231	144	0	115
60648	351	6.37	2.10	6.70	.45	0	962	98	904	0	1230	479	37	16	118	240	0	142
60649	352	6.46	2.03	3.88	.53	0	629	95	323	40	1059	271	36	19	164	354	0	127
60650	353	7.13	1.63	7.75	.29	0	289	116	1140	17	1390	875	40	19	78	243	0	145
60651	354	6.05	1.41	5.02	.46	0	285	59	577	0	1120	465	32	16	172	282	0	140
60652	355	7.00	.50	12.80	.10	0	0	170	2870	50	1280	2439	64	16	27	115	0	140
60653	356	6.40	.45	12.40	.07	0	0	150	2404	0	1180	2409	59	14	10	76	0	110
60654	357	6.69	.40	18.00	.06	0	0	144	2540	0	1300	2689	64	13	0	61	0	105
60655	358	6.13	.54	14.00	.08	0	0	155	2040	0	1410	2219	61	15	0	78	0	112

X

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARATIONS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		AS	BE	BT	MO	TH	U	W
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX		1000	1000	1000	1000	1000	20000	1000
MIN		10	10	10	20	100	1000	100
L- AND DEUTERIUM								
60532	335	382	0	20	21	302	0	422
60533	336	443	0	20	26	335	0	448
60534	337	511	0	23	30	406	0	469
60535	338	443	0	25	26	470	0	461
60536	339	533	0	22	28	418	0	462
60537	340	391	0	23	23	401	0	443
60537	340	382	0	22	25	427	0	461
60538	341	488	0	25	30	442	0	465
60539	342	372	0	15	0	335	0	465
60540	343	443	0	22	25	462	0	458
60541	344	361	0	16	26	379	0	464
60542	345	250	0	10	0	0	0	291
60543	346	250	0	28	0	243	0	293
60544	347	259	0	21	0	0	0	315
60545	348	259	0	22	0	0	0	290
60546	349	285	0	20	0	0	0	276
60547	350	285	0	16	0	0	0	336
60548	351	332	0	21	0	0	0	243
60549	352	276	0	24	0	0	0	244
60550	353	294	0	23	0	106	0	292
60551	354	351	0	20	21	0	0	296
60552	355	465	0	24	21	405	0	422
60553	356	332	0	21	21	437	0	437
60554	357	242	0	21	0	431	0	364
60555	358	361	0	22	24	389	0	439

ANALYSEDATA : BERGARTSPRÜFER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARATIONS-KODE : DIREKTE
 PEAKS (ONSGRAD) : < .075 (MM)

		FE	S	MG	TI	AL	BA	CO	CR	CU	MN	Ni	PR	SM	SO	V	Y	Zn
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
NAV		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
MTA		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L-PRÜFUNG BEWERTUNG																		
60656	350	4.20	.13	15.20	.06	0	0	132	1879	0	934	1800	54	10	0	70	0	106
60657	360	6.14	1.02	14.00	.18	0	0	133	2089	0	1259	1460	53	15	53	135	0	102
60657	360	6.14	1.05	12.70	.20	0	0	146	2050	0	1270	1849	55	16	53	144	0	109
60650	361	7.11	.44	13.40	.10	0	0	171	1849	0	1120	2610	66	15	11	74	0	112
60650	362	5.61	.79	13.20	.09	0	0	144	2089	0	1230	2110	52	13	20	87	0	106
60660	363	4.47	.05	13.90	.05	0	0	144	2030	0	816	2329	56	10	0	0	0	91
60661	364	5.17	.10	14.70	.05	0	0	132	2070	0	793	2259	61	12	0	56	0	102
60662	365	6.00	.03	18.60	.04	0	0	148	1910	0	951	2740	62	11	0	0	0	95
60663	366	4.60	.13	14.60	.05	0	0	151	1849	0	1039	2049	51	11	0	70	0	106
60664	367	6.31	.07	14.50	.05	0	0	166	1669	0	226	951	67	15	0	51	0	115
60665	368	5.61	.05	15.50	.05	0	0	175	2130	0	1099	2790	72	13	0	0	0	100
60666	369	6.11	.65	14.50	.10	0	0	151	2019	17	1219	2310	61	14	22	78	0	112
60667	370	5.15	.49	13.40	.06	0	0	140	1860	0	1370	1939	49	12	0	67	0	102
60669	371	5.70	.40	13.80	.06	0	0	158	1739	0	1039	2310	55	13	0	68	0	115
60669	372	6.27	.11	13.40	.06	0	0	139	1590	0	892	2290	54	13	0	58	0	106
60670	373	6.27	.67	16.00	.08	0	0	146	2090	0	1460	2159	59	13	20	54	0	96
60671	374	5.44	.03	14.20	.05	0	0	153	2560	0	1120	2850	62	12	0	0	0	95
60672	375	4.64	.18	14.50	.04	0	0	113	1500	0	1120	2110	52	11	0	51	0	94
60673	376	4.97	1.04	13.90	.09	0	0	151	1860	21	1379	2540	61	15	50	69	0	109
60674	377	5.65	.75	17.50	.07	0	0	173	1879	0	1149	2699	64	12	0	0	0	92
60675	378	5.44	.34	14.30	.07	0	0	151	1800	25	1239	2099	61	13	0	0	0	95
60676	379	4.61	.02	16.20	.07	0	0	231	1829	13	1250	3019	69	11	0	0	0	100
60677	380	5.58	.65	17.50	.07	0	0	201	1899	0	1219	2420	67	12	0	0	0	100
60677	380	3.53	.02	10.30	.04	0	0	127	1329	0	914	1329	34	0	0	0	0	78
60678	381	4.61	.22	9.19	.04	0	0	97	1079	0	1180	1099	32	10	0	52	0	89

ANALYSEDATA : BERGARTISPRÄGER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PROZESSIERINGS-KODE : DIREKTE
 PEAKSLINGSRAD : < .075 (MM)

		AS	BE	BI	MO	TH	U	
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX		1000	1000	1000	1000	1000	20000	1000
MIN		10	10	10	20	100	1000	100
L RND CORR VEND								
60656	359	401	0	16	24	280	0	477
60657	360	295	0	20	0	173	0	335
60657	360	313	0	22	0	179	0	325
60658	361	332	0	24	23	414	0	417
60659	362	295	0	19	0	292	0	354
60660	363	276	0	16	0	370	0	432
60661	364	372	0	20	25	394	0	465
60662	365	294	0	19	0	450	0	443
60663	366	443	0	18	30	337	0	501
60664	367	382	0	24	25	474	0	467
60665	368	294	0	22	21	495	0	475
60666	369	342	0	21	20	342	0	403
60667	370	361	0	18	25	325	0	457
60668	371	422	0	20	27	340	0	477
60669	372	434	0	21	29	429	0	494
60670	373	185	0	20	0	330	0	344
60671	374	276	0	20	20	495	0	432
60672	375	372	0	18	25	361	0	476
60673	376	391	0	20	26	399	0	446
60674	377	225	0	20	0	385	0	344
60675	378	285	0	20	0	342	0	405
60676	379	259	0	20	0	429	0	344
60677	380	304	0	20	20	410	0	413
60677	380	313	0	12	0	266	0	452
60678	381	372	0	14	27	278	0	508

ANALYSEDATA : BERGARTSPRØVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGSKODE : DIREKTE
 PEAKS IONSGRAD : < .075 (MM)

		FE	K	MG	TI	AG	HA	CO	CR	CU	NI	PI	SN	SO	V	Y	ZN
		%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
NAV		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000
MTN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	50	10	25
LEND DEVENO																	
60670	382	6.19	.07	14.10	.05	0	0	151	1620	0	1259	2199	57	13	0	0	116
60680	383	5.84	.59	11.50	.07	0	0	126	1930	12	1329	1800	46	14	0	77	104
60681	384	5.84	.30	15.60	.05	0	0	138	2119	0	1219	2360	53	13	0	0	99
60682	385	6.17	.54	14.00	.06	0	0	155	2240	0	1360	2500	63	15	0	62	150
60683	386	6.07	.53	13.60	.06	0	0	153	2250	0	1329	2409	58	14	0	77	94
60684	387	5.48	.05	14.50	.04	0	0	140	1719	24	1370	2260	54	12	0	0	112
60685	388	3.03	1.13	14.00	.04	0	0	127	1620	0	1309	2159	40	12	47	0	90
60686	389	3.21	1.17	14.90	.04	0	0	135	1680	0	1350	2369	53	12	49	0	95
60687	390	4.61	.29	15.00	.04	0	0	179	1730	12	1370	2320	50	12	0	0	113
60688	391	3.00	.31	12.10	.02	0	0	103	1169	0	993	1570	30	0	0	0	73
60689	392	5.46	.54	13.70	.06	0	0	233	2399	0	1280	3159	61	14	0	0	106
60690	393	4.75	.41	13.80	.05	0	0	198	2079	0	1449	2850	57	11	0	0	113
60691	394	3.59	.55	15.10	.04	0	0	185	1509	0	1610	2949	56	10	0	0	112
60692	395	5.39	.04	15.10	.05	0	0	247	2769	0	1550	3170	71	12	0	0	112
60693	396	6.45	.07	13.20	.06	0	0	130	1400	0	1320	2040	55	14	0	57	121
60694	397	5.17	.35	11.60	.05	0	0	89	1739	0	1259	1009	40	12	0	76	122
60695	398	4.74	.04	14.40	.05	0	0	108	1710	0	1120	1599	53	11	0	59	104
60696	399	4.37	.45	10.60	.04	0	0	91	1570	0	1259	1129	37	11	0	68	105
60697	400	5.84	.15	12.90	.05	0	0	112	1579	0	1149	1930	48	12	0	59	114
60697	400	4.17	.09	10.40	.03	0	0	78	1219	0	945	1160	33	0	0	0	54
60698	401	5.41	.05	14.00	.04	0	0	119	1759	12	1280	1829	55	12	0	54	112
60699	402	5.37	.07	16.00	.05	0	0	118	2060	0	1120	2069	62	12	0	55	102
60700	403	5.37	.44	12.30	.03	0	0	127	1969	12	1449	1669	53	13	0	93	102
60701	404	6.46	.07	12.70	.06	0	0	148	1649	12	1460	1919	66	15	0	59	117
60702	405	5.50	.10	12.00	.04	0	0	147	1550	10	1300	1579	51	12	0	52	100

ANALYSEDATA : BERGARISPRAYER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARATIONS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (mm)

		AS	RE	BT	NO	TH	U	V
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY		1000	1000	1000	1000	1000	20000	1000
STAY		10	10	10	20	100	1000	100
L. RND. DEVENR								
60670	382	372	0	21	22	429	0	474
60680	383	413	0	20	29	356	0	479
60681	384	200	0	20	0	417	0	384
60682	385	332	0	22	22	460	0	443
60683	386	332	0	21	22	439	0	450
60684	387	372	0	19	24	418	0	488
60685	388	313	0	14	23	368	0	490
60686	389	294	0	15	22	370	0	472
60687	390	351	0	18	24	455	0	477
60688	391	185	0	0	0	248	0	425
60689	392	332	0	20	24	533	0	437
60690	393	332	0	18	0	436	0	457
60691	394	313	0	16	23	446	0	465
60692	395	266	0	21	0	560	0	405
60693	396	422	0	21	26	420	0	476
60694	397	465	0	16	31	297	0	522
60695	398	372	0	18	25	325	0	476
60696	399	391	0	15	24	280	0	511
60697	400	455	0	19	24	391	0	505
60697	400	372	0	13	26	306	0	515
60699	401	422	0	19	26	399	0	481
60699	402	382	0	20	24	394	0	484
60700	403	323	0	20	0	299	0	468
60701	404	351	0	25	20	450	0	426
60702	405	332	0	20	25	380	0	457

ANALYSEDATA : BERGARTSPRAVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIPEKTE
 FRAKTIONSGRAD : < .075 (MM)

		FE	K	MG	TI	AG	BA	CO	CR	CU	NI	NI	PG	SH	SO	V	Y	ZN
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
WY		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	6000
TM		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
LÄRD OBTJENNE																		
60703	406	4.34	.43	9.54	.96	0	0	91	1100	0	1050	1149	37	10	0	82	0	44
60704	407	4.08	3.45	3.32	.36	0	1009	41	517	53	448	207	23	0	36	115	0	43
60705	408	2.57	3.24	.72	.37	0	1160	28	112	21	259	60	443	0	33	115	0	49
60706	409	1.89	****	.77	.58	0	1120	22	134	0	245	50	446	0	42	167	0	106
60707	410	1.25	3.45	.59	.18	0	920	30	118	0	571	83	629	0	100	102	0	152
60708	411	2.40	4.04	.31	.26	0	1070	211	42	43	1020	318	****	12	638	81	0	682
60709	411/	2.29	4.85	.31	.33	0	1329	212	25	61	1009	228	****	10	****	77	0	561
60710	412	4.28	.15	12.60	.04	0	0	112	1460	0	1129	1520	75	10	0	51	0	113
60710	413	3.89	.43	9.31	.07	0	0	99	1620	0	1199	1320	42	11	0	73	0	95
60711	414	5.21	.38	10.10	.05	0	0	118	1669	0	1280	1570	44	12	0	82	0	115
60712	415	5.56	.35	11.50	.06	0	0	102	1960	0	1140	1500	47	12	0	82	0	102
60713	416	4.18	.03	12.40	.04	0	0	100	1430	0	1160	1689	46	0	0	0	0	68
60714	417	4.43	.10	12.20	.04	0	0	51	1370	0	1090	1050	50	10	0	9	0	69
60715	418	3.64	.02	12.10	.03	0	0	92	1090	0	1000	873	60	0	0	0	0	74
60716	419	4.27	.05	11.10	.04	0	0	39	1309	0	876	1189	37	10	0	0	0	85
60717	420	4.10	.53	10.10	.05	0	0	95	1779	0	1030	1349	38	10	0	71	0	89
60717	420	3.56	.44	8.57	.04	0	0	81	1559	0	918	1160	29	0	0	54	0	80
60718	421	4.53	.42	9.92	.05	0	0	116	1730	0	1099	1500	42	10	0	62	0	87
60719	422	5.38	.04	11.80	.04	0	0	118	1509	0	1099	1809	47	11	0	0	0	90
60720	423	3.75	.02	12.40	.03	0	0	106	1800	0	805	1550	40	0	0	0	0	89
60721	424	3.83	.03	12.70	.04	0	0	123	1509	0	907	1759	44	0	0	0	0	81
60722	425	4.85	.05	11.60	.03	0	0	106	1645	0	1000	1660	44	10	0	0	0	82
60723	426	4.93	.13	11.20	.04	0	0	99	1559	0	1039	1489	40	10	0	0	0	94
60724	427	4.10	.02	9.95	.03	0	0	69	1099	0	1030	1180	35	0	0	0	0	80
60725	428	4.24	.30	9.56	.04	0	0	86	1620	0	1059	1300	32	0	0	59	0	105

ANALYSEDATA : BERGARTSPROVEN
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARATIONS-KODE : DIREKTE
 PEAKS IONSGRAD : < .075 (MM)

		AS	RE	RI	RO	TH	U	J
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAY		1000	1000	1000	1000	1000	20000	1000
MTN		10	10	10	20	100	1000	100
I (END) OP (VEND)								
60703	406	361	0	15	25	238	0	452
60704	407	455	0	13	20	0	0	315
60705	408	391	0	11	24	0	0	351
60706	409	443	0	0	21	0	0	312
60707	410	323	0	0	20	0	0	391
60708	411	511	0	10	59	0	0	355
60709	411	351	0	0	74	0	0	405
60709	412	401	0	15	27	304	0	511
60710	413	361	0	15	24	219	0	455
60711	414	342	0	18	23	318	0	450
60712	415	382	0	10	24	314	0	470
60713	416	342	0	15	25	309	0	403
60714	417	382	0	15	23	288	0	510
60715	418	361	0	14	24	248	0	507
60716	419	372	0	15	24	288	0	515
60717	420	323	0	15	21	269	0	457
60717	420	250	0	11	0	227	0	453
60718	421	323	0	15	21	269	0	463
60719	422	332	0	18	22	377	0	472
60720	423	323	0	15	24	304	0	452
60721	424	361	0	15	24	321	0	490
60722	425	313	0	17	0	354	0	469
60723	426	332	0	17	22	332	0	477
60724	427	323	0	15	22	287	0	485
60725	428	342	0	14	24	264	0	495

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGSKODE : DIREKTE
 PEAKSJONSGRAD : < .075 (MM)

		FE	K	MG	TI	AG	HA	CO	CR	CU	HN	MI	PR	SM	SR	V	Y	ZN
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	6000
MIN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
I RND PR VFN2																		
60726	429	5.35	.44	10.00	.05	0	0	47	1250	0	993	1520	42	11	43	0	0	36
60727	430	4.53	.34	10.40	.05	0	0	106	1529	0	1030	1730	36	10	0	58	0	83
60728	431	6.08	.10	13.50	.07	0	0	142	1649	0	1210	2119	68	17	0	72	0	113
60729	432	6.58	.14	12.00	.07	0	0	134	1589	0	1250	2110	64	18	0	83	10	119
60730	433	4.98	.65	12.00	.09	0	0	122	1969	0	1149	1869	55	15	11	112	10	116
60731	434	6.36	.22	12.80	.06	0	0	177	1599	59	1419	2329	68	17	0	74	0	133
60732	435	5.22	.69	11.00	.11	0	0	134	2019	0	1230	1950	56	16	18	129	10	125
60733	436	7.41	.17	12.80	.07	0	0	151	1669	0	1259	2619	77	20	10	67	10	128
60734	437	4.83	.57	10.10	.11	0	0	133	1960	0	1210	2159	55	14	13	115	11	131
60735	438	5.63	.72	11.40	.10	0	0	129	2100	10	1250	1840	60	17	18	128	12	137
60736	439	5.08	.81	10.60	.10	0	0	133	1939	0	1239	1950	55	16	12	122	11	128
60737	440	5.74	.53	11.90	.08	0	0	139	2009	0	1300	2269	64	16	10	102	11	130
60738	441	6.55	.39	11.50	.07	0	0	150	1559	0	1520	1950	65	18	13	82	11	134
60739	442	6.69	.35	11.80	.07	0	0	150	1629	10	1430	2100	72	19	12	74	10	135
60740	443	5.91	.35	12.50	.07	0	0	134	1640	0	1390	1899	67	17	0	81	10	126
60741	444	6.37	.44	12.00	.06	0	0	154	1579	0	1430	2130	66	17	10	71	0	118
60742	445	7.08	.43	14.30	.09	0	0	150	1800	10	1379	2300	77	19	15	82	10	135
60743	446	6.02	.19	13.90	.08	0	0	257	2100	12	1430	2820	83	18	0	71	10	129
60744	447	5.56	.15	12.70	.06	0	0	174	1559	10	1430	2280	69	16	0	68	11	129
60745	448	5.07	.11	13.80	.07	0	0	170	1680	0	1570	2219	74	16	0	73	11	134
60746	449	5.25	.48	12.40	.08	0	0	149	1829	13	1730	2170	68	16	0	80	10	127
60747	450	4.43	.08	12.40	.06	0	0	158	2070	10	1239	2729	62	13	0	63	0	112
60747	450	4.83	.12	13.00	.07	0	0	203	2149	11	1309	3059	79	15	0	72	11	124
60748	451	5.02	.15	13.60	.08	0	0	208	1939	11	1309	2979	83	16	0	74	11	133
60749	452	4.10	.05	13.30	.07	0	0	150	2019	12	1300	2799	73	14	0	77	11	128

	AS	RE	RT	MO	TH	U	S
	PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY	1000	1000	1000	1000	1000	20000	1000
RTM	10	10	10	20	100	1000	100

60726	429	332	0	18	22	342	0	469
60727	430	342	0	15	23	290	0	461
60728	431	488	0	28	30	434	0	460
60729	432	591	0	28	35	450	0	508
60730	433	556	0	24	35	299	0	443
60731	434	522	0	28	28	469	0	472
60732	435	615	0	24	34	295	0	479
60733	436	556	0	33	33	587	0	470
60734	437	591	0	24	34	250	0	432
60735	438	653	0	27	36	318	0	479
60736	439	615	0	25	34	288	0	465
60737	440	580	0	27	35	394	0	476
60738	441	615	0	29	33	446	0	490
60739	442	533	0	31	31	490	0	453
60740	443	511	0	28	31	384	0	460
60741	444	443	0	29	24	451	0	427
60742	445	511	0	32	33	450	0	422
60743	446	488	0	31	38	505	0	417
60744	447	545	0	26	34	437	0	472
60745	448	556	0	27	33	401	0	460
60746	449	500	0	27	28	354	0	429
60747	450	476	0	24	28	401	0	448
60747	450	556	0	22	30	497	0	432
60748	451	556	0	29	36	490	0	439
60749	452	556	0	26	34	380	0	446

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARATIONS-KODE : DIREKTE
 PEAKS.IONSGRAD : < .075 (MM)

RAY	WLN	FE %	K %	MG %	TI %	AG PPM	HA PPM	CO PPM	CR PPM	CU PPM	PN PPM	NI PPM	PR PPM	SN PPM	SO PPM	V PPM	Y PPM	Zn PPM
		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L-ALLO PP. WEND																		
60750	453	5.00	.07	12.60	.06	0	0	155	1800	27	1230	2140	68	15	0	73	11	125
60751	454	4.94	.09	11.30	.06	0	0	154	1520	15	1180	2070	60	15	0	73	12	142
60752	455	4.90	.12	12.60	.05	0	0	140	1620	44	1250	1900	72	16	0	73	12	133
60753	456	3.38	.03	12.20	.04	0	0	105	1730	12	1320	1430	62	13	0	71	11	108
60754	457	4.41	.05	12.30	.06	0	0	72	2110	10	1210	2220	64	14	0	72	11	112
60755	458	5.23	.05	11.90	.05	0	0	233	2560	14	1300	3000	68	15	0	68	11	117
60756	459	3.93	.04	14.90	.05	0	0	185	2140	11	1340	2530	64	14	0	72	11	127
60757	460	4.15	.09	13.00	.06	0	0	141	1800	11	1190	1440	68	15	0	83	12	127
60758	461	3.64	.05	13.10	.05	0	0	174	2240	14	1250	2040	75	13	0	91	12	122
60759	462	4.77	.06	12.10	.05	0	0	231	2000	10	1160	1960	66	15	0	70	11	116
60760	463	4.65	.07	13.70	.05	0	61	206	1910	12	1190	1710	76	15	0	74	11	124
60761	464	6.70	.25	10.90	.07	0	0	122	1020	16	1300	1500	64	18	10	95	13	124
60762	465	4.35	.03	13.50	.05	0	0	90	2200	10	1100	1390	68	14	0	86	11	113
60763	466	4.72	.40	13.30	.09	0	0	153	2080	11	1500	1600	81	16	0	100	11	131
60764	467	4.20	.05	12.30	.05	0	0	195	2100	11	1100	1770	65	14	0	71	11	112
60765	468	4.37	.07	13.60	.06	0	0	174	1840	10	1180	1750	75	14	0	73	11	127
60766	469	5.34	.40	9.99	.08	0	0	182	1960	12	1430	1370	58	17	10	100	12	127
60767	470	4.52	.12	12.30	.05	0	0	132	1800	12	1230	1730	65	14	0	74	13	127
60767	470	4.64	.11	12.10	.05	0	0	128	1520	12	1230	1780	62	15	0	72	12	126
60768	471	4.48	.09	11.80	.05	0	0	252	1770	10	1020	2110	58	14	0	73	11	118
60769	472	5.79	.15	10.80	.05	0	0	126	1930	15	1620	1690	61	16	0	80	12	135
60770	473	3.30	.10	13.20	.08	0	0	112	2340	10	1160	1410	71	13	0	108	11	125
60771	474	5.25	.25	10.60	.07	0	0	115	1840	10	1390	1230	55	16	0	86	13	114
60772	475	6.77	.50	11.90	.08	0	0	140	2040	17	1500	1820	68	19	12	108	12	132
60773	476	7.17	.55	12.00	.08	0	0	154	2100	10	1570	1820	74	19	10	103	11	132

ANALYSEDATA : BEPGARISPRØVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARerings-KODE : DIFEKTE
 FRAKSJONSGRAD : < .075 (VM)

		AS	RE	RI	MO	TH	U	X
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY		1000	1000	1000	1000	1000	20000	1000
RTU		10	10	10	20	100	1000	100
1 AND 20 AVEND								
60750	453	556	0	27	34	379	0	460
60751	454	615	0	26	37	349	0	491
60752	455	615	0	28	35	384	0	474
60753	456	522	0	23	32	290	0	467
60754	457	591	0	25	33	358	0	474
60755	458	545	0	27	32	504	0	458
60756	459	533	0	27	33	425	0	463
60757	460	653	0	26	39	321	0	504
60758	461	501	0	24	33	321	0	458
60759	462	580	0	26	33	359	0	474
60760	463	591	0	27	34	366	0	475
60761	464	678	0	30	38	385	0	502
60762	465	522	0	25	29	304	0	449
60763	466	569	0	29	32	323	0	429
60764	467	545	0	25	31	335	0	460
60765	468	545	0	26	31	324	0	455
60766	469	604	0	27	35	321	0	476
60767	470	678	0	26	38	394	0	517
60767	470	640	0	25	36	370	0	510
60769	471	615	0	24	37	373	0	509
60769	472	664	0	28	36	396	0	501
60770	473	556	0	24	33	238	0	439
60771	474	689	0	26	41	314	0	521
60772	475	653	0	30	39	385	0	491
60773	476	569	0	32	30	417	0	468

ANALYSEDATA : BERGARTSPRÄVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARIERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		FE %	K %	MG %	TI %	AG PPM	SA PPM	CU PPM	CR PPM	CO PPM	NI PPM	BI PPM	PR PPM	SH PPM	SR PPM	V PPM	Y PPM	ZN PPM
RAY		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	6000
CTN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
LERNED PRÄVEN																		
60774	477	4.96	.05	15.70	.06	0	0	148	2030	0	1230	1460	74	14	0	85	10	110
60775	478	6.55	.63	12.00	.03	0	0	153	1849	11	1649	1930	75	20	0	93	11	133
60776	479	4.70	.07	13.80	.06	0	0	149	1990	10	1670	2110	71	15	0	78	10	118
60777	480	5.16	.14	12.40	.06	0	0	128	1640	10	1149	1520	66	16	0	78	11	121
60778	481	6.00	.10	13.50	.06	0	0	155	1669	11	1370	1479	75	16	0	74	11	125
60779	482	4.65	.11	13.80	.05	0	0	146	1950	10	1180	2469	78	15	0	68	10	126
60780	483	4.34	.43	8.12	.08	0	0	98	1700	13	1690	1300	43	14	12	96	11	115
60781	484	5.54	.57	11.00	.09	0	(51)	134	2079	14	1379	1690	62	17	18	125	12	130
60782	485	5.73	.55	11.60	.11	0	0	146	2170	13	1309	2130	66	17	24	128	11	134
60783	486	4.24	.49	9.08	.08	0	0	99	1849	12	1120	1399	48	14	14	110	13	122
60784	487	4.27	.44	8.48	.08	0	(50)	106	1739	14	1120	1420	46	14	14	112	13	125
60785	488	5.03	.48	10.70	.08	0	0	115	2009	12	1159	1669	54	15	14	113	13	127
60786	489	5.05	.45	10.10	.08	0	0	119	1979	12	1149	1759	53	16	14	119	12	131
60787	490	5.38	.49	9.66	.07	0	(52)	103	1810	17	1259	1340	53	16	15	113	13	131
60787	490	5.56	.48	9.73	.07	0	0	108	1960	17	1260	1410	55	16	14	112	12	132
60788	491	5.08	.55	9.07	.07	0	(70)	102	1840	32	1259	1209	53	16	15	110	12	123
60789	492	5.92	.39	12.10	.08	0	0	121	1899	11	1549	1990	67	17	11	99	11	140
60790	493	6.77	.25	12.70	.07	0	0	153	1969	14	1309	2390	63	19	0	90	11	140
60791	494	6.46	.13	12.10	.07	0	0	161	1739	11	1259	2549	79	19	0	72	11	128
60792	495	4.87	.42	9.32	.05	0	0	98	1559	11	1140	1539	49	14	0	70	11	103
60793	496	6.05	.50	12.10	.11	0	0	145	2430	11	1509	1849	74	20	17	128	11	129
60794	497	5.59	.63	11.40	.09	0	0	122	2140	10	1230	1649	63	17	13	115	12	127
60795	498	5.14	.65	11.50	.11	0	0	115	2030	15	1150	1489	63	16	17	123	11	112
60796	499	5.75	.21	11.50	.06	0	0	127	1719	19	1210	2000	63	16	0	72	11	115
60797	500	5.60	.38	11.20	.06	0	0	122	1649	13	1230	1939	63	17	0	76	11	119

ANALYSEDATA : BERGARTSPRAVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PROZESSIERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		AS	RE	BI	PO	TH	U	W
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY		1000	1000	1000	1000	1000	20000	1000
MTM		10	10	10	20	100	1000	100
I - END PROVENI								
60774	477	474	0	27	26	342	0	424
60775	478	556	0	32	30	422	0	445
60776	479	545	0	26	31	365	0	462
60777	480	604	0	27	37	351	0	497
60778	481	591	0	30	31	460	0	477
60779	482	498	0	27	25	427	0	434
60780	483	533	0	21	31	226	0	462
60781	484	628	0	27	34	325	0	465
60782	485	591	0	28	33	330	0	443
60783	486	653	0	23	38	252	0	490
60784	487	678	0	23	40	243	0	491
60785	488	655	0	25	36	299	0	484
60786	489	628	0	25	37	304	0	484
60787	490	678	0	26	37	392	0	495
60787	490	640	0	27	34	318	0	472
60788	491	604	0	25	34	285	0	475
60789	492	615	0	28	33	358	0	465
60790	493	545	0	34	27	510	0	429
60791	494	533	0	32	20	533	0	436
60792	495	545	0	24	31	314	0	469
60793	496	591	0	31	33	370	0	434
60794	497	615	0	28	34	316	0	458
60795	498	545	0	27	28	250	0	417
60796	499	569	0	28	32	406	0	472
60797	500	591	0	28	33	413	0	479

ANALYSEDATA : BERGARTSPRAVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAGE
 PREPAPERINGS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		FE	K	MG	TI	AL	Si	CO	CR	CU	MN	NI	BR	SN	SP	V	Y	Zn
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	5000
MIN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L-RING DRAWING																		
60790	501	6.21	.45	13.40	.06	0	0	142	1969	13	1270	2100	65	16	0	71	0	115
60790	502	5.50	.68	11.60	.10	0	0	155	2019	42	1239	2430	66	17	17	63	0	112
60800	503	4.45	.15	13.10	.07	0	0	131	1930	0	1469	2099	59	14	0	72	0	112
60801	504	4.73	.35	15.10	.07	0	0	113	2040	0	1550	1719	62	13	0	73	0	113
60802	505	4.06	.10	14.90	.05	0	0	214	2149	0	1129	3040	68	12	0	58	0	105
60803	506	4.25	.04	15.10	.06	0	0	143	2019	0	1300	2960	71	13	0	54	0	112
60804	507	4.60	.14	14.60	.06	0	0	174	1959	0	1140	2589	68	13	0	54	0	112
60805	508	5.25	.05	13.90	.06	0	0	138	2050	0	1180	2969	69	14	0	57	0	113
60806	509	4.23	.04	12.90	.06	0	0	161	1779	0	1090	2570	57	12	0	58	0	99
60807	510	4.31	.07	13.00	.08	0	0	123	1849	0	1449	2140	61	12	0	62	0	112
60807	510	4.59	.12	15.60	.10	0	0	140	2019	0	1559	2219	74	14	0	65	0	115
60808	511	4.02	.06	14.20	.07	0	0	123	1840	0	1439	1930	61	13	0	67	0	102
60809	512	5.68	.10	14.90	.07	0	0	168	2070	0	1160	2409	69	14	0	54	0	115
60810	513	4.48	.03	14.30	.06	0	0	162	2130	0	1149	2560	64	12	0	54	0	109
60811	514	4.40	.25	13.60	.07	0	0	192	1770	12	1230	2949	56	12	0	61	0	105
60812	515	4.49	.01	14.50	.06	0	0	219	2219	0	1609	3119	68	12	0	0	0	105
60813	516	3.20	.02	12.30	.05	0	0	170	2210	0	1370	2670	46	10	0	52	0	108
60814	517	8.19	1.25	11.10	55	0	0	144	1879	33	1930	2199	61	23	30	235	0	135
60815	518	4.86	.11	14.30	.05	0	0	147	1710	0	1180	2629	58	13	0	53	0	121
60816	519	7.92	1.14	11.10	54	0	0	146	1849	14	1690	2320	68	23	31	214	10	136
60817	520	4.36	.05	13.60	.06	0	0	178	2210	0	1559	2920	62	12	0	0	0	104
60818	521	4.32	.07	14.20	.06	0	0	161	1869	25	1719	2540	55	13	0	58	0	115
60819	522	6.05	.05	14.10	.05	0	0	170	1939	11	1270	2509	67	16	0	59	0	112
60820	523	4.17	.10	10.90	.05	0	0	95	2110	0	702	1550	43	12	0	76	0	72
60821	524	7.04	.14	13.30	.06	0	0	161	1730	0	1410	2310	65	17	0	63	0	127

ANALYSEDATA : BERGARTSPROBE
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARATIONS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		AS	BE	BT	MO	TA	U	Z
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
WZ		1000	1000	1000	1000	1000	20000	1000
WZ		10	10	10	20	100	1000	100
L-REND PP-AVNR								
60700	501	465	0	25	32	420	0	472
60700	502	488	0	26	21	403	0	435
60800	503	422	0	21	33	311	0	472
60801	504	413	0	21	26	321	0	441
60802	505	434	0	21	31	404	0	460
60803	506	401	0	22	27	462	0	435
60804	507	422	0	22	27	441	0	443
60805	508	422	0	24	28	510	0	450
60806	509	401	0	19	33	347	0	460
60807	510	422	0	21	26	321	0	427
60807	510	488	0	24	34	321	0	453
60808	511	391	0	21	27	290	0	434
60809	512	391	0	24	25	408	0	432
60810	513	391	0	21	26	394	0	434
60811	514	443	0	19	29	403	0	462
60812	515	382	0	20	23	510	0	427
60813	516	476	0	16	28	351	0	475
60814	517	455	0	31	24	0	0	311
60815	518	511	0	20	35	432	0	504
60816	519	533	0	31	32	0	0	335
60817	520	382	0	20	24	455	0	431
60818	521	434	0	20	35	363	0	490
60819	522	434	0	25	28	547	0	475
60820	523	401	0	17	29	250	0	441
60821	524	455	0	27	28	500	0	459

ANALYSEDATA : BERGARTSPRØVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGS-KODE : DIPEKTE
 PEAKS IONSGRAD : < .075 (MG)

		FE	Si	MG	TI	AG	NA	CO	CR	CU	MN	NI	PH	SM	SO	V	Y	Zn
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
MAX		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	6000
MTD		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
LEND PRAVENO																		
60822	525	5.65	.55	10.30	.07	0	0	112	1930	0	1120	1570	50	16	0	87	0	106
60822	526	5.08	.51	11.40	.08	0	0	119	2250	0	1189	1729	50	14	0	93	0	112
60824	527	5.79	.55	12.30	.09	0	0	126	2160	0	1280	2000	55	16	0	90	0	110
60825	528	7.04	.09	13.10	.06	0	0	162	1930	0	1270	2500	75	18	0	66	0	119
60826	529	6.32	.29	12.70	.05	0	0	134	1910	0	1360	2019	61	16	0	55	0	112
60827	530	5.82	.40	12.10	.06	0	0	116	1910	0	1340	1769	54	15	0	68	0	115
60827	530	6.19	.45	12.50	.07	0	0	133	1969	0	1430	1930	65	17	0	56	0	120
60828	531	6.42	.13	13.90	.05	0	0	154	1739	0	1329	2339	62	15	0	62	0	115
60829	532	5.66	.07	15.40	.05	0	0	192	2009	18	1289	2649	80	16	0	63	0	128
60830	533	9.70	1.79	10.40	.98	0	112	144	893	180	1849	1719	74	20	72	353	0	164
60831	534	5.43	.69	13.60	.10	0	0	135	2060	11	1210	1979	57	15	18	100	0	129
60832	535	4.35	.52	9.75	.08	0	0	115	1789	0	1039	1559	42	14	12	95	0	115
60833	536	4.87	.55	11.10	.05	0	0	126	1660	0	1059	1939	50	15	12	85	0	102
60834	537	4.75	.45	10.10	.05	0	0	106	1710	0	939	1610	42	13	0	86	0	97
60835	538	5.13	.43	11.30	.05	0	0	119	1960	0	989	1879	48	13	0	66	0	107
60836	539	5.20	.35	11.40	.06	0	0	113	2019	0	1120	1779	52	14	0	76	0	90
60837	540	5.11	.48	13.70	.06	0	0	115	1979	0	1289	1660	52	13	0	76	0	90
60838	541	5.03	.09	13.90	.06	0	0	140	2769	12	1460	2679	65	14	0	66	0	115
60839	542	5.88	.19	13.90	.07	0	0	147	2069	15	1509	2219	72	16	0	77	0	115
60840	543	4.75	.07	14.40	.05	0	0	165	1950	0	842	2879	64	13	0	51	0	67
60841	544	5.33	.31	13.00	.05	0	0	112	1889	0	1410	1570	53	14	0	78	0	90
60842	545	4.57	1.09	13.70	.11	0	0	97	2070	25	1349	893	55	18	0	130	0	99
60843	546	5.38	.12	14.50	.07	0	0	185	2439	21	1199	2759	75	18	0	63	0	102
60844	547	4.79	.15	14.00	.08	0	0	203	2230	12	1219	2930	72	14	0	64	0	105
60845	548	5.30	.07	15.30	.07	0	0	199	1960	0	1180	2990	77	15	0	56	0	102

ANALYSEDATA : BERGARTSPRUEFER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 POREPAPERFIBERS-KODE : DIPEKLE
 FRAKTIONSGRAD : < .075 (MM)

RAY	AS	RE	RI	NO	TI	U	%
WTH	PPM	PPM	PPM	PPM	PPM	PPM	PPM
	1000	1000	1000	1000	1000	20000	1000
	10	10	10	20	100	1000	100
END PRUVEND							
60822	525	401	0	22	24	356	0
60823	526	413	0	21	25	325	0
60824	527	413	0	23	26	323	0
60825	528	413	0	30	23	584	0
60826	529	372	0	25	22	460	0
60827	530	422	0	23	26	394	0
60827	530	511	0	27	33	418	0
60828	531	500	0	24	33	495	0
60829	532	422	0	26	27	529	0
60830	533	443	0	41	22	0	0
60831	534	443	0	22	29	304	0
60832	535	476	0	19	31	285	0
60833	536	511	0	21	32	360	0
60834	537	428	0	19	32	328	0
60835	538	465	0	20	27	365	0
60836	539	413	0	21	24	365	0
60837	540	351	0	20	0	335	0
60838	541	465	0	23	36	450	0
60839	542	434	0	26	29	417	0
60840	543	443	0	21	29	479	0
60841	544	476	0	21	32	311	0
60842	545	422	0	21	29	179	0
60843	546	434	0	25	27	495	0
60844	547	401	0	24	26	452	0
60845	548	391	0	24	26	504	0

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARERINGSS-KODE : DIREKTE
 FOAKSLONSGRAD : < .075 (MM)

		FE	K	MG	TI	AG	HA	CO	CR	CU	AN	NI	PH	SA	SR	V	Y	Zn
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	6000
MTM		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
LÄRND OPPVENR																		
60846	549	5.49	.07	14.60	.07	0	0	160	1939	0	1230	2570	73	14	0	57	0	115
60847	550	6.23	.11	15.10	.07	0	0	181	1890	0	1590	2769	74	15	0	56	0	115
60847	550	6.13	.14	15.10	.08	0	0	174	1860	0	1520	2640	75	17	0	73	0	121
60848	551	4.71	.22	14.20	.08	0	0	160	1949	0	1250	2149	55	12	0	72	0	105
60849	552	2.08	(2.40)	1.15	(.14)	0	(391)	40	318	0	491	219	18	0	(307)	(78)	0	(87)
60850	553	7.38	.34	13.10	.07	0	0	142	2170	0	1340	2040	64	17	0	73	0	113
60851	554	6.60	.31	13.80	.06	0	0	205	1949	14	1590	2829	75	17	0	59	0	122
60852	555	4.42	.02	13.90	.05	0	0	165	1930	0	1379	2949	64	12	0	0	0	115
60853	556	2.98	0.00	14.30	.05	0	0	212	2250	0	1259	2820	57	11	0	56	0	106
60854	557	4.82	.05	14.70	.06	0	0	231	2379	0	1410	3070	74	14	0	61	0	127
60855	558	2.84	.07	13.00	.06	0	0	163	2199	0	1480	2600	49	11	0	63	10	131
60856	559	6.42	.57	12.60	.08	0	0	147	2589	0	1370	2040	70	18	0	(109)	0	122
60857	560	6.54	.11	12.50	.07	0	0	142	2600	0	1340	1800	68	18	0	(102)	10	125
60858	561	5.80	.10	12.40	.07	0	0	161	2449	0	1210	2000	67	16	0	58	10	133
60859	562	6.06	.53	11.20	.07	0	0	140	1910	41	1390	1969	61	17	0	93	0	129
60860	563	5.59	.12	12.40	.05	0	0	119	1579	21	1430	1809	59	16	0	80	0	141
60861	564	6.07	.40	11.30	.07	0	0	144	1969	10	1320	2119	62	16	0	89	0	133
60862	565	6.58	.45	11.20	.07	0	0	109	1759	10	1349	1559	59	17	0	90	11	123
60863	566	6.37	.54	12.40	.07	0	0	152	1900	0	1390	2200	69	18	0	92	0	132
60864	567	5.58	.47	11.30	.08	0	0	127	1990	0	1160	1919	53	16	0	109	0	111
60865	568	5.87	.11	11.10	.05	0	0	116	1509	0	1070	1789	55	15	0	70	10	116
60866	569	(2.16)	(****)	.60	.91	0	(622)	18	147	11	278	72	19	0	(51)	(219)	14	102
60866	569	(2.14)	(****)	.62	.94	0	(730)	13	129	0	177	63	13	0	(55)	(230)	0	88
60867	570	5.67	.79	11.30	.10	0	0	140	2170	0	1410	2089	63	17	11	105	0	120
60868	571	6.29	.30	11.30	.06	0	55	152	1640	29	1259	2060	63	16	0	61	0	122

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPARerings-KODE : DIREKTE
 FRAKSJONSGRAD : < .075 (MM)

		AS	BE	BT	CO	TH	U	W
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY		1000	1000	1000	1000	1000	20000	1000
ATAN		10	10	10	20	100	1000	100
L-RND PP-VEND								
60846	549	434	0	24	22	450	0	441
60847	550	401	0	26	24	510	0	431
60847	550	522	0	27	35	439	0	472
60848	551	422	0	19	33	273	0	472
60849	552	294	0	0	0	0	0	349
60850	553	301	0	27	26	467	0	450
60851	554	455	0	28	28	615	0	465
60852	555	372	0	20	21	474	0	437
60853	556	413	0	18	27	385	0	450
60854	557	443	0	24	28	546	0	439
60855	558	569	0	18	35	370	0	511
60856	559	465	0	20	28	439	0	474
60857	560	545	0	29	33	470	0	455
60858	561	580	0	27	35	446	0	484
60859	562	511	0	27	29	417	0	455
60860	563	604	0	24	38	384	0	535
60861	564	533	0	27	30	425	0	442
60862	565	653	0	27	37	403	0	507
60863	566	511	0	28	30	462	0	462
60864	567	511	0	23	34	309	0	471
60865	568	545	0	24	30	417	0	490
60866	569	465	0	13	23	0	0	342
60866	569	299	0	0	0	0	0	204
60867	570	476	0	26	27	366	0	429
60868	571	511	0	27	30	455	0	457

ANALYSEDATA : BERGARTSPROVER

ANALYSEINSTRUMENT : KVANTOMETER-TAPE

PREFPAPERINGS-KODE : DIREKTE

FOAKSLONSGRAD : < .075 (NM)

		FE	K	MG	TI	AG	BA	CO	CR	CU	FM	NI	PR	SM	SO	V	Y	Zn
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
AY		15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	6000
MIN		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
L. RIBB SP. VENN																		
60860	572	6.07	.39	12.10	.06	0	0	133	1730	12	1340	2100	65	16	0	74	0	119
60870	573	6.11	.43	10.30	.06	0	0	118	1779	0	1259	1649	57	16	0	82	10	129
60871	574	5.46	.55	10.00	.07	0	0	112	1829	0	1149	1710	51	15	11	106	10	122
60872	575	5.96	.63	10.30	.08	0	0	145	1990	36	1300	1910	61	17	14	93	12	113
60873	576	4.61	.09	10.90	.04	0	0	94	1370	0	1120	1300	46	12	0	70	12	112
60874	577	3.75	.38	10.20	.08	0	54	49	1249	32	914	1190	45	11	10	74	13	103
60875	578	6.15	.48	12.50	.07	0	0	131	2219	22	1250	1610	61	16	10	100	10	126
60876	579	5.59	.07	14.80	.05	0	0	152	1700	40	1099	2350	74	16	0	52	0	119
60877	580	5.84	.45	13.90	.07	0	0	151	1919	0	1460	2259	76	17	0	73	0	112
60877	580	5.43	.45	12.00	.06	0	0	127	1609	0	1349	2060	59	14	0	52	0	105
60878	581	6.17	.12	13.60	.05	0	0	148	1610	0	1320	2130	69	16	0	63	0	114
60879	582	6.55	.10	14.30	.07	0	0	159	1799	17	1360	2170	80	13	0	70	0	125
60880	583	3.40	(2.75)	.56	(.21)	0	(1059)	42	99	31	1409	67	22	12	34	97	10	92
60880	583	3.70	(2.95)	.47	(.19)	0	(1020)	36	77	27	1770	55	15	0	51	77	0	74
60881	584	5.65	.05	15.70	.06	0	0	166	1999	0	1149	2560	72	15	0	59	0	110
60882	585	5.71	.09	13.90	.06	0	0	153	1999	0	1160	2439	70	15	0	63	0	110
60883	586	5.72	.13	13.60	.06	0	0	158	1710	10	1390	1719	68	16	0	70	0	115
60884	587	5.64	.08	14.30	.06	0	0	157	1629	0	1149	2399	68	15	0	66	0	112
60885	588	2.45	(2.93)	1.84	(.35)	0	(649)	63	160	34	1030	246	21	11	205	160	0	35
60886	589	6.73	.35	15.70	.06	0	0	146	1900	20	1320	2210	68	15	0	62	0	113
60887	590	(2.15)	(2.35)	1.425	(.24)	0	(577)	42	344	0	455	216	21	0	(220)	66	0	84
60888	591	2.29	(2.44)	1.265	(.23)	0	(498)	49	314	0	415	204	19	0	(162)	67	0	69
60889	592	1.95	(2.25)	.645	(.30)	0	(345)	33	211	0	410	110	15	0	(245)	77	0	48
60890	592	1.92	(2.17)	.675	(.27)	0	(373)	32	205	0	351	108	11	0	(231)	62	0	75
60890	593	5.14	.65	12.90	.09	0	0	106	1950	10	1160	1249	49	13	14	103	0	123

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PREPAPERINGS-KODE : DIREKTE
 PEAKS IONSORAD : < .075 (M4)

		AS	RE	BI	MO	TH	U	S
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
WAV		1000	1000	1000	1000	1000	20000	1000
MIN		10	10	10	20	100	1000	100
L- AND D-AMINO ACIDS								
60860	572	488	0	27	29	446	0	453
60870	573	556	0	26	32	415	0	484
60871	574	580	0	23	35	323	0	500
60872	575	500	0	27	28	396	0	448
60873	576	604	0	20	36	321	0	529
60874	577	488	0	18	29	208	0	450
60875	578	465	0	25	29	372	0	462
60876	579	434	0	27	26	529	0	450
60877	580	413	0	27	23	479	0	429
60877	580	401	0	23	23	399	0	432
60878	581	522	0	27	31	491	0	490
60879	582	476	0	30	29	500	0	446
60880	583	413	0	15	20	0	0	408
60880	583	232	0	0	0	0	0	313
60881	584	434	0	27	24	524	0	434
60882	585	455	0	25	29	470	0	462
60883	586	500	0	26	29	432	0	475
60884	587	500	0	25	33	451	0	493
60885	588	332	0	13	0	0	0	340
60886	589	401	0	25	21	439	0	439
60887	590	351	0	11	0	0	0	332
60888	591	351	0	10	0	0	0	350
60889	592	313	0	0	0	0	0	321
60890	592	192	0	0	0	0	0	280
60890	593	465	0	20	24	240	0	444

ANALYSEDATA : BERGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PROBEARTIGKEITS-KODE : DIREKTE
 FRAKTIONSGRAD : < .075 (MM)

		FE	K	MG	TI	AG	HA	CO	CR	CU	GN	NI	PH	SM	SE	V	Y	ZN
		%	%	%	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
AN		15.0	5.00	20.0	2.50	100	1500	1000	3000	5000	3000	5000	1500	1000	1000	500	1000	5000
PM		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
M																		
LAMP	DRIVEN																	
60891	594	5.68	.35	11.70	.08	0	0	144	1710	0	1320	2290	61	16	16	80	0	122
60892	595	6.16	.53	15.70	.10	0	0	147	1860	19	1219	2530	68	15	10	72	0	109
60893	596	2.53	2.27	2.30	.35	0	554	68	484	13	737	344	44	0	290	59	0	110
60894	597	4.61	.58	8.03	.10	0	71	109	1719	13	645	1340	42	14	17	109	0	122
60895	598	5.00	.61	8.35	.12	0	59	105	1629	24	1070	1259	42	14	19	129	10	127
60896	599	2.98	2.97	1.16	.42	0	679	44	439	23	566	177	18	0	34	139	0	89
60897	600	2.77	3.13	1.51	.54	0	671	43	398	0	441	239	21	0	145	119	0	85
60897	600	2.67	2.49	1.26	.41	0	404	43	410	0	415	243	26	0	123	97	0	97
60898	601	4.96	.53	7.94	.09	0	52	113	1589	17	951	1329	42	14	16	119	10	132
60899	602	5.47	.64	8.36	.08	0	0	122	1610	11	1059	1559	45	15	10	109	0	141
60900	603	4.05	.47	8.38	.07	0	0	99	1689	15	961	1419	30	12	12	93	0	116
60901	604	5.45	.65	12.70	.11	0	55	125	2049	15	1219	1809	55	14	22	113	0	117
60902	605	5.09	.64	9.50	.10	0	0	105	1919	16	1099	1660	46	14	16	113	0	114
60903	606	1.95	2.44	.33	.15	0	745	26	61	0	252	36	14	0	26	87	0	73
60904	607	5.17	.49	10.50	.07	0	0	119	1570	0	1340	1579	47	13	0	79	10	104
60905	608	4.28	.19	10.90	.07	0	0	129	1420	11	1099	1469	47	12	0	64	10	95
60906	609	4.72	.32	10.50	.06	0	0	123	1390	33	1199	1540	55	13	0	64	10	105
60907	610	4.34	.03	10.90	.05	0	0	106	1680	19	1020	1500	47	12	0	62	10	102
60908	611	4.60	.03	11.60	.06	0	0	127	1800	13	1120	2210	55	12	0	0	0	102
60909	612	4.63	.58	10.90	.07	0	0	146	1710	14	1160	2310	53	14	12	68	0	99
60910	613	4.55	.21	10.60	.06	0	0	118	1610	10	1030	2040	46	12	0	67	0	95
60911	614	3.26	.50	10.20	.19	0	0	108	1560	25	1169	1599	42	11	10	140	0	92
60912	615	4.68	.44	11.50	.06	0	0	123	1484	0	1120	2189	46	12	0	72	10	114
60913	616	4.48	.09	12.30	.05	0	0	148	2140	0	1099	2449	54	12	0	62	0	113
60914	617	4.63	.29	13.00	.05	0	0	131	1959	17	1259	2479	54	12	0	60	0	112

ANALYSEDATA : BERGAPTSPRAYER
 ANALYSEINSTRUMENT : KVANIDMETER-TAPE
 PREPARINGS-KODE : DIPEKTE
 PEAKS-IONSGRAD : < .075 (MM)

AV	RE	ST	PO	TH	U	
PPM	PPM	PPM	PPM	PPM	PPM	PPM
1000	1000	1000	1000	1000	20000	1000
10	10	10	20	100	1000	100
L AND PP AVEND						
60891	594	488	0	24	29	373
60892	595	313	0	23	0	356
60893	596	304	0	11	0	0
60894	597	500	0	20	30	238
60895	598	591	0	20	33	203
60896	599	361	0	12	0	0
60897	600	313	0	12	0	0
60897	600	372	0	12	0	0
60898	601	569	0	20	34	276
60899	602	483	0	21	20	299
60900	603	533	0	19	33	243
60901	604	465	0	21	26	225
60902	605	488	0	20	32	223
60903	606	401	0	0	20	0
60904	607	556	0	20	33	276
60905	608	476	0	19	33	264
60906	609	545	0	20	33	276
60907	610	500	0	19	33	264
60908	611	401	0	20	24	342
60909	612	522	0	21	33	325
60910	613	533	0	19	35	304
60911	614	500	0	16	32	0
60912	615	569	0	19	37	323
60913	616	500	0	20	31	370
60914	617	443	0	20	27	358

ANALYSEDATA : BERGARTSPROBER
 ANALYSEINSTRUMENT : KVANTITÄT-TAPE
 PREPARATIONS-KODE : DIPEKTE
 FRAKTIONSGRAD : < .075 (40)

		FE	K	MG	TI	AG	HA	CO	CR	CU	AL	SI	PP	SO	SO	V	Y	Zn
		%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
AV	MIN	15.0	5.00	20.0	2.50	100	1500	1000	3000	50000	3000	5000	1500	1000	1000	500	1000	6000
		0.10	0.10	0.10	0.02	5	50	5	10	10	50	10	10	10	10	50	10	25
LEHREND BEWERTUNG																		
60915	618	4.00	1.21	12.20	.05	0	0	119	1730	0	1230	2144	55	14	32	59	?	105
60916	619	4.63	.15	10.80	.05	0	0	127	1800	10	1169	2260	40	12	0	64	0	106
60917	620	5.26	.24	11.40	.06	0	0	133	2000	13	1149	2334	55	14	0	59	0	106
60917	620	5.75	.25	12.30	.06	0	0	152	2130	13	1280	2610	62	15	0	63	0	109
60918	621	5.21	.54	11.30	.06	0	0	131	2010	0	1149	2170	55	14	0	66	0	105
60919	622	6.02	.35	10.80	.06	0	0	126	1910	0	1090	2320	53	15	0	63	0	106
60920	623	6.04	.45	11.40	.06	0	0	131	2070	0	1210	2250	59	15	0	63	0	106
60921	624	6.25	.44	11.80	.07	0	0	133	2070	0	1149	2430	61	15	0	66	0	102
60922	625	5.07	.07	11.50	.05	0	0	133	1750	0	976	2220	51	12	0	53	0	105
60923	626	6.15	.22	11.70	.05	0	0	126	1800	13	1120	2220	55	14	0	61	0	106
60924	627	5.44	.33	11.30	.05	0	0	127	1860	0	1120	2170	53	14	0	59	0	105
60925	628	5.71	.40	10.30	.06	0	0	113	1840	12	1090	1840	51	15	0	62	0	102
60926	629	6.93	.37	12.40	.07	0	0	157	1960	0	1219	2470	75	16	0	64	0	106
60927	630	7.10	.33	14.50	.05	0	0	145	2140	0	1259	2409	68	15	0	0	0	96

10.25 ppm

gemittelt C

ANALYSEDATA : REDGARTSPROVER
 ANALYSEINSTRUMENT : KVANTOMETER-TAPE
 PDEP/DETINGS-KODE : DIPEKTE
 FRAKSJONSGRAD : < .075 (MM)

		AS	RE	RI	RO	TR	U	W
		PPM	PPM	PPM	PPM	PPM	PPM	PPM
RAY		1000	1000	1000	1000	1000	20000	1000
ATM		10	10	10	20	100	1000	100
END OF RECORD								
60915	618	443	0	19	29	340	0	484
60916	619	488	0	19	30	330	0	493
60917	620	476	0	22	29	394	0	465
60917	620	443	0	24	30	431	0	462
60919	621	476	0	22	29	365	0	462
END OF RECORD								
60919	622	500	0	23	29	420	0	479
60920	623	443	0	24	29	411	0	457
60921	624	422	0	24	27	394	0	439
60922	625	511	0	21	28	408	0	485
60922	626	488	0	23	30	415	0	481
END OF RECORD								
60924	627	455	0	21	28	389	0	467
60925	628	465	0	23	29	372	0	467
60926	629	391	0	29	22	522	0	413
60927	630	332	0	25	0	450	0	403