



Bergvesenet

Postboks 3021, 7002 Trondheim

Rapportarkivet

Bergvesenet rapport nr BV 3357	Intern Journal nr	Internt arkiv nr Boks nr 18	Rapport lokalisering Nordland	Gradering
Kommer fra ..arkiv	Ekstern rapport nr BNN	Oversendt fra	Fortrolig pga	Fortrolig fra dato:
Tittel Malmberegning I (=borhullsgjennomsnitt). 1201 - 1317. 1984 - 1987				
Forfatter		Dato 19	Bedrift Bergverkselskapet Nord-Norge A/S	
Kommune Rana	Fylke Nordland	Bergdistrikt Nordlandske	1: 50 000 kartblad	1: 250 000 kartblad
Fagområde	Dokument type	Forekomster		
Råstofftype	Emneord			
Sammendrag				

Mofjellet Gruber

Malmbergrning I
(= borchulls gjennomsnitt)

Borchull 1201-1317

v/ Stellan Burman
(geologassistent)

BERGVERKSELSKAPET NORD-NORGE A/S

Arkiverte diamantborhull boret fra gruva.

Hull nr.	Profil	Koordinater	Rent.	Høyde	Fall/st.	Lengde	Ag	Au
339	43.060	X: 925.398 Y: 43.062	S	- 38	- 40 ⁰	92,75		
369	43.600	X: 925.390 Y: 43.594		- 32.5	- 90	70.00	X	X
372	43.600	X: 925.432 Y: 43.594		- 34.0	- 90	64.00		
374	43.600	X: 925.390 Y: 43.594	S	- 32.5	- 35	120.50		
436		ikke innmålt						
437		" "						
440	42.950	X: 925.384,5 Y: 42.954,0	S	- 45	- 60	26.89		
443	42.950	X: 925.381,4 Y: 42.954	S	- 45.5	- 40	89.52		
444	43.935	X: 925.359 Y: 43.934	S	- 78.5	+ 60	15.27		
448	43.830	X: 925.405,4 Y: 43.833	N	- 80.7	+ 45	49.80		
493	44.380	X: ? Y: 44.380	S		- 78	41.98		
499	44.350	X: 925.408 Y: 44.347,9	S	- 67.1	- 35	75.60		
504	44.350	X: 925.424,9 Y: 44.346,1	lodd	- 66.3	- 90	82.51	X	
512	44.240	X: 925.399,2 Y: 44.243,5	"	- 70.8	- 90	86.38	X	
527	43.880	X: 925.376,6 Y: 43.883,7	N	- 77.2	+ 25	55.75		
531	43.880	X: 925.376,1 Y: 43.883,7	N	- 75.8	+ 60	36.04		
533	43.880	X: 925.376,7 Y: 43.883,7	N	- 76.0	+ 35	64.25		
534	43.880	X: 925.367,6 Y: 43.889,0	N	- 74,9	+ 70	30.07		
536	43.880	X: 925.365,5 Y: 43.892,3	S	- 75.0	+ 70	36,23		
581	44.350	X: 925.422,9 Y: 44.349,2	Ø	- 65.1	Avvikab.	200.00		
629	44.570	X: 925.481 Y: 44.570	N	-100.0	- 40	140.0		
634	44.580	X: 925.467,1 Y: 44.580,5	opp	- 94.5	+ 90	99.00		
746	44.980	X: 925.427,1 Y: 44.983,8	N	-101.6	+ 15	140.00	X	X

Arkiverte diamanthull boret fra gruva.

Hull nr.	Profil	Koordinater	Rent.	Høyde	Fall/st.	Lengde	Ag	Au
747	44.980	X: 925.427,1 Y: 44.983,8	N	-101,8	+ 10 ⁰	136,5	X	X
748	44.980	X: 925.427,1 Y: 44.983,8	N	-101,9	+ 14	125.00	X	X
749	44.980	X: 925.427,1 Y: 44.983,8	N	-101,6	+ 21	130.00		
773	44.260	X: 925.440,2 Y: 44.263,7	N	- 82,8	+ 58-60	73.90		
778	44.390	X: 925.479,0 Y: 44.390	N	- 60,0	+ 65	86,10		
786	44.320	X: 925.432,5 Y: 44.316,7	N	- 84,7	+ 35	121,50		
787	44.320	X: 925.432,5 Y: 44.316,7	N	- 85,2	+ 27	70.00		
921	44.846	X: 925.410,0 Y: 44.846,6	S	-100,5	- 17	102,80		
923	44.846	X: 925.410,0 Y: 44.846,6	S	- 99,6	- 4	115,35		
924	44.846	X: 925.410,0 Y: 44.846,6	S	- 99,4	- 2.7	179,30		
1109	41.590	X: 925.369,8 Y: 41.590,2	N	+ 27,0	- 44	53,15		
1133	41.660	X: 925.289,5 Y: 41.657,8	S	+ 29.0	- 53	101.20		
1312	41.490	X: 925.331,2 Y: 41.488,2	S	- 11,5	+ 75	97,30	X	X
1315	41.380	X: 925.314,8 Y: 41.374,7	S	- 5,5	+ 85	89.2	X	X
1316	41.380	X: 925.314 Y: 41.374	opp	- 5,5	+ 90	78,70	X	X

NB! Alle diaborhull boret i dagen er arkivert.

7.05.87

Stellan Burman

Diamantberthull som er analysert på Au og Ag boret i gruva.

Profil	Bh. nr.	Ag	Au	Anm.
Y:				
43.600	369	X	X	Arkivert
44.350	504	X		"
44.240	512	X		"
42.950	556	X	X	
42.700	558	X	X	
44.800	669	X		
44.770	670	X		
44.980	746	X	X	Arkivert
44.980	747	X	X	"
44.980	748	X	X	"
44.870	754	X		
44.260	771	X		
44.260	772	X		Arkivert
44.120	775	X	X	
44.120	781 A	X	X	
43.380	973	X		
43.380	974	X		
41.550	1226	X	X	
43.050	1240	X	X	
43.050	1241	X	X	
43.050	1242	X	X	
43.050	1243	X	X	
41.500	1258	X	X	
41.490	1262	X	X	
41.580	1304	X	X	
41.580	1305	X	X	
41.580	1306	X	X	
41.490	1312	X	X	Arkivert+Grovfraksjon av analyse i Aga
41.380	1313	X	X	
41.380	1314	X	X	
41.380	1315	X	X	" " "
41.380	1316	X	X	" " "

Diamantberthull som er analysert på Au og Ag boret i gruva.

Profil	Bh. nr.	Ag	Au	Anm.
Y:				
43.600	369	X	X	Arkivert
44.350	504	X		"
44.240	512	X		"
42.950	556	X	X	
42.700	558	X	X	
44.800	669	X		
44.770	670	X		
44.980	746	X	X	Arkivert
44.980	747	X	X	"
44.980	748	X	X	"
44.870	754	X		
44.260	771	X		
44.260	772	X		Arkivert
44.120	775	X	X	
44.120	781 A	X	X	
43.380	973	X		
43.380	974	X		
41.550	1226	X	X	
43.050	1240	X	X	
43.050	1241	X	X	
43.050	1242	X	X	
43.050	1243	X	X	
41.500	1258	X	X	
41.490	1262	X	X	
41.580	1304	X	X	
41.580	1305	X	X	
41.580	1306	X	X	
41.490	1312	X	X	Arkivert+Grovfraksjon av analyse i Aga
41.380	1313	X	X	
41.380	1314	X	X	
41.380	1315	X	X	" " "
41.380	1316	X	X	" " "

1988

MALMBEREGNING I

Lokalitet:

Borehull: BNN - 1343

Boredato :

Koordinator :

Retaining :

Helling / signing :

Hoyde

[illegible]

MALMBEREGNING I

Lokalitet: Profil 41.370

Borehull: BNN 1317

Boredato : April-87

Koordinator :

Retning : N.

Helling/stigning : + 17°

Høyde :

Dybde	Lengde (m)	Analyser				m% Pb	m% Cu	m% Zn
		% Pb	% Cu	% Zn	% Fe	g/t Pb	g/t Cu	g/t Zn
0,00 - 1,20 m	1,20	0.47	0.75	2.45	7.3			
4,80 - 6,00 "	1,20	0.03	0.29	0.19	11.2			
31,00 - 32,50 "	1,50	0.31	0.55	4.00	12.6	0,465	0,825	6,00
32,50 - 34,10 "	1,60	0.10	1.31	6.28	19.9	0,16	2,096	10,058
34,10 - 35,50 "	1,40	0.20	0.14	3.80	16.2	0.28	0,196	5,32
35,50 - 37,00 "	1,50	0.36	0.33	1.92	7.9	0.54	0,495	2,88
37,00 - 38,60 "	1,60	0.18	0.19	2.07	4.7	0,288	0,304	3,312
38,60 - 40,60 "	2,00	0.21	0.38	4.56	15.9	0,42	0,76	9,12
31,00 - 35,50	4,50	0.20	0.69	4,75				
38,60 - 40,60	2,00	0.21	0,38	4,56				
31,00 - 40,60	9,60	0.22	0,49	3,82				

29/5 - 87

Allen Furman

MALMBEREGNING I

Locat: Profil 41380

Borchull: BNN 1316

Burman

Boredato : April -87

Koordinator :

Retning : opp

Helling/stigning : +90°

Hoyde :

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	g/t Ag	g/t Au	
30,50 - 32,00 m	1,50	0,03	0,03	0,06	4,6	2,5	<0,10	
32,00 - 33,50 "	1,50	0,03	0,03	0,08	4,3	2,1	<0,10	
33,50 - 35,00 "	1,50	0,03	0,03	0,10	5,2	1,4	<0,10	
35,00 - 36,50 "	1,50	0,03	0,04	0,23	6,0	1,2	<0,10	
36,50 - 38,00 "	1,50	0,02	0,05	0,05	6,0	1,4	<0,10	
38,00 - 39,50 "	1,50	0,14	0,09	0,10	5,3	9,4	0,15	
39,50 - 40,70 "	1,20	0,08	0,06	0,07	4,8	7,0	0,15	
40,70 - 42,00 "	1,30	0,49	0,19	0,12	5,5	38,4	0,80	*
42,00 - 43,50 "	1,50	0,04	0,05	0,12	6,0	4,5	<0,10	
43,50 - 44,50 "	1,00	0,04	0,04	0,06	5,4	3,4	<0,10	
44,50 - 45,90 "	1,40	0,05	0,06	0,11	6,1	4,4	<0,10	
46,90 - 48,00 "	1,10	0,02	0,01	0,02	1,1	2,0	<0,10	
38,00 - 42,00	4,00	0,24	0,11	0,10		18,10	0,36	

29/5-87

Stellan Burman

MALMBEREGNING I

Burman

Boredato :

Koordinator :

Retning :

Helling/stigning :

Hoyde :

Borehull: BNN 1315

Dybte	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Fe	% Ag	% Au
C-166 45,30 - 47,00 m		0.30	0.11	0.57	5.9	16.8	2.40
47,00 - 48,70 "		0.16	0.18	0.63	5.5	8.4	0.35
48,70 - 50,40 "		0.20	0.09	0.53	5.0	9.9	0.25
C-167 50,40 - 52,00 "		0.18	0.11	0.51	6.1	7.1	0.25
52,00 - 53,00 "		0.25	0.09	0.22	6.7	8.8	0.45
61,10 - 62,00 "		0.15	1.16	2.51	11.8	19.2	0.30
62,00 - 63,00 "		0.35	0.60	2.19	6.5	24.6	0.65
73,00 - 74,00 "		0.01	0.02	0.07	2.7	1.6	0.10
74,00 - 75,70 "		0.03	0.06	0.34	1.9	1.8	0.10
75,70 - 77,00 "		0.23	0.47	3.14	6.5	9.6	0.55
77,00 - 78,70 "		1.17	0.27	3.68	8.9	10.7	0.10
78,70 - 80,30 "		0.39	0.26	2.22	4.2	4.3	0.25
80,30 - 81,80 "		1.54	0.35	4.04	5.0	25.2	0.60
81,80 - 82,80 "		0.26	0.28	0.86	5.5	6.5	0.25

MALMBEREGNING I

Lokalitet: 41380

Borehull: BNN 1314

Boredato : Feb -87

Koordinater : X: 925.313,2 Y: 41374,0

Retning : S.

Helling/stigning : -17°

Hoyde : -10,1 moh.

C-166

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	% Ag	% Au	
3,70 - 4,70 m	1,00	0,11	0,04	0,19	7,6	3,9	0,15	
4,70 - 6,30 "	1,60	1,02	0,12	5,32	6,9	13,4	0,20	
6,30 - 8,00 "	1,70	0,26	0,07	2,48	7,1	6,8	0,30	
8,00 - 9,70 "	1,70	0,40	0,11	1,33	6,8	9,4	0,30	
9,70 - 11,40 "	1,70	0,25	0,08	1,03	6,5	7,5	0,35	
11,40 - 13,10 "	1,70	0,35	0,15	2,60	7,4	9,4	0,15	
13,10 - 14,40 "	1,30	0,62	0,37	2,05	7,5	15,9	0,30	
14,40 - 16,00 "	1,60	0,13	0,59	1,27	12,0	10,5	0,30	
16,00 - 17,70 "	1,70	0,22	0,50	1,41	8,7	10,5	0,30	
17,70 - 19,60 "	1,90	3,39	0,17	15,12	9,3	41,4	0,25	
19,60 - 21,00 "	1,40	0,24	0,22	0,92	6,9	6,7	0,10	
21,00 - 23,30 "	2,30	0,03	0,18	0,25	7,3	5,8	0,10	
23,30 - 24,70 "	1,40	0,22	0,19	0,60	4,2	10,2	0,10	
40,70 - 41,70 "	1,00	0,16	0,09	0,06	5,1	6,4	0,15	
41,70 - 43,20 "	1,50	0,16	0,12	0,54	5,6	9,1	0,10	
43,20 - 44,90 "	1,70	0,30	0,06	1,05	5,3	11,0	0,10	
44,90 - 46,50 "	1,60	2,10	0,04	0,04	4,7	2,8	0,10	
4,70 - 19,60	14,90	0,78	0,28	3,94		14,2	0,27	

12/5 -87

Stellan Burman

MALMBEREGNING I

Borendato

Boredato : Feb - 87

Lokalitet: 41.380

Koordinator : X: 925.314,8 Y: 41.374,7

Retning : S.

Helling/stigning : + 80°

Borehull: BNN 1313

Høyde : - 5,5 m o.h.

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Fe	% Ag	% Au
C-166 60,20 - 61,40 m	1,20	0,42	0,24	0,10	8,6	17,4	0,40
87,10 - 88,50	1,40	0,06	0,17	0,06	7,1	8,2	0,40
88,50 - 89,90	1,40	0,57	0,53	0,07	6,5	80,4	7,35
95,00 - 96,90	1,90	0,02	0,10	0,10	8,6	3,3	0,10
98,40 - 99,10	0,70	0,02	0,15	0,09	12,8	3,5	0,10
87,10 - 89,90	2,80	0,32	0,38	0,07	6,8	44,3	3,88

3/3 - 87

Stenman Burman

Burman

MALMBEREGNING I

Lokalitet: Prof 41.490

Borehull: BNN 1312

Boredato : Feb-87
 Koordinator : X: 925.331,2 Y: 41.488,2
 Retning : S.
 Helling/stigning : +75°
 Høyde : -11,5 m o.h.

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Fe	% Ag	% Au
16,50 - 18,00 m	1,50	0,07	0,09	0,25	6,6	3,6	0,10
18,00 - 18,30 "	0,30	0,45	0,11	1,50	7,6	10,0	0,20
18,30 - 19,00 "	0,70	0,30	0,19	0,38	5,8	7,1	0,30
40,20 - 41,00 "	1,00	0,42	0,19	0,23	6,1	31,7	1,15
41,00 - 42,30 "	1,30	0,28	0,11	0,54	5,2	16,9	0,35
62,60 - 63,60 "	1,00	0,43	0,17	0,11	5,9	15,0	0,25
63,60 - 65,20 "	1,60	0,40	0,47	0,63	9,4	16,6	0,40
79,30 - 80,30 "	1,00	0,32	0,36	1,55	5,4	7,7	0,15
40,00 - 42,30	2,30	0,34	0,14	0,41		23,3	0,70
62,60 - 65,20	1,60	0,41	0,35	0,43		16,0	0,34

2/3-87

Allen Burman

Burns

Boredato : Jan - 87
Koordinator : x: 925.331,8 y: 41.582,5
Retning : N.
Helling/stigning : + 80°
Hoyde : + 11,5 moh.

Borehull: BNN 1310

	Dybde	Lengde (m)	Analyser						
			% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn
CC-165	0,00 - 1,10 m	1,10	0.41	0.14	1.57	3.0	0,451	0,154	1,727
	1,10 - 2,50 "	1,40	0.36	0.37	8.08	8.0	0,504	0,518	11,312
	2,50 - 4,00 ..	1,50	0.02	0.25	8.12	10.0	0,03	0,375	12,18
	7,00 - 8,50 "	1,50	0.09	0.24	1.24	3.8			
	11,20 - 12,20 ..	1,00	0.03	0.15	0.26	3.4			
C-166	12,20 - 13,80 .	1,60	0.02	0.27	10.80	8.0			
	13,80 - 15,40 ..	1,60	0.20	0.58	5.20	9.0			
	15,40 - 17,00 ..	1,60	0.04	0.16	0.47	4.9			
	17,00 - 18,50 ..	1,50	0.14	0.23	0.33	4.9			
	18,50 - 20,30 ..	1,80	0.50	0.42	1.39	11.8			
	24,80 - 26,20 "	1,40	0.10	0.27	2.28	6.2			
	0,00 - 4,00	4,00	0.24	0.26	6,30				
	12,20 - 17,00	4,80	0.05	0.34	5,49				
	12,20 - 15,40	3,20	0.11	0.43	8.0	8.5			
29/-87 Stellan Burman									

MALMBEREGNING I

Lokalitet: Profil 41.580

Borehull: BNN 1308

Sturman

Boredato: Dec-86

Koordinater: X: 925.329, Y: 41.582, Z

Retning: S.

Helling/stigning: +70°

Høyde: +11,6 m o.h.

C-166

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn
10.30 - 11.60 m	1.30	0.18	0.13	0.24	5.2			
11.60 - 12.60 "	1.00	0.03	0.06	0.29	7.2			
21.30 - 22.50 "	1.20	0.12	0.29	0.39	8.1			
22.50 - 24.00 "	1.50	0.34	0.34	1.53	6.8	0.51	0.51	2.295
24.00 - 25.50 "	1.50	0.29	0.57	2.25	9.0	0.435	0.855	3.375
25.50 - 27.00 "	1.50	0.21	0.50	1.13	9.1	0.315	0.75	1.695
27.00 - 28.00 "	1.00	0.88	0.48	1.19	8.2	0.88	0.48	1.19
28.00 - 29.30 "	1.30	0.11	0.45	1.30	9.4	0.143	0.585	1.69
29.30 - 30.30 "	1.20	0.01	0.04	0.05	3.5			
47.10 - 48.20 "	1.10	0.78	0.38	2.92	6.4			
60.00 - 60.70 "	0.70	0.62	0.54	1.38	10.1			
22.50 - 29.30	6.80	0.34	0.47	1.51				

6/2-87

Sturman

Burtch

Boredato :

Retina

Helling/signing :

Høyde :

Borehull: Bunn 1307

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
24,70 - 25,70 m	1,00	0.06	0.16	0.26	5.3
25,70 - 27,50 "	1,80	0.14	0.42	2.28	9.2
27,50 - 29,00 "	1,50	0.47	0.23	1.57	5.8
29,00 - 30,50 "	1,50	0.24	0.30	0.85	5.1
30,50 - 32,00 "		0.09	0.14	0.23	4.6
32,00 - 33,50 "		0.27	0.11	0.56	3.6
33,50 - 35,00 "		0.11	0.17	0.05	5.0
35,00 - 36,50 "	1,50	0.50	0.19	1.55	4.2
36,50 - 38,00 "	1,50	0.43	0.61	1.89	5.9
38,00 - 39,50 "	1,50	0.89	0.71	3.25	6.2
39,50 - 41,00 "	1,50	0.80	0.53	3.69	4.7
25,70 - 29,00	3,30	0,29	0,33	1,93	7,7
25,70 - 30,50	4,80	0,27	0,32	1,59	6,9
35,00 - 38,00	3,00	0,47	0,40	1,72	5,05
38,00 - 41,00	3,00	0,84	0,62	3,47	5,4
35,00 - 41,00	6,00	0,65	0,51	2,60	5,2

MALMBEREGNING I

Lokalitet: 41.580

Borehull: B.V.N 1307

Burman

Boredato : Des - 86

Koordinater : X: 925.329, Y: 41.582,7

Retning : S.

Helling/stigning : +75°

Høyde : +11,6 moh.

C-165

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn	mg Fe
24,70 - 25,70 m	1,00	0.06	0.16	0.26	5.3	0.252			
25,70 - 27,50 "	1,80	0.14	0.42	2.28	9.2	0.252	0.756	4.104	17.64
27,50 - 29,00 "	1,50	0.47	0.23	1.51	5.8	0.705	0.345	2.265	8.7
29,00 - 30,50 "	1,50	0.24	0.30	0.85	5.1				
30,50 - 32,00 "	1,50	0.09	0.14	0.23	4.6				
32,00 - 33,50 "	1,50	0.27	0.11	0.56	3.6				
33,50 - 35,00 "	1,50	0.11	0.17	0.05	5.0				
35,00 - 36,50 "	1,50	0.50	0.19	1.55	4.2				
36,50 - 38,00 "	1,50	0.43	0.61	1.89	5.9				
38,00 - 39,50 "	1,50	0.89	0.71	3.25	6.2				
39,50 - 41,00 "	1,50	0.80	0.53	3.69	4.7				
38,00 - 41,00	3,00	0.85	0.67	3.47	5.5				
36,50 - 41,00	4,50	0.71	0.62	2.94	5.6				

15/-87

Stellan Burman

Burman

Boredato : Des-86

Koordinater : x: 925,329,9 y: 41.582,7

Retning : S.

Helling/stigning: $+80^\circ$

Høyde : + 11,6 mol.

Borehull: BNN 1306

[illegible]

Bremen

Boredato :
Koordinator :
Retning :
Helling/stigning :
Høyde :

Hoyde :

9.4

MALMBEREGNING I

Lokalitet: 3-1241580

Borehull: 1305

Boredato: Dec-86

Koordinater: X: 925.329, Y: 41.582, Z

Retning: S.

Helling/stigning: + 85°

Høyde: + 11,8 m.o.h.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% SE	Ag g/t	Au g/t	
C165 0,90-1,60	0,70	0,04	0,17	3,88	5,9	4,5	0,2	
20,90-21,90	1,00	0,02	0,09	0,12	4,7	2,5	0,1	
21,90-23,50	1,60	0,09	0,20	1,35	9,3	5,7	0,3	
23,50-25,00	1,50	0,17	0,16	2,26	10,2	8,1	0,6	
25,00-26,50	1,50	0,25	0,11	2,88	9,4	8,9	0,2	
26,50-28,00	1,50	1,05	0,30	3,72	5,7	28,8	3,7	
28,00-29,50	1,50	1,65	0,17	6,08	5,0	34,5	1,7	
29,50-31,00	1,50	0,87	0,15	5,36	7,7	16,2	0,6	
31,00-32,60	1,60	1,76	0,17	6,64	7,3	28,7	1,3	
32,60-33,60	1,00	0,06	0,14	0,13	1,7	1,5	20,1	
33,70-35,30	1,60	0,62	0,13	3,27	8,1	14,0	0,7	
35,30-36,90	1,60	0,68	0,21	2,29	7,5	12,8	0,3	
26,50-32,60	6,10	1,33	0,20	5,45		27,1	1,8	
21,90-26,50	4,60	0,17	0,16	2,16		7,6	0,3	
21,90-32,60	10,70	0,84	0,18	4,01		18,7	1,2	
53,70-56,90	3,20	0,64	0,17	2,78		13,4	0,5	
					15/-87			
					Steenbrunn			

MALMBEREGNING I

Burman

Lokalitet: Profil 41.580

Borehull: BNN - 1304

Boredato: Des -86

Koordinater: X: 925.330,4 Y: 41.582,7

Retning: opp

Helling/stigning: +90°

Høyde: +11,6 moh.

	Dybde	Lengde (m)	Analyser							m% Pb	m% Cu	m% Zn
			% Pb	% Cu	% Zn	% Fe	g/g Au					
2-164	0.00 - 1.60 m	1.60	0.31	0.23	2.59	5.5						
	10.60 - 11.60	1.00	0.02	0.03	0.11	2.1						
	11.60 - 13.00	1.40	0.02	0.25	1.91	4.1						
	13.00 - 14.50	1.50	0.02	0.24	1.31	3.7						
	14.50 - 15.70	1.20	0.02	0.18	0.38	8.6						
	15.70 - 16.70	1.00	0.02	0.07	0.10	4.4						
	19.20 - 20.20	1.00	0.26	0.10	0.60	3.3						
2-165	20.20 - 22.00	1.80	0.08	0.36	2.30	9.0	0.2	0.144	0.648			4.14
	22.00 - 23.50	1.50	0.35	0.38	5.16	12.4	0.2	0.525	0.57			7.74
	23.50 - 25.00	1.50	0.14	0.42	3.06	7.7	0.2	0.21	0.63			4.59
	25.00 - 26.50	1.50	0.26	0.35	0.78	5.2	0.2					
	26.50 - 28.00	1.50	0.71	0.60	3.49	9.0	0.3					
	28.00 - 29.00	1.00	0.06	0.06	0.26	2.6						
	52.60 - 53.60	1.00	0.07	0.02	0.16	2.0						
	53.60 - 54.90	1.30	0.32	0.06	0.95	2.0						
	54.90 - 56.50	1.60	0.58	0.26	1.99	6.6	0.5	0.928	0.416			3.184
	56.50 - 58.00	1.50	0.58	0.24	2.02	5.5	0.8	0.87	0.36			3.03
	58.00 - 59.30	1.30	0.50	0.24	6.52	11.3	0.1	0.65	0.312			8.476
	59.30 - 60.30	1.00	0.06	0.07	0.16	2.9	0.1					
	63.70 - 64.40	0.70	0.54	0.94	1.94	7.5	0.6	0.378	0.658			1.358
	64.40 - 65.60	1.20	1.25	0.35	5.96	6.6	0.2	1.5	0.42			7.152
							g/g Au	g/g Ag				
	20.20 - 25.00	4.80	0.13	0.39	3.43		0.2	7.8				
	21.00 - 25				3							
	54.90 - 59.30	4.40	0.56	0.25	3.34		0.65	15.4				
	63.70 - 65.60	1.90	0.99	0.57	4.48		0.35	6.1				

3/2-87

21.1.87

... 2.

MALMBEREGNING I

Berman

Lokalitet:

Boredato :

Koordinater :

Retning :

Helling/stigning :

Høyde :

Borehull: BNN - 1304

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	2/c Au	2/c Ag	
0.00 - 1.60 m	1.60	0.31	0.23	2.59	5.5			
1.60 - 11.60	1.00	0.02	0.03	0.11	2.1			
11.60 - 13.00	1.40	0.02	0.25	1.91	4.1			
13.00 - 14.50	1.50	0.02	0.24	1.31	3.7			
14.50 - 15.70	1.20	0.02	0.18	0.38	8.6			
15.70 - 16.70	1.00	0.02	0.07	0.10	4.4			
19.20 - 20.20	1.00	0.26	0.10	0.60	3.3			
20.20 - 22.00	1.80	0.08	0.36	2.30	9.0	0.2	5.8	10.44
22.00 - 23.50	1.50	0.35	0.38	5.16	12.4	0.2	10.1	15.15
23.50 - 25.00	1.50	0.14	0.42	3.06	7.7	0.2	7.9	11.85
25.00 - 26.50	1.50	0.26	0.35	0.78	5.2	0.2	7.1	
26.50 - 28.00	1.50	0.71	0.60	3.49	9.0	0.3	14.5	
28.00 - 29.00	1.00	0.06	0.06	0.26	2.6			
52.60 - 53.60	1.00	0.07	0.02	0.16	2.0			
53.60 - 54.90	1.30	0.32	0.06	0.95	2.0			
54.90 - 56.50	1.60	0.58	0.26	1.99	6.6	0.5	19.3	30.88
56.50 - 58.00	1.50	0.58	0.24	2.02	5.5	0.8	19.3	28.95
58.00 - 59.30	1.30	0.50	0.24	6.52	11.3	10.1	6.0	7.80
59.30 - 60.30	1.00	0.06	0.07	0.16	2.9	10.1	1.7	
63.70 - 64.40	0.70	0.54	0.94	1.94	7.5	0.6	4.5	3.15
64.40 - 65.60	1.20	1.25	0.35	5.96	6.6	0.2	7.0	8.4
20.20 - 25.00	4.80						7.8	
54.90 - 59.30	4.40						15.4	
63.70 - 65.60	1.90		0.57	4.48	6.9	0.34	6.1	

11/2-87

S. Mann J. Mann

Burman

MALMBEREGNING I

Lokalitet: Profil 41.580

Borehull: BNN - 1304

Boredato : Des -86

Koordinator : X: 925.330,4 Y: 41.582,7

Retning : opp

Helling/stigning : +90°

Høyde : +11.6 moh.

Dybde	Lengde (m)	Analyser						g/t Au	m% Pb	m% Cu	m% Zn
		% Pb	% Cu	% Zn	% Fe						
C-164	0.00 - 1.60 m	1.60	0.31	0.23	2.59	5.5					
	10.60 - 11.60	1.00	0.02	0.03	0.11	2.1					
	11.60 - 13.00	1.40	0.02	0.25	1.91	4.1					
	13.00 - 14.50	1.50	0.02	0.24	1.31	3.7					
	14.50 - 15.70	1.20	0.02	0.18	0.38	8.6					
	15.70 - 16.70	1.00	0.02	0.07	0.10	4.4					
	19.20 - 20.20	1.00	0.26	0.10	0.60	3.3					
C-165	20.20 - 22.00	1.80	0.08	0.36	2.30	9.0	0.2	0.144	0.648	4.14	
C-165	22.00 - 23.50	1.50	0.35	0.38	5.16	12.4	0.2	0.525	0.57	7.74	
	23.50 - 25.00	1.50	0.14	0.42	3.06	7.7	0.2	0.21	0.63	4.59	
	25.00 - 26.50	1.50	0.26	0.35	0.78	5.2	0.2				
	26.50 - 28.00	1.50	0.71	0.60	3.49	9.0	0.3				
	28.00 - 29.00	1.00	0.06	0.06	0.26	2.6					
	52.60 - 53.60	1.00	0.07	0.02	0.16	2.0					
	53.60 - 54.90	1.30	0.32	0.06	0.95	2.0					
	54.90 - 56.50	1.60	0.58	0.26	1.99	6.6	0.5	0.928	0.416	3.184	
	56.50 - 58.00	1.50	0.58	0.24	2.02	5.5	0.8	0.87	0.36	3.03	
	58.00 - 59.30	1.30	0.50	0.24	6.52	11.3	0.1	0.65	0.312	8.476	
	59.30 - 60.30	1.00	0.06	0.07	0.16	2.9	0.1				
	63.70 - 64.40	0.70	0.54	0.94	1.94	7.5	0.6	0.378	0.658	1.358	
	64.40 - 65.60	1.20	1.25	0.35	5.96	6.6	0.2	1.5	0.42	7.152	
	20.20 - 25.00	4.80	0.18	0.39	3.43		0.2				
	21.00 - 25.00	4.00			3.66						
	22.00 - 25.00	3.00	0.25	0.40	4.11						
	54.90 - 59.30	4.40	0.56	0.25	3.34		0.65				
	56.50 - 59.30	2.80	0.54	0.24	4.11						
	63.70 - 65.60	1.90	0.99	0.57	4.48		0.35				
					3/2-87						

3/2-87

21.11.87

15.1.87
3.2.87

MALMBEREGNING ●

Lokalitet: Profil 41.840

Borehull: BNN 1301

Boredato : No. 26

Koordinater : X: 925.361,5 Y: 41.839,0

Retning : S.

Helling/stigning : - 60°

Høyde : + 46,5 m o h.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe			
0.00-1.10	1.10	0.03	0.71	3.27	3.7			
22.00-23.00	1.00	0.03	0.03	0.05	3.5			
23.00-23.90	0.90	0.85	0.22	3.34	6.1			
23.90-25.40	1.50	0.04	0.18	0.21	3.6			
25.40-26.70	1.30	0.07	0.05	0.38	1.9			
26.70-27.80	1.10	0.35	0.20	1.46	5.1			
27.80-28.80	1.00	0.06	0.11	0.09	4.9			
0.00-1.10	1.10	0.03	0.71	3.27	3.7			
23.00-23.90	0.90	0.85	0.22	3.34	6.1			
22/12-86 Allan Hurman								

MALMBEREGNING I

Lokalitet: Profil 41.810

Borehull: BNN-1300

Boredato : Nov 28. 1977
Koordinator : X: 925.362,5 Y: 41.811,2
Retning : Lodd.
Helling/stigning : -90°
Høyde : $+47,5$ moh.

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% FE
16.90-18.50	1.60	0.02	0.12	0.99	7.5
18.50-20.00	1.50	0.01	0.17	0.25	5.9
20.00-21.00	1.00	0.01	0.11	0.15	8.2
22.30-23.30	1.00	0.03	0.13	0.07	5.3
23.30-24.50	1.20	0.04	0.20	0.11	3.6
24.50-25.80	1.30	0.53	0.27	0.43	3.2
25.80-26.90	1.10	0.31	0.20	1.20	2.9
26.90-28.40	1.50	2.44	0.20	2.12	6.4
28.40-29.90	1.50	0.30	0.43	3.65	5.6
29.90-31.00	1.10	0.04	0.34	0.69	5.7
31.00-32.30	1.30	0.02	0.22	1.03	4.5
28.90 - 29.90	3.00	1.37	0.32	2.89	6.0

57, -87
William Turner

MALMBEREGNING

Lokalitet: 41.810

Borehull: BNN1298

Boredato : [REDACTED] -86

Koordinater : x: 925,367,7 y: 41.808,7

Retning : Lodd.

Helling/stigning: -90°

Høyde : + 48,0 moh.

[illegible]

Burman

Boredato : 04-86
Koordinater : X: 925.347,8 Y: 41.684,9
Retning : 20dd
Helling/stigning : -90°
Høyde : +53,5 moh.

Borehull: BNN-1296

[illegible]

Burman

Boredato : Nov - 83
Koordinater : X: 925,350,3 Y: 41,685,4
Retning : Nord
Helling/stigning : -90°
Høyde : +53,6 moh.

Borehull: BNN-1295

[illegible]

MALMBEREGNING I

Lokalitet: Potil 41.680

Borehull: BNN - 1293

Burman

Boredato : OKT-86

Koordinater : X: 925.345,7 Y: 41.684,1

Retning : Lodd.

Helling/stigning : -90°

Høyde : +53,7 moh.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn
C-164 0.00 - 1.00 m	1.00	0.24	0.75	1.21	5.6			
1.00 - 2.50 .	1.50	0.04	0.91	3.84	14.4	0.06	1.365	5.760
2.50 - 4.00 .	1.50	0.54	0.74	3.65	11.4	0.81	1.11	5.475
4.00 - 5.70 .	1.70	0.07	0.18	1.25	8.6	0.119	0.306	2.125
5.70 - 6.70 .	1.00	0.01	0.03	0.04	3.1			
6.70 - 7.70 .	1.00	0.02	0.03	0.04	5.7			
7.70 - 9.45 .	1.75	0.03	0.33	1.47	6.8			
9.45 - 11.10 .	1.65	0.03	0.07	0.24	2.5			
0.00 - 5.70	5.70	0.22	0.62	2.56				
0.00 - 4.00	4.00	0.28	0.81	3.11				

4/11 = 86

Burman

MALMBEREGNING I

Bucman

Lokalitet: 41680

Borehull: BNN - 1291

Boredato : 04-86

Koordinater : X: 925.368,3 Y: 41.678,9

Retning : 200

Helling/stigning : -90°

Hoyde : +58,0 moh.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe			
C163 21.40 - 22.40 m	1.00	0.01	0.04	0.03	0.6			
C164 22.40 - 23.30	0.90	1.66	0.39	7.32	9.0			
23.30 - 24.30	1.00	0.11	0.38	0.53	3.0			
32.50 - 33.30	0.80	0.33	0.33	6.60	10.5			
22.40 - 23.30	0.90	1.66	0.39	7.32	9.00			
32.50 - 33.30	0.80	0.33	0.33	6.60	10.5			

30/10-86

Stellan Bucman

Bushman

Boredato : Sept-86
Koordinater : X: 925.359,5 Y: 41.684,9
Retning : S.
Helling/stigning : + 45°
Høyde : + 62,3 moh.

Borehull: *BNN 1290*

[illegible]

Виртач

Boredato : 04T-86
Koordinater : X: 925,360,4 Y: 41,683,1
Retning : opp.
Helling/stigning : + 90°
Høyde : + 62,3 m o.h.

Borehull: BNN - 1289

[illegible]

MALMBEREGNING I

Boredato : 541-86
Koordinater : x: 925,360,3 y: 41,682,5
Retning : 3.
Helling/stigning : -88°
Høyde : +58,0 moh.

Borehull: *BNN-1288*

[illegible]

Berman

Boredato : Sept-86
Koordinater : X: 925.371,3 Y: 41.761,6
Retning : N.
Helling/stigning : -50°
Høyde : +51,2 moh.

Borehull: *BNN 1287*

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
40.30 - 41.30 m	1.00	0.03	0.06	0.13	2.7
41.30 - 42.80 m	1.50	1.48	0.29	5.44	8.7
42.80 - 43.80 m	1.00	0.04	0.02	0.11	2.7
41.30 - 42.80	1.50	1.48	0.29	5.44	8.7

28/10-86

Stellan Gunnarsson

Burns

Boredato : Sept-86
Koordinater : X: 925.372,6 Y: 41.764,5
Retning : N
Helling/stigning : + 75°
Høyde : + 55,8 moh.

Borehull: BNN 1284

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	mg ₁₀₀ Pb	mg ₁₀₀ Cu	mg ₁₀₀ Zn
0.00 - 1.00 m	1.00	0.83	0.21	1.75	6.0			
1.00 - 2.10 "	1.10	1.03	0.94	8.60	9.3	1.113	1.034	9.46
2.10 - 3.10 "	1.00	0.16	0.17	0.34	4.9			
3.10 - 4.30 "	1.20	0.59	0.36	4.96	9.7	0.708	0.432	5.957
4.30 - 5.00 "	0.70	0.04	0.09	0.22	3.9			
0.00 - 4.30	4.30	0.65	0.43	4.07				
3/10-86 Susan Burnman								

11/11/1914

Boredato : Sept-86
Koordinater : X: 925 358,7 Y: 41 757,0
Retning : S.
Helling/stigning : + 50°
Høyde : + 54,6 moh.

Borehull: BNN 1282

(-163)

Burman

Boredato : Sept - 86.
Koordinater : X: 925.362,6 Y: 41.759,7
Retning : S.
Helling/stigning : - 60°
Høyde : + 50,7 moh.

Borehull: *UN 1281*

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 1.20 m	1.20	1.74	0.33	3.72	5.4
1.20 - 2.00 "	0.80	0.04	0.05	0.15	1.6
16.00 - 17.50 "	1.50	0.06	0.17	1.12	8.3
25.10 - 26.40 "	1.30	0.45	0.14	2.34	3.5
26.40 - 27.70 "	1.30	0.41	0.29	1.01	4.5
0.00 - 1.20	1.20	1.74	0.33	3.72	

3/16-86

Stellan Burnan

MALMBEREGNING I

Lokalitet: Profil 41760

Borehull: BMV-1279

Burman

Boredato : Sept -86
Koordinater : X: 925.362,6 Y: 41.759,7
Retning : S.
Helling/stigning : -45°
Høyde : +50,7 moh.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn
C163 0,00 - 1,00	1,00	1,01	0,48	4,24	6,2			
22,00 - 23,00	1,00	0,01	0,09	0,49	2,9			
23,00 - 24,00	1,00	0,36	0,26	10,96	8,7			
24,00 - 25,10	1,10	0,47	0,37	4,72	7,5	0,52	0,41	5,19
25,10 - 26,10	1,00	0,26	0,32	0,61	6,4			
26,10 - 27,10	1,00	0,01	0,17	0,25	4,0			
0,00 - 1,00	1,00	1,01	0,48	4,24	6,2			
23,00 - 25,10	2,10	0,42	0,32	7,69				

22/9-86

Burman

Burns.

Boredato : Sept-86
Koordinater : X: 925.362, 6 Y: 41.759, 7
Retning : opp.
Helling/stigning : +90°
Høyde : +55.5 m o.h.

Borehull: BNN 1278

[illegible]

MALMBEREGNING I

Lokalitet: Profil 41.760

Borehull: BNN - 1277

Boredato : Sept-86.

Koordinator : X: 925,362, Y: 41.759,7
 Relativ : 1, 1, 1

Retiring : Lodd.

Heeling/signing : -90°

Hoyde : + 50,7 mol.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	Fe % S	m% Pb	m% Cu	m% Zn
0.00 - 1.50 m	1.50	1.12	0.56	5.40	6.7			
24.40 - 25.50	1.10	0.08	0.04	0.14	3.1			
25.50 - 26.70	1.20	0.62	0.23	3.92	6.2	0.744	0.276	4.704
26.70 - 27.90	1.20	1.84	0.43	10.32	9.8	2.208	0.516	12.384
27.90 - 29.30	1.40	0.34	1.88	3.59	7.2	0.476	2.632	5.026
29.30 - 30.30	1.00	0.02	0.09	0.12	2.8			
0.00 - 1.50	1.50	1.12	0.56	5.40				
25.50 - 29.30	3.80	0.90	0.90	5.82				
3/10-86								
Allan Therman								

MALMBEREGNING I

Lokalitet: Profil 41.720

Borehult: BNN 1276

Boredato : Juni-86

Koordinater : X: 925,375,4 Y: 41,723,2

Retning : Lodd.

Helling/stigning: -90°

Hoyde : +52,3 mol.

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
24.00-25.00	1.00	0.01	0.05	0.05	2.0
25.00-26.30	1.30	1.21	0.40	2.17	5.3
26.50-27.60	1.30	1.26	0.41	6.29	9.9
27.60-28.90	1.30	2.00	0.31	9.28	7.8
28.90-30.00	1.10	0.04	0.11	0.10	3.4
34.20-35.30	1.10	0.01	0.14	0.89	4.0
25.00-28.90	3.90	1.49	0.37	6.48	7.67

10/9-86

Stellan Burnan

MALMBEREGNING I

Lokalitet: Profil 41720.

Borehull: BNN/275

Boredato : Juni - 86

Koordinater : X: 925.377,4 Y: 41.724,5

Retning : Lodd

Heeling/signing: -90°

Hoyde : + 52,3 mol.

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
24.80-25.80	1.00	0.01	0.02	0.01	1.9
25.80- 27 30	1.50	0.64	0.42	3.96	6.1
25.80-27.30	1.50	0.64	0.42	3.96	6.1

10/9-86
Arvid Burman

101-86

Julian Burman

MALMBEREGNING I

Lokalitet: Profil: 41.720

Borehull: BNN 1274

Burman

Boredato : Juni -86
Koordinater : X: 925.372,3 Y: 41.721,5
Retning : Lodd.
Helling/stigning : -90°
Høyde : + 52,3 moh.

C-162

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn
23.10 - 24.10 m	1.00	0.03	0.01	0.04	1.4			
24.10 - 25.50 "	1.40	1.25	0.38	6.44	8.2	1.75	0.532	9.016
25.50 - 27.00 "	1.50	1.43	0.28	8.00	8.2	2.145	0.42	12.00
27.00 - 28.70 "	1.70	0.99	0.38	4.24	5.8	1.683	0.646	7.208
28.70 - 30.05 "	1.35	0.09	0.10	0.13	2.4			
30.05 - 31.40 "	1.35	1.46	0.64	1.79	3.8			
31.40 - 32.30 "	0.90	0.04	0.01	0.80	1.7			
24.10 - 28.70	4.60	1.21	0.35	6.14	7.31			

20/6-86

Arvid Burman

Burman

MALMBEREGNING I

Lokalitet: Prof. 41.720

Borehull: BNN 1273

Boredato : Juni -86
Koordinater : X: 925.364,3 Y: 41.721,5
Retning : N.
Helling/stigning : +80°
Hoyde : +57,1 moh.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn
C-162 0.00 - 1.80 m	1.80	0.34	0.39	1.55	6.5	0.612	0.702	2.79
1.80 - 3.00 "	1.20	0.32	0.27	8.88	7.6	0.384	0.324	10.606
3.00 - 4.50 "	1.50	1.46	0.70	12.24	8.5	2.19	1.05	18.36
4.50 - 5.70 "	1.20	0.86	0.47	2.07	6.9	1.032	0.564	2.484
5.70 - 6.70 "	1.00	0.41	0.37	1.37	4.9			
0.00 - 0.70	0.70	0.74	0.46	6.02				

20/6-86

Stellan Burman

C-1

Burman

Boredato :
Koordinater : X: 925.364,3 Y: 41.721,5
Retning : Lodd
Helling/stigning : - 30°
Høyde : + 524 moh.

Borehull: *BNN-1272*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m% Fe	m% Cu	m% Zn
21.80 - 22.80 m	1.00	0.02	0.01	0.07	2.8			
22.80 - 24.60 "	1.80	0.92	0.07	6.48	7.8	1.656	0.126	11.664
24.60 - 26.10 "	1.50	0.94	0.47	6.32	8.2	1.41	0.705	9.48
26.10 - 27.60 "	1.50	1.30	0.37	2.00	4.7	1.95	0.555	3.00
27.60 - 28.80 "	1.20	0.04	0.14	0.04	4.5			
30.00 - 30.90 "	0.90	0.02	0.03	0.02	2.0			
30.90 - 31.80 "	0.90	0.09	0.89	2.47	9.5			
22.80 - 27.60	4.80	1.05	0.29	5.03				

20/6-86
Hellek Berner

MALMBEREGNING I

Lokalitet: Profil: 41.720

Borehall: BNN - 1271

Boredato : Mai - 86

Koordinater : X: 925,357,1 Y: 41.721,4

Retning : Vest ?

Holding / signing : + 70°

Høyde : +56,9 moh.

Dyke	Length (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 0.70 m	0.70	1.96	0.45	4.64	8.1
10/9-86 Alan Luman					

Borehull: BNN - 1270

Boredata: *Burnham*
 Koordinater : X: 925.357,4 Y: 41.721,3
 Retning : Lodd.
 Helling/aligning : -90°
 Høyde : +52,4

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn
0.00 - 1.20 m	1.20	0.26	0.69	2.86	5.5			
1.20 - 2.40	1.20	0.04	0.18	2.05	4.9			
16.20 - 17.20	1.00	0.03	0.02	0.03	1.7			
17.20 - 18.30	1.10	0.03	0.21	0.09	3.8			
18.30 - 19.40	1.10	0.02	0.15	0.36	3.4			
19.40 - 20.50	1.10	0.03	0.10	1.36	3.7			
20.50 - 21.10	0.60	0.03	0.06	0.25	2.3			
21.10 - 22.20	1.10	0.19	0.13	1.03	3.1	0.209	0.143	1.133
22.20 - 23.80	1.60	2.82	0.04	9.04	6.3	4.512	0.064	14.464
23.80 - 25.40	1.60	2.23	0.15	7.24	6.3	3.568	0.24	11.584
25.40 - 26.40	1.00	0.04	0.22	0.35	4.2			
26.40 - 27.70	1.30	0.03	0.02	0.03	6.3			
27.70 - 29.00	1.30	0.31	0.42	2.70	7.4	0.403	0.566	3.51
29.00 - 30.00	1.00	0.20	0.41	5.44	8.0			
22.20 - 25.40	3.20	2.53	0.10	8.14	5.8			
21.10 - 25.40	4.30	1.93	0.10	6.32				
27.70 - 30.00	2.30	0.26	0.42	3.89	7.7			

10/6 - 86

Delean Burnham

MALMBEREGNING I

Lokalitet: 41.720

Borehull: BNN - 1269

Boredato : Mai - 86

Koordinater : X: 925.352,9 Y: 41.719,5

Retning : S

Helling/signing : - 35°

Høyde : + 52,4 moh.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn
0.00 - 1.20 m	1.20	0.40	0.92	7.24	7.5	0.48	1.109	8.688
1.20 - 1.90 .	0.70	0.10	0.30	1.60	2.3	0.07	0.21	0.812
1.90 - 3.20 .	1.30	0.15	0.57	2.79	9.2	0.195	0.741	3.627
3.20 - 4.60 .	1.40	0.08	0.21	0.89	7.1			
4.60 - 5.60 .	1.00	0.01	0.03	0.04	6.4			
7.10 - 8.10 .	1.00	0.01	0.02	0.04	4.1			
8.10 - 8.90 .	0.80	0.04	0.15	1.13	5.6	0.038	0.12	0.904
8.90 - 10.30 .	1.40	0.28	0.62	8.72	11.7	0.392	0.868	12.208
10.30 - 11.70 .	1.40	2.05	0.49	11.40	8.9	2.87	0.686	15.960
11.70 - 13.10 .	1.40	0.07	0.14	0.69	8.7			
17.30 - 18.60 .	1.30	0.07	0.14	0.06	1.5			
18.60 - 19.30 .	0.70	12.74	0.15	1.56	1.3	8.918	0.105	1.092
19.30 - 21.00 .	1.70	1.72	0.68	4.40	5.4	2.924	1.156	7.48
0.00 - 3.20	3.20	0.23	0.64	4.10				
8.90 - 11.70	2.80	1.17	0.56	10.06		3.262	1.554	28.168
8.10 - 11.70	3.60	0.92	0.47	8.08		3.3	1.674	29.072
18.60 - 21.00	2.40	4.93	0.53	3.57		11.842	1.261	8.572

12/6-86

Arvid Jørgensen

MALMBEREGNING I

Lokalitet: Profil 41.720

Borehull: BNN - 1268

Boredato : Mai - 86
Koordinater : X: 925,3529 Y: 41.7195
Retning : S.
Helling / dipping : - 65°
Hoyde : + 524 moh.

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 1.70 m	1.70	0.81	0.22	5.88	7.1
1.70 - 2.70 "	1.00	0.03	0.09	0.15	4.1
0.00 - 1.70	1.70	0.81	0.22	5.88	7.1

10/9-86
Stellan Burman

MALMBEREGNING I

Lokalitet: 41.494

Borehull: BNN-1267

Boredato : Mai - 86

Koordinater : x: 925,312,1 y: 41.493,5

Retning : S

Helling/signing: -20°

Hoyde : $-16,2 \text{ mol}$

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 3.00 m	3.00	0.22	0.25	1.33	6.8
3.00 - 4.00 "	1.00	0.06	0.08	0.11	4.7
8.60 - 9.60 "	1.00	0.02	0.31	0.06	5.0
9.60 - 11.00 "	1.40	1.11	0.31	0.47	6.8
11.00 - 12.50 "	1.50	0.10	0.32	0.12	4.6
12.50 - 14.00 "	1.50	0.50	0.59	3.21	9.2
14.00 - 15.50 "	1.50	0.16	0.64	4.88	8.6
15.50 - 17.00 "	1.50	0.53	0.60	2.13	5.4
17.00 - 18.40 "	1.40	0.59	0.57	1.59	5.7
18.40 - 19.40 "	1.00	0.53	0.49	1.51	5.0
12.50 - 17.00	4.50	0.40	0.61	3.40	

26/5-86

Helmut Burman

MALMBEREGNING I

Lokalitet: 41,494

Borehull: BNN-1266

Burman

Boredato : Mai -86

Koordinater : X: 925.312, Y: 41.493,5

Retning : S.

Helling/stigning : -12°

Hoyde : -16,2

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m ₇₀ Pb	m ₇₀ Cu	m ₇₀ Zn
0.00 - 1.50 m	1.50	0.49	0.26	3.21	7.1	0.735	0.39	4.815
1.50 - 2.90 "	1.40	0.09	0.19	0.36	5.6	0.126	0.266	0.504
2.90 - 4.20 "	1.30	0.68	0.78	3.72	4.6	0.884	1.014	4.836
4.20 - 5.50 "	1.30	0.45	0.23	3.84	5.6	0.585	0.299	4.992
5.50 - 7.00 "	1.50	0.66	0.34	4.21	6.6	0.99	0.51	6.36
7.00 - 8.50 "	1.50	0.82	0.32	3.16	5.9	1.23	0.48	4.74
8.50 - 10.00 "	1.50	0.59	0.30	2.26	6.1	0.885	0.45	3.39
10.00 - 11.50 "	1.50	0.76	0.19	4.48	6.2	1.14	0.285	6.72
11.50 - 12.80 "	1.30	0.49	0.11	1.91	5.9	0.637	0.143	2.483
2.90 - 11.50	8.60	0.66	0.35	3.61		5.714	3.038	31.038

25/5-86

Steven Burman

MALMBEREGNING I

Lokalitet: 41494

Borehull: BNN-1265

Burman

Boredato : mai - 86

Koordinater : X: 925,312,1 Y: 41493,7

Retning : S.

Helling/stigning : -12°

Høyde : -16,2

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn
C-161 0.00 - 3.80 m	3.80	0.37	0.35	1.90	6.6			
3.80 - 4.80 m	1.00	0.08	0.05	0.13	5.9			
4.80 - 5.80 m	1.00	0.04	0.22	0.09	4.8			
5.80 - 6.80 m	1.00	0.43	0.20	1.22	7.4	0.559	0.26	1.586
6.80 - 7.80 m	1.00	0.69	0.35	3.58	6.6	2.07	1.05	10.74
7.80 - 8.80 m	1.00	0.96	0.21	3.35	6.8	2.88	0.63	10.05
8.80 - 9.80 m	1.00	1.41	0.22	4.04	6.1	4.23	0.88	12.12
9.80 - 10.80 m	1.00	1.85	0.35	6.96	6.1	5.55	1.05	20.88
10.80 - 11.80 m	1.00	1.56	0.32	5.08	5.8	4.68	0.96	15.24
11.80 - 12.80 m	1.00	1.31	0.15	6.16	6.0	3.93	0.45	18.48
12.80 - 13.80 m	1.00	0.81	0.39	8.56	8.4	1.62	0.78	17.12
13.80 - 14.80 m	1.00	0.18	0.21	0.16	5.3			
9% Fe Ag.								
12.00 - 32.00	20.00	1.25	0.28	5.23	14.3	24.96	5.58	104.63

23/5-86

Arman Burman

Burman

MALMBEREGNING I

Lokalitet:

Borehull: BNN-1265

Boredato :
Koordinator :
Retning :
Helling/stigning :
Høyde :

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Fe	glt+Ag m 95% Ag	
C-161 0.00-3.80 m		0.37	0.35	1.90	6.6		
3.80-4.80 m		0.08	0.05	0.13	5.9		
4.80-10.70 m		0.04	0.22	0.09	4.8		
10.70-12.00 m		0.43	0.20	1.22	7.4		
12.00-15.00 m	3.00	0.69	0.35	3.58	6.6	10.1	30.3
15.00-18.00 m	3.00	0.96	0.21	3.35	6.8	10.6	31.8
18.00-21.00 m	3.00	1.41	0.22	4.04	6.1	13.6	40.8
21.00-24.00 m	3.00	1.85	0.35	6.96	6.1	18.5	55.5
24.00-27.00 m	3.00	1.56	0.32	5.08	5.8	17.0	51.0
27.00-30.00 m	3.00	1.31	0.15	6.16	6.0	14.6	43.8
30.00-32.00 m	2.00	0.81	0.39	8.56	8.4	10.6	31.8
32.00-33.00 m		0.18	0.21	0.16	5.3		
12.00-32.00	20.00					14.3	

27/5-86

Stellan Thorman

Bremen

Boredato : Mai-86
Koordinator : X: 925.312,1 Y: 41.494,0
Retning : S.
Helling/signing : -25°
Hoyde : -16,2

Borehall: BNN 1264

Dyble	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn
0,00 - 1,00 m	1,00	0,40	0,24	2,59	7,6			
1,00 - 2,00 "	1,00	0,07	0,24	0,27	6,4			
7,40 - 8,40 "	1,00	0,12	0,07	0,63	6,9			
8,40 - 9,40 "	1,00	0,20	0,14	5,12	8,8			
10,70 - 12,00 "	1,30	0,25	0,23	1,49	7,5	0,325	0,299	1,937
12,00 - 13,00 "	1,00	0,62	0,34	0,73	6,7			
13,00 - 14,00 "	1,00	0,83	0,22	0,56	5,3			
14,00 - 15,00 "	1,00	0,59	1,01	3,55	6,3			
15,00 - 16,00 "	1,00	3,21	0,14	0,53	2,8			
16,00 - 17,05 "	1,05	1,27	0,34	1,37	4,5			
17,05 - 18,00 "	0,95	0,42	0,27	0,33	4,6			
8,40 - 9,40	1,00	0,20	0,14	5,12	8,8			

12/5-86
Gunnar Brunner

Bureau

Boredato : April - 86

Koordinater : x: 925.314,5 y: 41.493,0

Retning : 5

Helling/signing: + 82°

Hoyle : -12,2

12/5-86
Allen Hummer

Bremen

Boredato : Mars - 86
Koordinater : X: 925, 356, 0 Y: 41, 505, 6
Retning : S.
Helling / stigning : + 82°
Høyde : - 7,1 m o.k.

Berechnung: $8000 - 12000$

Drift	Length (in)	Analyser			
		% Pb	% Cu	% Zn	% Fe
21.00 - 21.95	0.95	0.05	0.07	0.13	2.5
21.95 - 23.00	1.05	0.03	0.11	2.37	3.8
23.00 - 24.00	1.00	0.03	0.03	0.09	2.9
27.70 - 28.50	0.80	0.08	0.20	0.71	5.8
36.00 - 37.00	1.00	0.04	0.08	0.10	1.7
37.00 - 38.00	1.00	0.35	0.26	3.98	4.7
38.00 - 38.80	0.80	0.02	0.01	0.04	2.0
38.80 - 39.80	1.00	0.02	0.06	0.12	2.7
39.80 - 41.00	1.20	0.02	0.10	0.88	3.7
41.00 - 41.70	0.70	0.02	0.32	1.27	4.7
41.70 - 43.00	1.30	0.01	0.01	0.04	1.6
45.00 - 46.00	1.00	0.02	0.09	0.37	2.9
46.00 - 47.00	1.00	0.03	0.06	0.41	2.5

12/5-86
Gordon Turner

MALMBEREGNING I

Lokalitet: Profil 41.500

Borehull: BNN 1259

Boredato : Mai - 86

Koordinater : X: 925,353,9 Y: 41.505,7

Retning : 5.

Heating / signing : $+72^{\circ}$

Hoyde : -7.4

[illegible]

MALMBEREGNING I

Lokalitet:

Borchull: BNW -1258

Boredato :

Koordinater :

Retning :

Helling/stigning :

Høyde :

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Fe	g/l AV	g/l AG
20.30 - 21.30 m	1	0.02	0.07	0.09	3.7	<0.10	2.0
21.30 - 22.30 "	1	0.01	0.07	0.10	4.2	<0.10	1.9
22.30 - 23.10 "	1	0.14	0.02	0.34	2.3	0.10	4.1
24.20 - 25.20 "	1	0.02	0.02	0.07	1.9	<0.10	2.6
25.20 - 26.20 "	1	0.94	0.62	2.49	6.2	0.80	50.7
26.20 - 27.10 "	1	0.01	0.18	0.16	4.8	0.10	7.0
27.10 - 28.10 "	1	0.02	0.04	0.07	2.2	<0.10	1.5
43.70 - 44.70 "	1	0.02	0.03	0.03	1.5	<0.10	0.2
44.70 - 45.60 "	1	0.04	0.73	2.69	10.7	0.20	17.3
55.20 - 56.20 "	1	0.04	0.04	0.21	1.9	<0.10	0.5
56.20 - 57.40 "	1	0.24	0.34	2.39	8.6	0.10	8.4
61.60 - 62.60 "	1	0.73	0.25	0.53	3.5	2.85	51.9
62.60 - 63.60 "	1	0.80	0.54	2.79	6.3	0.65	22.0
63.60 - 64.60 "	1	0.97	0.30	2.66	7.3	0.45	29.0
64.60 - 65.60 "	1	0.40	0.23	3.16	7.7	0.20	12.4
65.60 - 66.60 "	1	0.20	0.13	4.88	9.8	0.05	6.5
66.60 - 67.60 "	1	0.47	0.22	2.96	6.8	0.15	11.7
67.60 - 68.60 "	1	0.05	0.21	0.09	1.6	<0.10	0.9
81.10 - 82.10 "	1	0.10	0.06	0.29	1.6	<0.10	
82.10 - 83.10 "	1	0.35	0.24	1.55	4.4	0.20	
83.10 - 84.10 "	1	0.48	0.94	2.38	9.6	0.85	
84.10 - 85.10 "	1	0.48	0.67	3.29	13.3	0.30	
85.10 - 86.10 "	1	0.60	0.68	1.50	6.1	0.20	
86.10 - 87.10 "	1	0.02	0.02	0.04	2.4	<0.10	
87.10 - 88.10 "	2	0.61	0.21	1.80	4.8	0.30	
88.10 - 89.10 "	3	0.67	0.38	2.54	7.7	0.70	
89.10 - 89.80 "	1	5.24	0.08	0.05	2.2	0.95	
89.80 - 90.80 "	5	0.10	0.03	0.03	1.3	0.15	

MALMBEREGNING I

Lokalitet: 41.500

Borehull: 1258

Boredato : - 82

Koordinater : X 925.353, Y 41.505,7

Retning : S.

Helling/stigning : + 62°

Høyde : - 7,4 m o.h.

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Se	g/g Au	
C-159 63.60 - 64.60 m	1,00	0,97	0,30	2,66	7,3	0,45	
64.60 - 65.60 "	1,00	0,40	0,23	3,16	7,7	0,20	
65.60 - 66.60 "	1,00	0,20	0,13	4,88	9,8	0,05	
66.60 - 67.60 "	1,00	0,47	0,22	2,96	6,8	0,15	
63,60 - 67,60	4,00	0,51	0,22	3,42			

Burman

MALMBEREGNING I

Lokalitet: 41500

Borehull: BWN-1258

Boredato : Mars-86

Koordinator : X: 925.353,9 Y: 41.505,7

Retning : S

Helling/stigning : +62°

Hoyde : -7,4 m o.h.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe			
C-159 20.30 - 21.30 m	1.00	0.02	0.07	0.09	3.7			
21.30 - 22.30 "	1.00	0.01	0.07	0.10	4.2			
22.30 - 23.10 "	0.80	0.14	0.02	0.34	2.3			
24.20 - 25.20 "	1.00	0.02	0.02	0.07	1.9			
25.20 - 26.20 "	1.00	0.94	0.62	2.49	6.2			
26.20 - 27.10 "	0.90	0.01	0.18	0.16	4.8			
27.10 - 28.10 "	1.00	0.02	0.04	0.07	2.2			
43.70 - 44.70 "	1.00	0.02	0.03	0.03	1.5			
44.70 - 45.60 "	0.90	0.04	0.73	2.69	10.7			
55.20 - 56.20 "	1.00	0.04	0.04	0.21	1.9			
56.20 - 57.40 "	1.20	0.24	0.34	2.39	8.6			
61.60 - 62.60 "	1.00	0.73	0.25	0.53	3.5			
62.60 - 63.60 "	1.00	0.80	0.54	2.79	6.3			
63.60 - 64.60 "	1.00	0.97	0.30	2.66	7.3			
64.60 - 65.60 "	1.00	0.40	0.23	3.16	7.7			
65.60 - 66.60 "	1.00	0.20	0.13	4.88	9.8			
66.60 - 67.60 "	1.00	0.47	0.22	2.96	6.8			
67.60 - 68.60 "	1.00	0.05	0.21	0.09	1.6			
81.10 - 82.10 "	1.00	0.10	0.06	0.29	1.6			
82.10 - 83.10 "	1.00	0.35	0.24	1.55	4.4			
83.10 - 84.10 "	1.00	0.48	0.92	2.38	9.6			
84.10 - 85.10 "	1.00	0.48	0.67	3.29	13.3			
85.10 - 86.10 "	1.00	0.60	0.48	1.50	6.1			
86.10 - 87.10 "	1.00	0.02	0.02	0.04	2.4			
87.10 - 88.10 "	1.00	0.61	0.21	1.80	4.8			
88.10 - 89.10 "	1.00	0.67	0.38	2.54	7.7			
89.10 - 89.80 "	0.70	5.24	0.08	0.05	2.2			
89.80 - 90.80 "	1.00	0.10	0.03	0.03	1.3			
83.60 - 84.60 "	1.00	0.51	0.22	3.42				

9/4-86 *Stellan Burman*

MALMBEREGNING I

Lokalitet: Profil 41.550.

Borehull: BNN 1255

Burnan

Boredato : Mars-86.
Koordinater : X: 925.360,7 Y: 41556,4
Retning : S.
Helling/stigning : + 90°
Høyde : - 7,9

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	Fe		
C-159 18,00 - 18,65 m	0,65	0.01	0.07	0.14	3.5		
18,65 - 20,10 "	1,45	0.14	0.25	2.61	7.2		
20,10 - 21,00 "	0,90	0.01	0.08	0.14	4.1		
25,35 - 26,35 "	1,00	1.98	0.08	0.20	3.0		
26,35 - 27,70 "	1,35	0.70	0.28	7.44	6.3		
27,70 - 29,15 "	1,45	0.02	0.17	0.29	3.3		
29,15 - 30,00 "	0,85	0.01	0.12	0.53	2.7		
26,35 - 27,70	1,35	0,70	0,28	7,44			

4/4-86

Gillian Burnan

Burman

MALMBEREGNING I

Lokalitet: Profil 41.550.

Borehull: BNN 1254

Boredato : Feb -86
Koordinater : X: 925.360,8 Y: 41.556,4
Retning : S.
Helling/stigning : +82°
Høyde : -7,9

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn	
-159 25,00 - 25,90 m	0,90	0.02	0.06	0.22	2.3				
25,90 - 27,00 "	1,10	0.04	0.11	0.87	3.3	0.044	0.121	0.957	
27,00 - 28,00 "	1,00	0.05	0.13	1.39	3.2				
28,00 - 29,00 "	1,00	0.05	0.16	3.15	4.0				
29,00 - 30,00 "	1,00	0.26	0.32	2.24	5.4				
30,00 - 31,00 "	1,00	0.13	0.88	1.49	9.2				
31,00 - 32,00 "	1,00	0.46	0.42	2.16	8.5				
32,00 - 33,00 "	1,00	0.07	0.30	1.20	6.6				
33,00 - 33,80 "	0,80	0.01	0.14	3.80	5.5	0.008	0.112	3.04	
33,80 - 35,00 "	1,20	0.01	0.04	6.11	2.3				
28.00 - 33.80	5,80	0.17	0.38	2,29	6.6				

4/4-86

Stellan Burman

Вирман

Boredato : Mars - 86
Koordinater : X: 925.360,8 Y: 41.556,4
Retning : S.
Helling/stigning : + 72°
Høyde : - 7,9

Borehull: BNN 1253

Dyde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn
15,00 - 16,05 m	1,05	0.02	0.01	0.07	1.8			
16,05 - 17,00 "	0,95	0.02	0.18	1.47	6.1			
17,00 - 18,00 "	1,00	0.02	0.03	0.12	2.4			
19,00 - 19,95 "	0,95	0.01	0.01	0.02	1.7			
19,95 - 20,75 "	0,80	0.59	0.19	3.91	5.7			
20,75 - 22,00 "	1,25	0.11	0.11	0.28	3.9			
22,00 - 23,00 "	1,00	0.06	0.10	1.81	4.6			
23,00 - 24,30 "	1,30	0.03	0.11	0.65	4.4			
24,30 - 25,15 "	0,85	0.52	0.33	3.91	4.1	0.442	0.281	3.324
25,15 - 26,00 "	0,85	0.03	0.11	0.43	3.5	0.026	0.094	0.366
26,00 - 26,95 "	0,95	0.23	0.13	1.56	3.7	0.219	0.124	1.482
26,95 - 28,20 "	1,25	0.69	0.26	8.48	6.6	0.863	0.325	10.60
28,20 - 29,00 "	0,80	0.47	0.04	2.19	2.4	0.376	0.032	1.752
29,00 - 30,00 "	1,00	0.54	0.06	1.92	3.2			
30,00 - 31,00 "	1,00	0.06	0.07	0.27	2.6			
31,00 - 32,00 "	1,00	0.53	0.59	1.37	9.6			
32,00 - 33,00 "	1,00	0.14	0.18	0.83	4.7			
33,00 - 34,00 "	1,00	0.26	0.22	1.49	7.3			
34,00 - 34,90 "	0,90	0.02	0.06	0.56	3.3			
34,90 - 36,10 "	1,20	0.02	0.27	1.85	7.5			
36,10 - 37,00 "	0,90	0.01	0.05	0.33	2.5			
24,30 - 28,20	3,90	0,40	0.21	4.04				
24,30 - 29,00	4,70	0.41	0.18	3.72				

3/4-86
Pellau Furman

Bismarck

Boredato : Mars-86
Koordinater : X:925,360,4 Y:41.556,4
Retning : 5
Helling/stigning : + 62°
Hoyde : - 8.00

Hoyde : - 8.00

21/3-86

Alexander Burnham

Bucman

MALMBEREGNING I

Lokasjon: 41550

Borehull: BNN 1251

Boredato : Mars-86

Koordinator : X: 925.860,4 Y: 41.536,4

Retning : S

Helling/stigning : + 53°

Høyde : - 8,0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn
13,60 - 15,00 m	1,40	0,04	0,07	0,31	3,6			
15,00 - 17,50 "	1,50	0,18	0,11	1,14	4,1			
17,50 - 18,60 "	1,10	0,05	0,08	0,08	5,2			
20,90 - 21,90 "	1,00	0,10	0,13	0,38	4,4			
21,90 - 22,90 "	1,00	0,05	0,10	0,58	4,1			
22,90 - 23,90 "	1,00	0,13	0,14	4,40	8,6			
23,90 - 24,80 "	0,90	0,90	1,53	5,68	10,8	0,81	1,377	5,112
24,80 - 25,80 "	1,00	0,06	0,03	0,07	1,9			
22,90 - 24,80	1,90	0,49	0,80	5,00				

2/4-86

Stellan Bunnau

Buckman

Boredato : Jan - 86
Koordinater : X: 925.411,0 Y: 42.937,0
Retning : N.
Helling/signing : -29°
Høyde : -35.4

Borehull: 322 1250

Dybde		Lengde (m)	Analyser			
			% Pb	% Cu	% Zn	% Fe
1.50	2.50 m	1.00	0.22	0.23	1.07	7.7
2.50	3.50 "	1.30	0.27	0.22	1.37	4.9
3.80	5.10 "	1.30	1.39	0.35	2.98	5.6
5.10	6.10 "	1.00	0.05	0.01	0.03	1.6
11/3-86 Shen B.						

Barnum

Boredato : Jan - 86

Koordinator : X: 925.408,5 Y: 42.936,5
Retning : 11

Retning : N

Helling/~~stigning~~: -45°

Hoyde : - 35,6

11/6-86

Allan Furman

Burman

Boredato : Jan - 86
Koordinator : X: 925.408,5 Y: 42.936,5
Retning : N.
Helling/signing : - 82°
Høyde : - 35,6

Borehull: BNN 1248

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0,00 - 1,20 m	1,20	0.16	0.23	0.64	7.0
1,20 - 2,30 "	1,10	0.12	0.23	0.56	5.4
20,50 - 21,75 "	1,25	0.22	0.65	1.11	6.3
21,75 - 23,00 "	1,25	0.48	0.89	2.51	7.8
11/6-86 Stellan Burman					

MALMBEREGNING I

Lokaltiter: Profil 43.050

Borehull: 1245

Boredato : 04-85
Koordinater : X: 925.388,8 Y: 43.054,6
Retning : S
Helling/stigning : -64°
Høyde : -47g

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Fe	g/t Ag	g/t Au
0,00 - 0,70	0,70	0.62	0.27	3.18	6.1	9.8	
0,70 - 1,70	1,00	0.29	0.24	0.50	5.7	6.2	
1,70 - 2,70	1,00	0.24	0.08	0.55	5.1	5.1	
2,70 - 3,50	0,80	0.01	0.06	0.15	6.0	1.1	
3,50 - 4,50	1,00	0.14	0.08	1.56	4.5	0.7	
4,50 - 5,50	1,00	0.01	0.01	0.02	1.2	0.1	
12,40 - 13,40	1,00	0.09	0.04	0.17	2.4	3.0	
13,40 - 14,40	1,00	0.86	0.24	1.92	3.8	18.5	
14,40 - 15,40	1,00	0.63	0.25	2.56	4.3	12.5	
15,40 - 16,40	1,00	0.19	0.33	2.49	4.9	5.8	
16,40 - 17,25	0,85	0.47	0.49	2.86	4.8	10.9	
17,25 - 18,25	1,00	0.01	0.02	0.03	4.7	0.8	
0.00 - 0,70	0,70	0,62	0,27	3,18	6,1	9,8	
14,40 - 17,25	3,85	0,43	0,35	2,62	4,7	9,7	

14/1 - 86
Stellan Eriksen

$\therefore -46.9$

Helen Burman

MALMBEREGNING I

Lokalitet: Profil 43.050

Borehull: B.N.N 1243

Boredato : 1900-85

Koordinater : x: 925.388,5 y: 43.054,5

Retning : S. 35° W.

Helling/stigning : - 14°

Høyde : - 47,2

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Fe	g/HA	g/ALU
-156 1,30 - 2,30 m	1,00	0.02	0.02	0.05	3.6		
2,30 - 3,60	1,30	0.51	0.30	1.32	4.0		
3,60 - 5,00 "	1,40	2.64	1.72	3.56	6.8		
5,00 - 6,50 "	1,50	0.82	0.72	3.28	5.6		
6,50 - 7,50 "	1,00	3.84	0.03	10.60	9.2		
7,50 - 8,50 "	1,00	2.84	0.10	8.92	8.8		
8,50 - 9,20 "	0,70	0.74	0.19	0.52	1.5		
9,20 - 10,20 "	1,00	1.29	1.08	8.32	9.2		
10,20 - 11,20 "	1,00	2.92	0.88	8.40	8.8		
11,20 - 12,20 "	1,00	1.67	1.08	5.32	6.8		
12,20 - 13,40 "	1,20	0.88	1.00	1.88	5.6		
13,40 - 14,70 "	1,30	0.04	0.08	0.05	5.6		
62,00 - 63,00 "	1,00	0.02	0.01	0.03	1.3	1.4	
63,00 - 64,20 "	1,20	0.38	0.16	0.60	3.6	7.9	
64,20 - 65,40 "	1,20	0.95	0.28	2.04	6.0	22.4	
65,40 - 66,40 "	1,00	0.18	0.04	0.28	1.9	3.9	
-157 68,30 - 68,60 "	0,30	3.72	0.19	3.28	2.8	160.0	
72,00 - 73,00 "	1,00	0.12	0.02	0.04	1.7	5.3	
73,00 - 74,20 "	1,20	1.96	0.76	3.68	8.4	39.5	
74,20 - 75,40 "	1,20	0.17	0.12	0.44	6.8	10.9	
75,40 - 76,60 "	1,20	0.17	0.10	0.38	6.0	7.0	
76,60 - 77,60 "	1,00	0.04	0.04	0.11	2.5	2.1	
80,90 - 81,90 "	1,00	0.70	0.21	1.72	4.4	32.8	
81,90 - 83,00 "	1,10	0.51	0.17	1.00	5.6	11.2	
83,00 - 84,00 "	1,00	0.21	0.21	1.96	9.9	4.0	
84,00 - 85,00 "	1,00	0.76	0.47	3.35	9.8	12.8	
85,00 - 86,00 "	1,00	0.26	1.02	3.11	12.9	9.7	
86,00 - 87,00 "	1,00	0.24	0.99	3.16	21.0	10.5	
87,00 - 87,70 "	0,70	1.07	0.38	6.20	14.8	15.2	

Lokalitet:

Boredato

Koordinator :

Retning :

Helling/signing:

Hoyde

Dyble	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Fe	9/6 Ag	9/6 Au
87.70 - 88.70 m	1.00	0.78	0.13	1.49	3.6	13.6	
90.80 - 91.80 "	1.00	0.09	0.02	0.10	1.6	1.8	
91.80 - 92.00 "	0.20	1.06	0.54	5.00	6.3	16.3	
95.40 - 96.40 "	1.00	0.01	0.02	0.04	4.8	1.2	
96.40 - 97.60 "	1.20	0.08	0.12	0.23	5.7	4.9	
97.60 - 98.80 "	1.20	0.72	0.10	0.58	4.1	19.8	
98.80 - 100.05 "	1.25	0.22	0.22	0.36	2.9	20.6	
100.05 - 101.00 "	0.95	0.39	0.10	0.69	4.9	8.3	
104.00 - 104.60 "	0.60	0.01	0.02	0.05	5.3	1.4	
104.60 - 105.70 "	1.10	0.01	0.05	0.03	3.0	2.0	
105.70 - 106.35 "	0.65	0.01	0.03	0.01	0.7	1.0	
106.35 - 107.60 "	1.25	0.48	0.15	1.09	5.5	17.6	
107.60 - 108.30 "	0.70	0.33	0.10	1.53	3.1	12.9	
108.30 - 109.80 "	1.50	0.15	0.13	0.37	5.9	7.4	
109.80 - 110.20 "	0.40	0.05	0.05	0.06	1.9	2.8	
115.80 - 116.80 "	1.00	0.02	0.02	0.03	4.3	3.2	
116.80 - 118.00 "	1.20	0.05	0.14	0.43	4.9	5.7	
118.00 - 119.10 "	1.10	0.76	0.62	2.91	5.5	34.9	
119.10 - 120.00 "	0.90	0.01	0.06	0.05	6.5	3.9	
3.60 - 12.20	8.60	2.09	0.79	6.03			
84.00 - 87.70	3.70	0.54	0.74	3.77	14.6	11.8	
15/1 - 86							
Stellan Jorman							

MALMBEREGNING I

Lokalitet: Prof. 43.050

Borehull: BNN 1242

Burman

Boredato : 06-88

Koordinater : X: 925.388,3 Y: 43.054,5

Retning : S. 35° W.

Helling/stigning : - 23°

Høyde : - 47,1

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	$\frac{m}{g} \frac{Pb}{Ag}$	$\frac{m}{g} \frac{Cu}{Ag}$	$\frac{m}{g} \frac{Zn}{Ag}$
C-156 0,00 - 1,25 m	1,25	3.66	1.00	7.92	8.4	4.575	1.25	9.90
1,25 - 2,50 "	1,25	1.22	0.55	5.84	7.0	1.525	0.688	7.30
2,50 - 3,50 "	1.00	0.77	0.26	1.97	3.5	0.77	0.26	1.97
3,50 - 4,70 "	1,20	2.30	0.48	6.04	7.3	2.76	0.576	7.248
4,70 - 5,90 "	1,20	1.37	0.35	6.08	7.4	1.644	1.02	7.296
5,90 - 7,40 "	1,50	0.02	0.01	0.06	1.8			
7,40 - 8,60 "	1,20	0.08	0.11	0.44	4.9			
8,60 - 9,80 "	1,20	0.03	0.12	0.14	5.5			
9,80 - 11,00 "	1,20	0.11	0.16	1.49	9.9			
11,00 - 12,10 "	1,10	0.19	0.11	1.50	3.3	$\frac{9}{16} Ag$	$\frac{9}{16} Ag$	
40,60 - 41,80 "	1,20	0.21	0.22	1.54	5.2	8.6	0.4	
41,80 - 43,00 "	1,20	0.20	0.29	0.61	5.8	6.5	0.3	
46,70 - 48,00 "	1,30	0.37	0.36	3.16	7.8	6.6	0.1	
48,00 - 49,00 "	1,00	0.99	0.19	2.67	5.2	12.4	0.2	
49,00 - 50,00 "	1,00	0.63	0.28	3.19	6.5	8.8	0.1	
50,00 - 51,50 "	1,50	0.27	0.29	0.30	8.6	8.6	0.2	
51,50 - 53,00 "	1,50	0.39	0.25	0.04	4.6	0.3	40.1	
53,00 - 54,50 "	1,50	0.04	0.23	0.04	7.0	0.4	40.1	
54,50 - 55,60 "	1,10	0.05	0.06	0.08	5.4	0.9	40.1	
55,60 - 56,60 "	1,00	0.04	0.05	0.08	4.9	0.9	40.1	
70,00 - 71,00 "	1,00	0.10	0.13	0.75	5.1	6.7	40.1	
71,00 - 72,00 "	1,00	0.25	0.15	2.69	4.6	13.1	40.1	
72,00 - 73,40 "	1,40	0.14	0.11	0.46	5.2	5.2	40.1	
73,40 - 74,80 "	1,40	0.09	0.06	0.47	4.4	4.1	40.1	
0.00 - 5,90	5,90	1.91	0.64	5.71				
46,70 - 50,00	3,30	0.64	0.28	2.84		9.02	0.13	

24.4 + 14.1 + 14.1 23/-86
STB.

MALMBEREGNING I

Burman

Beredato

: OUT - 85

Lokalitet: Prof. 43.050

Koordinater

: X: 925.388,3 Y: 43.054,6

Retning

: S. 35° W.

Borehull: BNN 1241

Helling/stigning: -20°

Høyde

: -47,1

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Fe	g/t Ag	g/t Au
C-155 0,00 - 1,00 m	1,00	0,86	0,20	2,36	4,0		
1,00 - 2,30 "	1,30	2,07	0,76	5,92	8,0		
2,30 - 3,30 "	1,00	0,57	0,40	2,51	6,2		
3,30 - 4,40 "	1,10	0,82	0,24	3,03	6,0		
4,40 - 5,40 "	1,00	1,68	0,63	4,72	5,8		
5,40 - 6,40 "	1,00	3,64	2,29	10,60	10,0		
6,40 - 7,40 "	1,00	3,33	0,52	10,40	9,4		
7,40 - 8,60 "	1,20	1,99	0,25	6,44	7,8		
8,60 - 9,80 "	1,20	0,98	0,94	2,39	9,1		
9,80 - 11,30 "	1,50	1,52	0,64	2,63	9,7		
11,30 - 12,30 "	1,00	0,04	0,07	0,13	5,2		
12,30 - 13,30 "	1,00	0,05	0,17	0,19	8,1		
13,30 - 14,40 "	1,10	0,03	0,04	0,18	2,7		
14,40 - 15,70 "	1,30	0,05	0,22	0,46	10,0		
15,70 - 17,00 "	1,30	0,09	0,34	0,44	3,3		
17,00 - 18,00 "	1,00	0,03	0,05	0,18	2,6		
41,40 - 42,70 "	1,30	0,06	0,02	0,06	1,6		
42,70 - 44,10 "	1,40	0,60	0,29	3,43	5,7		
44,10 - 45,10 "	1,00	0,15	0,18	0,09	2,0	g/t Ag	g/t Au
C-156 50,40 - 51,40 "	1,00	0,01	0,02	0,03	1,6	2,1	<0,1
51,40 - 52,40 "	1,00	0,97	0,23	3,16	7,9	15,1	0,2
52,40 - 53,40 "	1,00	0,03	0,17	0,34	2,6	3,1	0,2
53,40 - 54,40 "	1,00	0,17	0,19	5,16	8,0	5,0	0,1
54,40 - 55,60 "	1,20	0,19	1,14	3,66	16,4	16,1	0,1
55,60 - 56,80 "	1,20	0,16	0,20	0,77	4,2	6,5	<0,1
56,80 - 58,00 "	1,20	0,15	0,74	1,21	8,8	11,9	<0,1
58,00 - 59,00 "	1,00	0,27	0,39	2,76	9,0	9,4	<0,1
59,00 - 60,00 "	1,00	0,07	0,05	0,17	5,6	5,4	<0,1
84,50 - 85,50 "	1,00	0,02	0,05	0,03	6,0	4,4	<0,1

29,4

10,1

+ 10,1

Burnan

MALMBEREGNING I

Lokalitet:

Borehull: BUN 1241

Boredato :

Koordinator :

Retning :

Helling/stigning :

Høyde :

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Fe	g/t Ag	g/t Au
C-156 85.50 - 86.50 m	1.00	0.10	0.15	0.33	7.0	8.6	<0.1
86.50 - 87.50 "	1.00	0.06	0.06	0.44	4.9	7.1	<0.1
87.50 - 88.50 "	1.00	0.33	0.05	0.62	6.0	10.3	0.1
88.50 - 89.50 "	1.00	0.14	0.09	0.23	5.9	6.1	<0.1
89.50 - 90.50 "	1.00	0.01	0.02	0.04	5.7	1.7	<0.1
0.00 - 8.60	8.60	1.87	0.65	5.74			
0.00 - 11.30	11.30	1.73	0.68	4.97			
51.40 - 56.60	4.20	0.33	0.47	3.11		10.1	0.15

23/-86

Hellan Burnan

5.5 + 5.1

MALMBEREGNING I

Lokalitet: Profil: 43.050

Borehull: B NW 1240

Boredato : 04-85

Koordinater : X: 925.388,4 Y: 43.054,6

Retning : ~~S~~ N 215 ϕ (= S 35 ϕ)

Helling/stigning : - 17°

Hoyde : - 47,6

C-154

C-155

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	771A _g	771A _u	
0,00 - 0,60 "	0,60	0,58	0,23	2,21	3,2	11,2	0,18	
0,60 - 1,90 "	1,30	2,09	0,85	4,48	7,9	29,4	1,34	
1,90 - 3,00 "	1,10	1,12	0,38	3,88	5,0	15,5	0,3	
3,00 - 3,50 "	0,50	0,29	0,18	0,86	3,3	5,7	0,1	
3,50 - 4,50 "	1,00	1,11	0,31	4,32	6,4	19,3	0,4	
4,50 - 5,50 "	1,00	0,88	0,47	4,20	5,9	14,0	0,2	
5,50 - 6,70 "	1,20	1,23	0,37	1,31	4,1	16,1	0,2	
6,70 - 8,00 "	1,30	3,03	0,44	10,24	8,8	42,1	0,8	
8,00 - 9,00 "	1,00	2,07	0,25	6,60	6,0	28,2	0,3	
9,00 - 10,00 "	1,00	2,31	0,32	10,68	8,5	29,8	0,3	
10,00 - 11,00 "	1,00	1,19	0,64	4,16	6,1	19,3	0,5	
11,00 - 12,00 "	1,00	1,46	0,39	4,64	5,8	23,9	0,2	
12,00 - 13,00 "	1,00	0,06	0,14	0,12	5,4	2,1	<0,1	
13,00 - 14,00 "	1,00	0,04	0,04	0,09	4,2	1,2	<0,1	
16,40 - 17,40 "	1,00	0,03	0,07	0,13	3,1	1,0	<0,1	
17,40 - 18,00 "	0,60	0,06	0,36	1,87	7,5	4,7	<0,1	
18,00 - 19,00 "	1,00	0,05	0,36	0,73	5,9	4,1	0,1	
19,00 - 20,00 "	1,00	0,04	0,07	0,13	1,8	7,3	<0,1	
54,40 - 54,90 "	0,50	0,21	0,77	1,35	10,5	12,7	<0,1	
58,45 - 59,45 "	1,00	0,06	0,08	0,36	1,7	1,5	<0,1	
59,45 - 60,35 "	0,90	0,66	0,48	1,60	5,9	14,6	0,4	
60,35 - 61,30 "	0,95	0,04	0,05	0,20	1,9	1,4	<0,1	
61,30 - 62,00 "	0,70	0,50	0,36	1,00	8,2	9,5	0,1	
62,00 - 63,00 "	1,00	0,29	0,19	0,30	7,6	8,1	0,1	
63,00 - 64,00 "	1,00	0,18	0,13	3,05	6,4	5,0	<0,1	
64,00 - 65,00 "	1,00	0,31	1,12	0,84	8,5	13,0	<0,1	
65,00 - 66,00 "	1,00	0,24	0,63	2,82	10,4	8,6	<0,1	
66,00 - 67,00 "	1,00	0,26	0,66	2,50	10,8	8,9	0,2	
67,00 - 68,00 "	1,00	0,36	0,41	2,07	8,8	9,5	0,1	

MALMBEREGNING I

Lokalitet:

Borehull: BNN 1240

Boredato : 04T-85

Koordinator :

Retning : S.

Helling/stigning : - 17°

Høyde :

C-155

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	% Ag	% Au	% U
68,00 - 69,00 m	1,00	0.09	0.03	0.26	5.2	2.7	<0.1	
69,00 - 70,00 "	1,00	0.33	0.25	1.11	6.2	8.4	0.4	
70,00 - 70,60 "	0.60	0.99	0.17	7.24	7.2	12.6	0.2	
70,60 - 71,60 "	1,00	0.03	0.02	0.01	1.9	0.0	<0.1	
87,40 - 88,40 "	1,00	0.02	0.04	0.01	5.7	1.6	<0.1	
88,40 - 89,60 "	1.20	1.81	0.19	6.16	5.9	35.3	0.7	
89,60 - 90,80 "	1.20	0.25	0.04	0.77	5.7	5.4	0.1	
90,80 - 92,00 "	1.20	0.03	0.03	0.01	4.5	1.4	0.1	
92,00 - 93,00 "	1,00	0.07	0.20	0.37	5.9	6.1	0.1	
93,00 - 94,00 "	1,00	0.56	0.50	1.22	6.1	22.0	0.3	
111,60 - 112,60 "	1,00	0.02	0.02	0.01	5.8	1.8	<0.1	
112,60 - 113,00 "	0.40	1.60	0.09	4.32	5.8	33.2	0.2	
113,00 - 114,00 "	1,00	0.07	0.06	0.17	4.8	3.5	<0.1	
0.00 - 12,00	12,00	1.57	0.43	5.11		22,8	0.5	

25/11 - 85

Allen Thormann

MALMBEREGNING I

Lokalitet: 41.890

Borehull: BNN 1239

Boredato : 0.47-85

Koordinater : X: 925,390,03; Y: 41,890,00

Retning : model

Helling/signing: -90°

Høyde : +5,8

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 0.40 m	0.40	0.02	0.14	2.07	8.0
31.80 - 32.20 m	0.50	0.96	0.33	4.92	7.1
11/1-85 Stellan Gunnarsson					

Burman

Boredato : 047-85
Koordinater : X: 925,893,4 Y: 41,890,5
Retning : N.
Helling/stigning : -45°
Høyde : +58

Borehull: *BNN 1238*

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 0.80 m	0.80	0.02	0.02	0.05	2.1
0.80 - 2.10 "	1.30	0.03	0.04	0.10	3.7
2.10 - 3.50 "	1.40	0.02	0.06	0.10	3.3
3.50 - 6.70 "	1.20	0.02	0.30	0.10	6.1
6.70 - 7.70 "	1.00	0.02	0.01	0.02	2.6

28/10-85
Stellan Furman

Skjæringspunktet ved

Birman

Boredato : 047-85
Koordinater : X: 925,3934 Y: 41890,5
Retning : N.
Helling/stigning : -52°
Høyde : +5,8

Borehull: BNN 12.37

C-154

Burnan

Boredato : 047-85
Koordinater : X: 925,390,0 Y: 41890,5
Retning : 11.
Helling/stigning : -64°
Høyde : +58

Borehull: *BNN 1236*

vert. ca 3,6m
" " 2,9m
" " 4,6m

Burma.

Boredato : 047-85
Koordinater : X: 925.390,0 Y: 41.890,5
Retning : N.
Helling/stigning : - 74°
Høyde : + 5,8

Borehull: BNN 1235

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m ₂ Pb	m ₂ Cu	m ₂ Zn	m ₂ Fe
0,00 - 1,20 m	1,20	0.05	0.03	0.31	1.9				
1,20 - 1,80 "	1,60	0.02	0.17	1.41	6.8				
1,80 - 2,80 "	1,00	0.01	0.01	0.05	2.7				
31,10 - 32,10 "	1,00	0.07	0.02	0.09	1.5				
32,10 - 33,00 "	0,90	0.21	0.12	0.60	2.7				
33,00 - 34,00 "	1,00	0.19	0.74	5.80	9.7				
34,00 - 35,00 "	1,00	0.20	0.31	2.23	4.1				
35,00 - 36,00 "	1,00	0.94	0.13	3.59	5.3				
36,00 - 36,80 "	0,80	1.11	0.10	5.04	5.5	0.888	0.08	4.032	4.4
36,80 - 37,80 "	1,00	0.02	0.02	0.12	3.0				
33,00 - 36,80	3,80	0,58	0,33	4,12	6,18				
28/10-85 Stellan Gunnarsson									
Skjæringspunktet ved 36,80m ligger på X 925 400,1									
vert. ca 3,7 m									

Business.

Boredato : Sept-85
Koordinater : X: 925.352,3 Y: 41.858,4
Retning : N.
Helling/stigning : + 70°
Høyde : + 12,2

Borehull: *BNN 1234*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn
L 153 4.20 - 5.00 m	0.80	1.18	0.24	0.05	6.6			
" 7.70 - 8.70 "	1.00	0.03	0.04	0.03	2.3			
L 154 8.70 - 10.00 "	1.30	0.53	0.45	1.67	7.9	0.689	0.585	2.171
" 10.00 - 11.20 "	1.20	1.42	0.19	5.46	7.1	1.704	0.228	6.48
" 11.20 - 12.20 "	1.00	0.04	0.14	0.09	4.3			
" 20.80 - 21.80 "	1.00	0.02	0.04	0.06	6.1			
" 21.80 - 23.00 "	1.20	0.02	0.08	0.24	6.3			
" 23.00 - 24.00 "	1.00	0.02	0.05	0.06	4.2			
8.70 - 11.20	2.50	0.96	0.33	3.46				
16/10-85 Stellan Burnham								

Berman

Boredato : 047-85
Koordinater : X: 925.393,4 Y: 41.890,5
Retning : N.
Helling/stigning : -45°
Hoyde : +58

Borehull: *BNN 1238*

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 0.80 m	0.80	0.02	0.02	0.05	2.1
0.80 - 2.10 "	1.30	0.03	0.04	0.10	3.7
2.10 - 3.50 "	1.40	0.02	0.06	0.10	3.3
3.50 - 6.70 "	1.20	0.02	0.30	0.10	6.1
6.70 - 7.70 "	1.00	0.02	0.01	0.02	2.6
28/10-85 Stellan Furman					

Birman

Boredato : 047-85
Koordinater : X: 925,3934 Y: 41,890,5
Retning : N.
Helling/stigning : -52°
Høyde : +5,8

Borehull: BNN 1237

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0,30 - 1,00 m	0,90	0.01	0.01	0.13	1.4
1,00 - 2,40 "	1,40	0.01	0.14	0.19	4.0
5,40 - 6,25 "	0,85	0.01	0.08	0.38	5.3
6,25 - 7,25 "	1,00	0.01	0.01	0.04	2.9
34,25 - 35,25 "	1,00	0.00	0.01	0.04	1.8
35,25 - 36,25 "	1,00	0.12	0.06	0.33	2.6
36,25 - 37,25 "	1,00	0.02	0.03	0.20	2.2
37,25 - 38,50 "	1,25	0.13	0.35	1.20	4.4
38,50 - 39,50 "	1,00	0.12	0.06	0.34	3.7
28/10-85					
Stellan Birman					

Barnum

Boredato : 04-85
Koordinater : X: 925,390,6 Y: 4,890,5
Retning : 11.
Helling/stigning : -64°
Høyde : +5,8

Borehull: *BNN 1236*

[illegible]

MALMBEREGNING I

Boredato : 047-85
Koordinater : X: 925 390,0 Y: 41.890,5
Retning : N.
Helling/stigning : - 74°
Høyde : + 5,8

Borehull: BNN 12.35

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0,00 - 1,20 m	1,20	0.05	0.03	0.31	1.9				
1,20 - 1,80 "	0,60	0.02	0.17	1.41	6.8				
1,80 - 2,80 "	1.00	0.01	0.01	0.05	2.7				
31,10 - 32,10 "	1.00	0.07	0.02	0.09	1.5				
32,10 - 33,00 "	0,90	0.21	0.12	0.60	2.7				
33,00 - 34,00 "	1.00	0.19	0.74	5.80	9.7				
34,00 - 35,00 "	1.00	0.20	0.31	2.23	4.1				
35,00 - 36,00 "	1.00	0.94	0.13	3.59	5.3				
36,00 - 36,80 "	0,80	1.11	0.10	5.04	5.5	0.888	0.08	4.032	4.4
36,80 - 37,80 "	1.00	0.02	0.02	0.12	3.0				
33,00 - 36,80	3,80	0,58	0,33	4,12	6,18				

28/10-85
Herman Burman

MALMBEREGNING I

Lokalitet: 41.860

Borehull: *BNN 1234*

Boredato : Sept-85

Koordinater : X: 925,352,3 Y: 41.858,4

Retning : N.

Helling/signing: + 70°

Hoyde : +12,2

[illegible]

Burman

Boredato : Sept-85
Koordinater : X: 925.352,3 Y: 41.858,4
Retning : N.
Helling/stigning : + 60°
Høyde : + 12,4

Borehull: BNN 1233

Dybde	Lengde (m)	Analyser							m% Fe
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	
8,50 - 9,50 m	1,00	0.11	0.08	0.05	2.0				
9,50 - 10,70 "	1,20	0.52	0.57	1.51	8.0	0.624	0.684	1.812	9.6
10,70 - 11,40 "	0,70	3.01	0.81	12.60	10.2	2.107	0.567	8.82	7.14
11,40 - 12,40 "	1,00	0.05	0.01	0.22	5.0				
9,50 - 12,40	2,90	0,96	0,42	3,74	7,50				
7/10-85 Oleau Lurman									

Burman

Boredato : Sept - 85

Koordinater : x: 925,352,3 y: 41.858,0

Retning : N.

Helling/stigning: $+50^\circ$

Høyde : + 10,8

7/10-85
Ocellular Turnover

Burnan

MALMBEREGNING I

Lokalitet: 41860

Borehull: ENN 1231

Boredato : Sep-85

Koordinator : X: 925.352,3 Y: 41.858,0

Retning : N

Helling/stigning : +40°

Hoyde : +10,8

Divide	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe			
0.00 - 1.20 m	1.20	0.44	0.72	4.72	13.8			
1.20 - 2.20	1.00	0.22	0.18	0.27	5.8			
11.20 - 12.20	1.00	0.38	0.35	0.08	6.8			
12.20 - 13.20	1.00	0.22	0.33	0.87	6.2			
13.30 - 14.30	1.00	0.29	0.05	0.04	5.0			
22.30 - 27.05	4.75	0.13	0.14	1.33	6.3			
0.00 - 1.20	1.20	0.44	0.72	4.72	13.8			

1/10-85

Gillian Burnan

MALMBEREGNING I

Lokalitet: 41.550

Borehull: BNN 1230

Boredato : Juli - 85

Koordinater : X: 925,431,2 Y: 41,546,0

Retning : S.

Helling/signing : -39°

Høyde : +10,9

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe			
0.90 - 2.30 m	1.40	0.02	0.12	1.57	5.8			
2.30 - 3.80	1.50	0.02	0.19	0.51	5.1			
3.80 - 5.00	1.20	2.03	0.72	1.75	5.1			
5.00 - 6.00	1.00	0.03	0.11	0.12	3.3			
6.00 - 7.00	1.00	0.05	0.25	1.16	8.4			
11.00 - 12.00	1.00	0.02	0.23	1.15	7.7			
12.00 - 13.00	1.00	0.04	0.07	0.54	6.4			
13.00 - 14.00	1.00	0.02	0.33	1.58	8.9			
14.00 - 15.00	1.00	0.06	0.21	1.62	8.3			
15.00 - 16.00	1.00	0.02	0.06	0.82	3.4			
16.00 - 17.40	1.40	0.21	0.10	0.06	2.4			
17.40 - 18.40	1.00	0.02	0.10	0.13	5.3			
18.40 - 19.40	1.00	0.02	0.25	0.47	9.2			
19.40 - 20.50	1.10	0.03	0.18	0.34	7.9			
55.30 - 56.30	1.00	0.26	0.33	1.73	8.0			
56.30 - 57.00	0.70	0.02	0.08	0.10	4.0			
57.00 - 58.00	1.00	0.46	0.36	1.47	4.7			
58.00 - 59.00	1.00	0.90	0.28	5.68	6.7			
59.00 - 60.00	1.00	2.28	0.46	9.04	6.1			
60.00 - 61.00	1.00	1.38	0.40	3.21	3.6			
61.00 - 62.00	1.00	0.84	0.20	2.24	5.0			
62.00 - 63.00	1.00	0.50	0.17	1.52	4.7			
63.00 - 63.70	0.70	0.28	0.17	1.01	5.0			
63.70 - 64.70	1.00	0.15	0.16	0.82	4.0			
70.00 - 70.90	0.90	0.09	0.28	0.15	5.1			
70.90 - 71.50	0.60	2.25	0.27	3.34	4.2			
73.60 - 74.60	1.00	0.03	0.04	0.08	3.5			
74.60 - 75.60	1.00	1.73	0.34	5.12	5.1			
75.60 - 76.60	1.00	0.32	0.14	0.53	6.1			

•

Lokalitet: 41.550

Borehall: BAN 1230

Boredato :

Koordinator :

Retning :

Helling/stigning:

Hoyde

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe			
76.60 - 77.80	1.20	0.36	0.38	1.87	7.2			
58.00 - 62.00	4.00	1.35	0.34	5.17		vert	2.5 m	
57.00 - 63.00	6.00	1.02	0.32	3.95		"	3.8 m	(284.5X)
11/2-85 Stellan Furman								

MALMBEREGNING

Lokalitet: 41.550

Borehult:

BNA 1229

Boredato : juni - 85

Koordinater : X: 225,431,2 Y: 41,546,0

Retning : S.

Helling/signing : - 32*

Hoyde : + 10,9

Dyde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
76.60 - 77.80		0.36	0.38	1.87	7.2
0.90 - 2.00 m	1.10	0.01	0.18	1.18	6.5
2.00 - 3.00 "	1.00	0.01	0.22	1.84	7.8
3.00 - 4.00 "	1.00	0.03	0.45	1.47	10.0
4.00 - 5.40 "	1.40	0.92	0.23	0.51	7.1
5.40 - 6.70 "	1.30	0.04	0.19	0.19	4.9
6.70 - 8.40 "	1.70	0.02	0.05	0.18	4.5
10.20 - 13.20 "	1.00	0.02	0.11	0.37	5.2
13.20 - 16.20 "	3.00	0.03	0.13	0.26	6.2
16.20 - 17.50 "	1.30	0.01	0.15	1.70	7.3
17.50 - 18.50 "	1.00	0.06	0.08	0.06	3.2
73.80 - 74.80 "	1.00	0.06	0.09	0.18	4.4
74.80 - 75.80 "	1.00	0.15	0.09	0.21	5.9
75.80 - 76.70 "	0.90	0.15	0.12	0.76	7.3
76.70 - 77.70 "	1.00	0.02	0.03	0.11	3.7
14/8-85 Stellan Brerman					

MALMBEREGNING I

Lokalitet: 41550

Borehull: BAN 1328

Boredato : Juni -85

Koordinator : X:925,331,4 Y:41.543,2

Retning : S.

Helling/stigning : -45°

Høyde : +10,7

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn
0.00 - 0.60 m	0.60	0.03	0.02	0.23	4.1			
0.60 - 2.00 "	1.40	0.01	0.16	1.33	7.2			
2.00 - 3.40 .	1.40	0.02	0.15	0.60	5.4			
3.40 - 4.40 .	1.00	1.25	0.26	0.42	5.6			
4.40 - 5.40 .	1.00	0.03	0.05	0.06	3.9			
7.10 - 8.50 .	1.40	0.01	0.04	0.08	5.2			
10.20 - 11.20 .	1.00	0.01	0.16	0.79	5.8			
11.20 - 12.10 .	0.90	0.02	0.14	0.64	5.3			
12.10 - 13.10 .	1.00	0.01	0.01	0.04	1.6			
13.10 - 14.50 .	1.40	0.02	0.13	0.91	5.4			
14.50 - 16.00 .	1.50	0.02	0.14	0.46	5.8			
16.00 - 17.40 .	1.40	0.01	0.18	0.19	8.1			
17.40 - 18.40 .	1.00	0.01	0.04	0.02	2.7			
18.40 - 19.40 .	1.00	0.01	0.01	0.04	1.7			
41.50 - 42.50 .	1.00	0.01	0.12	0.10	1.5			
42.50 - 44.20 .	1.70	0.27	0.15	1.27	6.2			
44.20 - 45.20 .	1.00	0.42	1.03	2.34	5.9			
45.20 - 46.20 .	1.00	0.48	0.66	2.77	5.7			
46.20 - 47.20 .	1.00	0.38	0.37	3.04	7.3			
47.20 - 48.20 .	1.00	0.20	0.28	0.98	6.2			
48.20 - 49.20 .	1.00	0.33	0.53	2.16	8.6			
49.20 - 50.20 .	1.00	0.14	0.23	2.22	5.5			
50.20 - 51.20 .	1.00	0.32	0.34	2.08	6.3			
51.20 - 52.40 .	1.20	1.12	0.20	3.21	5.2	1.344	0.312	3.852
52.40 - 53.40 .	1.00	0.15	0.09	0.13	2.9			
48.20 - 52.40	4.20	0.51	0.34	3.65		vert. 3.0m		(296X)

1/7-85 Stellan Furman

MALMBEREGNING

Lokality: 41.550

Borehull: BNN 1227

Boredato : 7uni-85.

Koordinater : X: 925.333 / Y: 41.545,8

Retning : opp.

Helling/stigning : + 90°

Høyde : +15,8

[illegible]

MALMBEREGNING I

Lokalitet: 41,550

Borehull: 1286

Boredato : 05-85

Koordinater : X: 925.330,8 Y: 41.546,3

Retning : S,

Helling/stigning : + 80°

Høyde : + 16,0 moh.

C-151

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Au			
25.40 - 26.50 m	1,10	0,14	0,55	5,60	11,8	0.05			
26.50 - 28.00 "	1,50	0,11	0,21	5,76	13,0	0.05			
28.00 - 29.50 "	1,50	0,09	0,23	5,24	9,8	0.15			
29.50 - 31.00 "	1,50	0,14	0,14	4,56	6,5	0.20			
31.00 - 32.50 "	1,50	0,32	0,16	2,71	5,4	0.20			
32.50 - 33.50 "	1,00	0,72	0,37	6,68	7,6	0.35			
33.50 - 34.70 "	1,20	1,07	0,37	3,67	6,4	0.50			
25.40 - 34.70	9,30	0,34	0,27	4,80					

MALMBEREGNING I

Lokalitet: 41.550

Borehull: 13N'N 1226

Bjerrman

A. V. K. K.

Boredato : Juni - 85

Koordinater : X: 925.330,8 Y: 41.546,3

Retning : S

Helling/stigning : +80°

Høyde : +16,0

C151

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m ² Pb	m ² Cu	m ² Zn
0.00 - 1.30 m	1.30	0.03	0.27	1.37	7.5			
1.30 - 3.00 "	1.70	0.03	0.04	0.10	3.7			
3.00 - 4.30 "	1.30	0.13	0.33	0.31	5.9			
4.30 - 5.90 "	1.60	0.03	0.12	0.16	4.4			
23.50 - 24.50 "	1.00	0.05	0.16	0.25	7.5			
24.50 - 25.40 "	0.90	0.05	0.15	0.34	5.5			
25.40 - 26.50 "	1.10	0.14	0.55	5.60	11.8	0.154	0.605	6.16
26.50 - 28.00 "	1.50	0.11	0.21	5.76	13.0	0.165	0.315	8.64
28.00 - 29.50 "	1.50	0.09	0.23	5.24	9.8	0.135	0.345	7.86
29.50 - 31.00 "	1.50	0.14	0.14	4.56	6.5	0.21	0.21	6.84
31.00 - 32.50 "	1.50	0.32	0.16	2.71	5.4	0.48	0.24	4.065
32.50 - 33.50 "	1.00	0.72	0.37	6.68	7.6	0.72	0.37	6.68
33.50 - 34.70 "	1.20	1.07	0.37	3.67	6.4	1.284	0.444	4.404
34.70 - 35.70 "	1.00	0.16	0.10	0.53	2.1			
25.40 - 34.70	9.30	0.34	0.27	4.80				

11/6-85

Stellan Bjerrman

15211 m.c.m

MALMBEREGNING I

Lokalitet: 41.550

Borehull: *BNN' 1225*

Boredato : 74ni-85

Koordinater : X: 925,330,8 Y: 41.446,3

Retning : S.

Helling/stigning : $+62^{\circ}$

Hoyde : +16.0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 0.40 m	0.40	0.04	0.89	3.06	11.4
0.40 - 1.20 "	0.80	0.03	0.11	0.26	3.0
1.20 - 2.90 "	1.70	0.03	0.13	0.22	4.0
4.60 - 5.60 "	1.00	0.21	0.38	6.04	8.9
18.50 - 19.50 "	1.00	0.09	0.08	1.10	5.6
23.40 - 24.40 "	1.00	0.04	0.11	0.24	5.4
24.40 - 25.40 "	1.00	0.07	0.25	0.96	6.7
28.05 - 29.80 "	1.75	0.20	0.27	0.94	7.4
4.60 - 5.60	1.00	0.21	0.38	6.04	

4/6-85
Stellan Lurman

Burman

MALMBEREGNING I

Lokalitet: 41.550

Borehull: BNN 1224

Boredato : Mai - 85

Koordinater : X: 925.382,7 Y: 41.547,9

Retning : Lodd.

Helling/stigning : - 90°

Høyde : + 10,6

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	mg Pb.	mg Cu.	mg Zn.
1.60 - 3.05 m	1.45	0.03	0.36	2.12	7.2			
3.20 - 6.40 m	1.20	0.03	0.14	0.68	4.8			
6.40 - 7.60 m	1.20	0.42	0.24	3.80	6.0			
7.60 - 8.80 m	1.20	0.80	0.19	3.72	6.8			
6.40 - 8.80	2.40	0.61	0.22	3.76	6.4			

2/7 - 85

Bellau Burman

MALMBEREGNING I

Lokalitet: 41.550

Borehull: BNN 1223

Boredato : Mai-85.

Koordinater : X: 925,330,4 Y: 41.548,3

Retning : 5. -

Helling/signing: - 56°

Høyde : + 10,6

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 0.50 m	0.50	0.01	0.07	0.27	3.7
0.50 - 2.00 "	1.50	<0.01	0.17	1.05	6.5
2.00 - 2.60 "	0.60	0.01	0.07	0.06	3.4
2.60 - 3.40 "	0.80	0.05	0.74	2.10	12.1
3.40 - 4.40 "	1.00	0.04	0.95	1.19	5.5
9.90 - 11.50 "	1.60	0.05	0.17	0.92	4.6
11.50 - 13.00 "	1.50	0.01	0.18	0.55	5.1
13.00 - 14.50 "	1.50	0.01	0.24	1.25	7.9
14.50 - 16.00 "	1.50	<0.01	0.03	0.10	3.3
16.00 - 17.50 "	1.50	0.01	0.02	0.04	3.0
17.50 - 18.50 "	1.00	0.01	0.05	0.03	4.4
10/6-85 Brian Turner					

MALMBEREGNING I

Lokalitet: 41.550

Borehull: *BNN 1222*

Boredato : Mac-85

Koordinater : X: 925.329, Y: 41.546,1

Retning : 5

Helling / stigning : $+50^\circ$

Høyde : +15,1

Dybde	Lengde (m)	Analyser				
		% Pb	% Cu	% Zn	% Fe	%
22.60 - 23.40	0.80	0.28	0.41	1.35	8.7	
27.90 - 28.70	0.80	0.69	0.29	0.80	6.4	
13/6-85 Stellan Brunnar						

MALMBEREGNING I

Lokalitet: 41.550

Borehull: BNN 1221

Boredato : 1706-85
Koordinater : X: 925.330,8 Y: 41.546,3
Retning : S
Helling/stigning : + 72°
Hoyde : + 16.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn
3.10 - 4.10 m	1.00	0.03	0.02	0.16	2.5			
4.10 - 4.90 "	0.80	0.24	0.37	5.88	10.2			
4.90 - 5.90 "	1.00	0.02	0.25	0.17	6.6			
25.20 - 26.60 "	0.40	0.03	0.06	0.14	6.5			
26.60 - 28.10 "	1.50	0.04	0.19	0.28	6.8			
28.10 - 29.60 "	1.50	0.10	0.20	5.16	11.8	0.15	0.45	7.74
29.60 - 31.00 "	1.40	0.08	0.31	2.61	9.2	0.112	0.434	3.654
31.00 - 32.00 "	1.00	0.20	0.37	1.03	6.9	0.20	0.37	1.03
36.60 - 37.60 "	1.00	0.03	0.05	0.15	5.6			
37.60 - 38.60 "	1.00	0.51	0.35	3.26	6.1			
38.60 - 39.60 "	1.00	2.50	0.42	7.16	6.9			
39.60 - 40.60 "	1.00	1.08	0.22	4.04	7.2			
40.60 - 41.80 "	0.90	0.26	0.15	0.88	3.5	0.234	0.135	0.792
43.80 - 45.00 "	1.20	0.40	0.18	1.36	5.8			
45.00 - 46.50 "	1.50	0.34	0.16	1.56	7.1			
46.50 - 48.00 "	1.50	0.50	0.16	1.63	5.6			
48.00 - 49.60 "	1.60	0.45	0.36	1.04	6.3			
49.60 - 51.00 "	1.40	1.14	0.22	5.80	9.4	1.596	0.308	8.12
51.00 - 52.50 "	1.50	1.23	0.32	3.32	6.7	1.845	0.48	4.98
52.50 - 54.00 "	1.50	0.59	0.28	2.25	5.4	0.885	0.42	3.375
54.00 - 55.20 "	1.20	0.47	0.28	1.41	5.8			
55.20 - 56.50 "	1.30	0.39	0.13	1.10	3.6			
56.50 - 57.50 "	1.00	0.08	0.03	0.19	4.3			
28.10 - 31.00	2.90	0.09	0.30	3.93				
28.10 - 32.00	3.90	0.12	0.32	3.19				
37.60 - 40.60	3.00	1.36	0.33	4.82				
37.60 - 41.50	3.90	1.11	0.29	3.91				
49.60 - 54.00	4.40	0.98	0.27	3.74				

10/6-85
Allan Norman

MALMBEREGNING I

Lokalitet: 41.550

Borehult: BAN 1220

Boredato : Mai-85

Koordinater : X: 925.337,8 Y: 41.547,3.

Retning : N.

Helling / stigning : + 59°

Hoyde : + 14.9

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 1.10 "	1.10	0.03	0.12	0.63	3.7
1.10 - 2.20 "	1.10	0.02	0.08	0.51	3.3
2.20 - 3.30 "	1.10	0.02	0.14	0.56	4.1
3.30 - 4.40 "	1.40	0.02	0.08	0.13	3.8
4.40 - 5.50 "	1.50	0.02	0.06	0.29	2.4
5.50 - 6.60 "	1.50	0.03	0.11	1.17	4.1
6.60 - 7.70 "	1.50	0.04	0.15	0.43	3.2
7.70 - 8.80 "	1.00	0.06	0.13	0.87	4.3
8.80 - 9.90 "	1.20	0.23	0.16	0.29	2.9
9.90 - 10.90 "	0.60	0.07	0.71	12.60	15.8
10.90 - 12.00 "	1.20	0.03	0.09	0.28	2.5
12.00 - 13.10 "					
13.10 - 14.20 "					
14.20 - 15.30 "					
15.30 - 16.40 "					
16.40 - 17.50 "					
17.50 - 18.60 "					
18.60 - 19.70 "					
19.70 - 20.80 "					
20.80 - 21.90 "					
21.90 - 23.00 "					
23.00 - 24.10 "					
24.10 - 25.20 "					
25.20 - 26.30 "					
26.30 - 27.40 "					
27.40 - 28.50 "					
28.50 - 29.60 "					
29.60 - 30.70 "					
30.70 - 31.80 "					
31.80 - 32.90 "					
32.90 - 34.00 "					
34.00 - 35.10 "					
35.10 - 36.20 "					
36.20 - 37.30 "					
37.30 - 38.40 "					
38.40 - 39.50 "					
39.50 - 40.60 "					
40.60 - 41.70 "					
41.70 - 42.80 "					
42.80 - 43.90 "					
43.90 - 45.00 "					
45.00 - 46.10 "					
46.10 - 47.20 "					
47.20 - 48.30 "					
48.30 - 49.40 "					
49.40 - 50.50 "					
50.50 - 51.60 "					
51.60 - 52.70 "					
52.70 - 53.80 "					
53.80 - 54.90 "					
54.90 - 56.00 "					
56.00 - 57.10 "					
57.10 - 58.20 "					
58.20 - 59.30 "					
59.30 - 60.40 "					
60.40 - 61.50 "					
61.50 - 62.60 "					
62.60 - 63.70 "					
63.70 - 64.80 "					
64.80 - 65.90 "					
65.90 - 67.00 "					
67.00 - 68.10 "					
68.10 - 69.20 "					
69.20 - 70.30 "					
70.30 - 71.40 "					
71.40 - 72.50 "					
72.50 - 73.60 "					
73.60 - 74.70 "					
74.70 - 75.80 "					
75.80 - 76.90 "					
76.90 - 78.00 "					
78.00 - 79.10 "					
79.10 - 80.20 "					
80.20 - 81.30 "					
81.30 - 82.40 "					
82.40 - 83.50 "					
83.50 - 84.60 "					
84.60 - 85.70 "					
85.70 - 86.80 "					
86.80 - 87.90 "					
87.90 - 89.00 "					
89.00 - 90.10 "					
90.10 - 91.20 "					
91.20 - 92.30 "					
92.30 - 93.40 "					
93.40 - 94.50 "					
94.50 - 95.60 "					
95.60 - 96.70 "					
96.70 - 97.80 "					
97.80 - 98.90 "					
98.90 - 100.00 "					
20.70 - 21.30	0.60	0.07	0.71	12.60	

5 items:

Boredato : April -85
Koordinater : X: 925.338,0 Y: 41.547,0
Retning : N
Helling/stigning : + 35°
Høyde : + 13.4

Borehall: *BUN 1219*

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
15.00 - 16.10 m	0.90	0.39	0.21	0.34	3.5
16.10 - 17.20 "	1.10	0.15	0.19	0.52	3.7
17.20 - 18.30 "	1.10	0.02	0.45	0.82	4.4
18.30 - 22.00 "	1.10	0.03	0.14	0.31	4.4
22.00 - 23.10 "	1.10	0.04	0.16	0.65	5.3
23.10 - 24.20 "	1.10	0.12	0.23	0.96	5.4
24.20 - 25.30 "	1.10	0.10	0.88	2.66	9.1
3/5-85 William Burman					

MALMBEREGNING I

Lokalitet: Profil 41.550

Borehull: *BNN 1218*

Boredato : April-85
Koordinator : X1925.337,4 Y: 41.548,0
Retning : N
Helling/stigning : -50°
Hoyde : +10,6

[illegible]

MALMBEREGNING I

Lokalitet: 44.610

Borehull: BNN-1217.

Bore date : Nov - 84

Koordinater : X: 925.442,8 Y: 44.605,8

Retning : 3.

Helling/signing : - 58°

Hoyde : -99,4

Divide	Length (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 0.60 m	0.60	0.08	0.05	0.14	
0.60 - 1.60 "	1.00	0.07	0.14	0.12	
1.60 - 2.60 "	1.00	0.17	0.61	1.71	
2.60 - 3.60 "	1.00	0.77	0.67	3.52	
3.60 - 4.80 "	1.20	0.73	0.38	1.92	
4.80 - 5.30 "	0.50	0.11	0.10	0.70	
12/12-84 William Burman					

MALMBEREGNING I

Lokalitet: 44.610

Borehull: BNN - 1215.

Boredato : Nov -84

Koordinater : X: 925,439,7 Y: 44.609,5

Retning : N.

Helling/signing : - 21°

Hoyde : -99,5

[illegible]

MALMBEREGNING I

Lokalitet: 44.610

Borehull: BNN-1214.

Boredate : Nov-84.

Koordinater : x: 925,435,9 y: 44.614,0

Retning : 5

Helling/signing : - 59°

Hoyde : - 99,3

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
1.50 - 2.50 m.	1.00	0.07	0.11	0.07				
2.50 - 4.00 "	1.50	0.70	0.74	3.07				
4.00 - 5.50 "	1.50	0.26	0.15	1.09				
5.50 - 7.00 "	1.50	0.07	0.06	0.12				
7.00 - 8.20 "	1.20	0.19	0.17	0.49				
8.20 - 9.20 "	1.00	0.03	0.01	0.02				
2.50 - 4.00	1.50	0.70	0.74	3.07				
12/12-84								
Allen Burman								

MALMBEREGNING I

Lokality: 44640

Borehall: BNN - 1213

Boredato : Nov-84

Koordinater : x: 925,457,4 y: 44.639,4

Retning : 4000.

Helling/stigning : -90°

Hoyde : - 98,9

Dyde	Lengde (m)	Analyser			
		% Pt	% Cu	% Zn	% S
0,00 - 1,00 m.	1,00	0,63	0,01	0,12	
1,00 - 2,00 "	1,00	0,86	0,24	5,28	
2,00 - 3,00 "	1,00	0,04	0,04	0,08	
3,00 - 4,00 "	1,00	0,22	0,05	0,70	
4,00 - 4,90 "	0,90	0,17	0,17	1,32	
4,90 - 5,90 "	1,00	0,22	0,20	0,34	
1,00 - 2,00	1,00	0,86	0,24	5,28	
0,00 - 2,00	2,00	0,45	0,12	2,70	
12/2-84 Stellan Gunnarsson					

MALMBEREGNING I

Lokality: 44.640

Borehull: BNN-1212

Boredato : Nov-84

Koordinater : X: 925,454,3 Y: 44.641,0

Retning : 4000

Heeling/signing : -90°

Hoyde : -99.4

[illegible]

MALMBEREGNING I

Lokalitet: 44.640

Borehull: BNN-1211.

Boredato : Nov-84

Koordinator : X:925.450,3 Y:44.641,5

Retning : Lodd.

Helling/stigning : -90°

Hoyde : -99.5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.00 m.	1.00	0.20	0.54	0.84				
1.00 - 1.90 "	0.90	0.03	0.04	0.04		0.027	0.036	0.036
2.90 - 3.90 "	1.00	1.72	0.73	5.92				
3.90 - 4.90 "	1.00	0.95	0.70	3.66				
4.90 - 5.90 "	1.00	0.54	0.85	3.36				
5.90 - 6.90 "	1.00	0.12	0.10	0.02				
2.90 - 5.90	3.00	1.07	0.76	4.31				
0.00 - 5.90	5.90	0.58	0.48	2.34				

12/12 - 84

Pellea Bernan

MALMBEREGNING I

Lokalitet: 44.640

Borehull: BNN - 1210

Boredato : 11/01-84

Koordinater : X: 925.447,3 Y: 44.641,6

Retning : S.

Helling/stigning : -80°

Høyde : -99,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
1,60 - 2,60 m.	1,00	0,04	0,06	0,10				
2,90 - 4,20 "	1,30	0,13	0,10	0,26				
4,20 - 5,40 "	1,20	1,30	0,47	7,32		1,56	0,564	8,784
5,40 - 6,40 "	1,00	0,21	0,65	1,79				
4,20 - 5,40	1,20	1,30	0,47	7,32				
4,20 - 6,40	2,20	0,80	0,55	4,81				
0,00 - 6,40	6,40	0,31	0,22	1,72				
			12/12-84					
			Shuan Burman					

MALMBEREGNING I

Lokalitet: 41.560

Borehull: BNN-1209.

Boredato : Nov - 84

Koordinater : X: 925.330 Y: 41.560

Retring : ✓

Heating/cooling : - 23°

Hoyde : + 12,20

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
1,20 - 1,50 m	0,30	1.68	0.40	12.40	
1,50 - 2,30 "	0.80	0.03	0.11	0.64	
2,30 - 3,50 "	1.20	0.01	0.08	0.28	
5,20 - 6,20 "	1.00	0.15	0.31	1.42	
6,20 - 7,20 "	1.00	0.01	0.35	0.62	
7,20 - 8.40 "	1.20	0.16	0.11	1.15	

23/11-84
Gullane Burren

MALMBEREGNING I.

Lokalitet: 41.560

Borehull: BNN - 1208

Boredato : Nov - 84

Koordinater : X: 925.330 Y: 41.560

Retning : V.

Helling/stigning : + 22°

Høyde : + 12,70

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0,00 - 0,80 m.	0,80	0,04	0,33	5,96		0,032	0,264	4,768
0,80 - 2,20 "	1,40	0,03	0,08	0,24		0,042	0,112	0,336
6,90 - 7,60 "	0,70	0,35	0,28	3,85		0,245	0,196	2,695
7,60 - 8,60 "	1,00	2,01	0,92	13,24				
6,90 - 8,60	1,70	1,33	0,66	9,37				
0,00 - 8,60	8,60			2,45				

23/11-84

Stellan Burman

MALMBEREGNING I

Lokalitet: 41.890

Borehall: BNN-1206

Boredato : Nov -84.

Koordinater : X: 925.392,5 Y: 41.889

Retning

~~Helling~~/stigning: $+90^\circ$

Høyde : +12.0

[illegible]

MALMBEREGNING I

Lokality:

Borehult:

BNN-1206

Boredato :

Koordinator :

Retning :

Helling / signing :

Høyde :

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
35,20 - 36,30 m	1,10	0.65	0.58	3.33	
36,30 - 37,40 "	1,10	0.61	0.81	1.15	
37,40 - 38,50 "	1,10	0.15	0.25	0.86	
42,30 - 42,80 "	0,50	0.38	0.48	8.96	
35,20 - 37,40	2,20	0,63	0,70	2,24	
35,20 - 38,50	3,30	0,47	0,55	1,78	

MALMBEREGNING I

Lokalitet: 41.560

Borehull: BNN - 1204.

Boredato : 04T-84

Koordinater : X: 925.333,6 Y: 41.564.

Retning : N_1

Helling/stigning: 0° *Horisontalt.*

Høyde : +12,4

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
8.50 - 9.90 m	1.40	0.03	0.18	1.00	
23/11-84 Arvid Lurman					

MALMBEREGNING I

Lokalitet: 41.560

Borehull: BNN - 1203.

Boredato : 047-84

Koordinater : x: 925.333,6 y: 41.564,

Retring : N .

Heeling/stigning : $+15^\circ$

Hoyde : +13.0

Dyke	Length (m)	Analyser			
		% Pb	% Cu	% Zn	% S
1.20 - 2.20 m.	1.00	0.03	0.15	0.17	
2.20 - 3.20 "	1.00	0.07	0.30	6.48	
3.20 - 4.20 "	1.00	0.03	0.08	0.34	
1.20 - 3.20	2.00	0.05	0.23	3.33	
23/11-84 Stellan Gunnarsson					

MALMBEREGNING I

Lokalitet: 41.560

Borehull: BNN-1202.

Boredato : 047-84

Koordinater : X: 925.333,6 Y: 41.569.

Retning : N.

Helling/signing : $+40^\circ$

Hoyde : +14,3

Dyble	Lengde (m)	% Pb	% Cu	% Zn	% S
0.00 - 1.50 m	17 1.50	0.42	0.15	1.29	
1.50 - 3.00 "	18 1.50	0.44	0.16	1.30	
3.00 - 4.50 "	19 1.50	0.07	0.11	0.48	
4.50 - 6.00 "	20 1.50	0.17	0.10	0.40	
6.00 - 7.50 "	21 1.50	0.03	0.21	1.41	
7.50 - 9.00 "	22 1.50	0.04	0.16	0.68	
9.00 - 10.50 "	23 1.50	0.03	0.71	1.23	
10.50 - 12.00 "	24 1.50	0.02	0.12	0.96	
12.00 - 13.50 "	25 1.50	0.02	0.03	0.28	
13.50 - 15.00 "	1 1.50	0.04	0.19	1.09	
15.00 - 16.50 "	2 1.50	0.11	0.10	1.47	
16.50 - 18.00 "	3 1.50	0.11	0.09	1.62	
18.00 - 19.50 "	4 1.50	0.04	0.09	0.60	

23-84
Jellam Burman

MALMBEREGNING I

Lokalitet: 41.560

Borehall: BUN-1201.

Boredato : 047-84

Koordinater : X: 925,333, Y: 41,560

Retning : M.

Heating/stigning: + 65°

Hoyde : +16.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0,00 - 1,10 m.	9 1,10	0.12	0.06	0.38				
1,10 - 2,50 "	10 1,40	0.49	0.26	2.85		0.686	0.364	3.99
2,50 - 3,90 "	11 1,40	0.02	0.18	1.20		0.028	0.252	1.68
6,35 - 7,50 "	12 1,15	0.67	0.15	3.45		0.771	0.173	3.968
7,50 - 8,75 "	13 1,25	0.10	0.17	0.86				
12,90 - 14,00 "	14 1,10	0.22	0.14	0.61				
14,00 - 15,00 "	15 1,00	0.09	0.70	1.72				
15,00 - 16,40 "	16 1,40	0.19	0.43	1.53				
1,10 - 3,90	2,80	0,26	0,22	2,03				
6,35 - 7,80	1,15	0,67	0,15	3,45				
23/11-84 Allan Lunnan								

DBH-Mofjell

ANALYSERAPPORT

Dato 30/8 1984

Produkt	% Pb.	% Cu.	% Zn.	% Ag	% Fe.
Skjerming BNN-3.84, 49.50 - 53.10 m = 3,60 m = vert. 2,1 m	0.22	1.12	13.48	6.2	16.4
BNN-5.84, 35.75 - 37.90 m = 2,15 m = vert. 1,9 m	1.31	0.18	14.60	8.3	11.6
BNN 4-84: 53.70 - 66.70 m = 13,00 m	1,12	0,64	6,67	11,0	10,2
53,70 - 55,50 m = 1,80	2,02	1,03	6,96	22,7	9,0
55,50 - 58,80 m = 3,30	2,40	0,79	6,92	17,6	6,4
58,80 - 62,50 m = 3,70	0,68	0,56	4,80	8,1	9,6
62,50 - 66,70 m = 4,20	0,13	0,42	8,00	3,3	14,1

Anm.

[Signature]

MALMBEREGNING I

Lokalitet:

Borehull: *BNN-9-84*

(4)

Boredato :

Koordinator :

Retning :

Helling/stigning :

Høyde :

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	5/8 Ag	m% Pb	m% Cu
<i>34,75 - 36,00 m.</i>	<i>1,25</i>	<i>1.40</i>	<i>0.38</i>	<i>3.52</i>	<i>10.0</i>		
<i>36,00 - 37,50 "</i>	<i>1,50</i>	<i>0.09</i>	<i>0.28</i>	<i>0.55</i>	<i>1.4</i>		
<i>37,50 - 39,00 "</i>	<i>1,50</i>	<i>0.75</i>	<i>0.67</i>	<i>11.12</i>	<i>6.4</i>		
<i>39,00 - 39,80 "</i>	<i>0,80</i>	<i>0.27</i>	<i>0.45</i>	<i>5.40</i>	<i>3.9</i>		
<i>34,75 - 39,80</i>	<i>5,05</i>	<i>0.64</i>	<i>0.45</i>	<i>5.19</i>	<i>5.1</i>	<i>3.22</i>	

Vert. tykkelse ca 4 m som antagelig er meget lokalt

MALMBEREGNING I

Lokalitet:

Borehull: *BNN-8-84*

(2)

Boredato :

Koordinator :

Retning :

Helling/stigning :

Høyde :

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	5/8 Ag		
<i>30,55 - 32,00 m</i>	<i>1,45</i>	<i>0.79</i>	<i>1.47</i>	<i>5.12</i>	<i>11.0</i>		
<i>32,00 - 33,40 "</i>	<i>1,40</i>	<i>1.35</i>	<i>0.96</i>	<i>14.24</i>	<i>8.3</i>		
<i>30,55 - 33,40 m</i>	<i>2,85</i>	<i>1,06</i>	<i>1,22</i>	<i>9,60</i>	<i>9,7</i>	<i>3,0x6</i>	<i>3,476</i>
<i>vert. tykkelse</i>	<i>2,85</i>						
<i>Ved 4m "</i>	<i>4,00</i>	<i>0,75</i>	<i>0,87</i>	<i>6,84</i>	<i>6,9</i>		
<i>Ved 4,5m "</i>	<i>4,50</i>	<i>0,67</i>	<i>0,77</i>	<i>6,08</i>	<i>6,1</i>		

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% Ag		
144 41,60 - 42,85 m	1,25	0.04	0.19	0.14	0.5		
42,85 - 44,00 "	1,15	0.87	0.30	8.32	7.1		
44,00 - 45,00 "	1,00	0.10	0.66	4.68	3.0		
45,00 - 46,00 "	1,00	0.06	2.13	3.25	12.3		
46,00 - 47,00 "	1,00	0.06	0.33	2.92	2.7		
47,00 - 48,15 "	1,15	0.07	0.37	5.52	2.5		
42,85 - 48,15	5,30	0,25	0,73	5,05	5,5	1,301	3,891
41,60 - 48,15	6,55	0,21	0,63	4,11	4,5	1,351	4,129
Vert. t. Kjelde	ca 3,9 m	som antageligt er meget lokalt				(5,05 i 2m)	
eller ..	ca 4,8 "	"				(4,11 i 2m)	