



Bergvesenet

Postboks 3021, 7002 Trondheim

Rapportarkivet

Bergvesenet rapport nr BV 3673	Intern Journal nr	Internt arkiv nr	Rapport lokalisering Trondheim	Gradering
Kommer fra ..arkiv	Ekstern rapport nr	Oversendt fra	Fortrolig pga	Fortrolig fra dato:
Tittel Kjernelogger til diamantborhull 551 - 600, Stordø Kisgruver, boret 1964 - 1966.				
Forfatter		Dato 1966	Bedrift Stordø Kisgruver A/S	
Kommune Stord	Fylke Hordaland	Bergdistrikt Vestlandske	1: 50 000 kartblad 11141	1: 250 000 kartblad
Fagområde Kjernelogging	Dokument type		Forekomster Stordø	
Råstofftype Malm/metall	Emneord Kis			
Sammendrag Logger til DBH 381 - 650 finnes i rapport BV 3665 til BV 3674.				

SV 3673

Diamond hatchull nr. 554-600

Diamond hatchull nr. 551-600

125. Mod Odins Gang ligg

Borere

SK 1000.90.6.60

125. Mo^{III} Odins Gant, Mo^{IV}

Borere *Bromsdal*

S K 1000.90.6.60

125. Mo II Odino Sampling

z: 422

Length = 9.00

Borere : Brandsdal

\$ K 1000.90 6.60

Y 2099

$$Z = 422$$

Fall = 0

Length = 16,00

Borere : Brandsdal

[illegible]

125. Molle Odins Langsigg.

Diamant bor-hull nr. 596

Y : 2093

Z - 422

Fall - 0

Length = 10,00

Borere Brundal

[illegible]

125. Mott Odins Gauze

Diamant bor-hull nr. 595

Y. 2097

Z. - 422

Fall - 0

Lengde = 20,50

Borere Brang-dal

\$K 1000.906.60

Koordinater : X = 2070

Y = 2084

Z = -422

Retning : Az = 340°

Fall = 0

Lengde = 10,50

Boringsdato: 21.3 1966

Borere Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
10			60			110			160		
20			70			120			170		
30			80			130			180		
40			90			140			190		
50			100			150			200		

12s. Mo III Oxide Gang lias

Y : 2089

2: -422

Fall = 0

Lengde = 3050

Borere Brand-dal.

[illegible]

Koordinater : X = 2045

Y : 2086

Z : - 422


Retning : Az = 173°

Fall = 0

Lengde = 93,50

Boringsdato: 24.2-16.3 1966

Borere : Brøndal

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	10			60			110			160	
	20			70			120			170	
	30			80			130			180	
	40			90			140			190	
	50			100			150			200	

Y : 2103

22-462

Fall - 0

Lengde = 43,00

Borere Brandstad

[illegible]

Koordinater : X = 2140

Y 2193

Z : 462

Retning : Az = 340°

Fall = 0

Lengde = 1250

Boringsdato: 5.2-8.2 1966

Borere : Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
10			60			110			160		
20			70			120			170		
30			80			130			180		
40			90			140			190		
50			100			150			200		

Koordinater : X = 2156
Retning : Az = 340°
Boringsdato: 1.2 - 4.2 1966

Y : 2206 Z : -462
Fall = 0 Lengde = 22,30
Borere : Brandsdal

[illegible]

125. Odine Barn, 405

Diamant bor-hull nr. 588

Y : 21625

$$Z = -462$$

Fall — 0

Length = 25 m

Borere : Brandstad

[illegible]

12.4. Sad. Moli

Diamant bor-hull nr. 587

Koordinater : X = 2078

Y. 2210

Z: 432

Retning : Az = 340°

Fall = 0

Lengde = 94,50

Boringsdato: 18.12-65 - 20.1-66

Borere : Brandstad

[illegible]

Koordinater : X = 1980

Y : 2177

Z : 432


Retning : Az = 308°

Fall = 0°

Lengde = 9030

Boringsdato: 1.12 - 14.12 1965

Borere : Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	0.20 stepp	21.0		1.00	30.0						
10			60			110			160		
20			70			120			170		
30	3.20	20.1	80			130			180		
40	1.90	16.1	90			140			190		
50			100			150			200		

Koordinater: X = 1980

Y: 2177

Z: 432

Retning: Az = 340°

Fall = 0°

Lengde = 121,50

Boringsdato: 11/1-30/11-65

Borere: Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	0,08	30,0									
							24,6	20,9			
							11,0	13,3			
10			60			110			160		
							4,4	31,7			
20			70			120			170		
	OPPLØST			0,01							
				30,2	10,7						
	0,37	11,8									
	1,95	31,1									
30	1,95	11,3	80			130			180		
	8,80	7,6									
40	1,89	20,9	90			140			190		
				4,22	14,3						
				4,77	35,0						
50			100			150			200		

12s. Sad. h MoII

Diamant bor-hull nr. 583

Y : 2180

Z:432

Fall - 00

Length = 40,00

Borere: Brande Dale

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	0.11	45.0									
	0.02	45.0									
10			60			110			160		
20			70			120			170		
30			80			130			180		
40			90			140			190		
50			100			150			200		

Koordinater : X = 2041

Y : 2193

Z : 432

Retning : Az = 140°

Fall = -4°

Lengde = 62,00

Boringsdato: 11.10 - 16.10 - 65

Borere: Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	0,12	40,0									
10	6,50	31,9	60			110			160		
	2,50	9,7									
20	0,12	25,0	70			120			170		
30			80			130			180		
40			90			140			190		
50			100			150			200		

123. Sad. Mo^{II}

Koordinater : X = 2074

Y: 2/82

Z : 432

Retning : Az = 140°

Fall - 42

Length = 8/50

Boringsdato: 27.9-5.10-65

Borere *Brandsdal*

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
[Red]	0-3.50	28.0	[Green]								
[Purple]	3.50-4.75	12.3	[Green]								
[Green]	4.75-12.25		[Green]								
10			60			110			160		
[Red]	12.25-20.00	35.7	[Green]								
20			70			120			170		
[Green]	20.00-40.00		[Green]								
30			80			130			180		
[Blue]	40.00-41.00		[Green]								
40			90			140			190		
[Green]	41.00-50.00		[Green]								
50			100			150			200		

125. Sad. Mott

Y: 2178

Z: 432

Fall = 0.4

Lengde = 113,50

Borere : Brangsdal

[illegible]

Y

Z

Fall —

Lengde =

Borere

[illegible]

Koordinater : X = 2021

Y : 2187

Z : 432

Retning : Az = 340°

Fall = 0

Lengde = 123.00

Boringsdato: 1.7-12.8-65

Borere Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	3.07	23.5									
	4.30	20.2									
	1.30	19.4									
	6.27	2.5									
10			60			110			160		
	0.64	40.3		0.01							
	2.15	6.6		0.25							
				3.18	15.0		7.90	27.4			
				0.10			13.72	20.0			
							0.30	12.0			
							2.62	22.0			
20			70			120			170		
30			80			130			180		
	5.20	22.4									
	4.15	9.0									
40			90			140			190		
50			100			150			200		

Koordinater : X = 2021

Y : 2187

Z : 432

Retning : Az = 340°

Fall = 0

Lengde = 115,00

Boringsdato: 28.5-29.6-65

Borere Brandsdal

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	1,50	13,0					2,00	4,2			
				0,10			5,60	12,7			
10			60			110	3,50	30,2	160		
20	0,01		70			120			170		
	0,19										
30	2,46	28,5	80			130			180		
	1,05	7,2									
				2,25	27,9						
40			90			140			190		
				0,70	12,5						
				4,00	25,4						
50			100			150			200		

125. Sacd. Moll

Z : 432

Length = 44.20

Borere : Brandsdal

[illegible]

S K 1000.90 6.60

Koordinater : X = 2185

Y : 1998

Z : 432


Retning : Az = 340°

Fall = 0

Lengde = 112,5

Boringsdato: 26.4-19.5-65

Borere Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	4.14	20.3		0.25	15.0		10.45	21.5			
10			60			110			160		
20			70			120			170		
30			80			130			180		
	2.59	26.3									
	0.32	30									
40			90			140			190		
				2.40	29.7						
				8.42	7.2						
50			100			150			200		

12s. $\text{Mo} \text{II}$ Sad. heng

Diamant bor-hull nr. 575

Koordinater: $X = 2191$

Y: 1595

z: 432

Retning : Az = 140°

Fall — 0

Length = 3500

Boringsdato: 21.4-24.4.-65

Borere; Brand: chl.

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	2,50	23,6									
	8,15	10,6									
10	1,40	18,7	60			110			160		
	4,2	7,8									
20	1,27	20,1	70			120			170		
	5,40	15,5									
	2,45	23,0									
30			80			130			180		
40			90			140			190		
50			100			150			200		

A/S Stordø Kisgruber

14s. Odinsgang.

Diamant bor-hull nr. 574

Koordinater : X = 2065

Y : 2036

Z : 562

Retning : Az = 340°

Fall = 0

Lengde = 79,50

Boringsdato: 24.3-8.4-65

Borere : Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
10			60			110			160		
20			70			120			170		
30			80			130			180		
40			90			140			190		
50			100			150			200		

Y. 2089

z: 562

Fall = 0

Lengde = 37,50

Borere : Brandad

[illegible]

Koordinater : X = 1880

Y = 2075

Z = 562

Retning : Az = 300°

Fall = 0

Lengde = 100,00

Boringsdato: 4.3 - 16.3 1965

Borere : Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	2,95	11,8									
10			60			110			160		
20			70			120			170		
30			80			130			180		
40			90			140			190		
50			100			150			200		

44,35 31,4

Koordinater : X = 1839

Y = 2097

Z : 562

Retning : Az = 340°

Fall = 0

Lengde = 43,50

Boringsdato: 24.2-2.3.1965

Borere Brandsdal

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
											
10			60			110			160		
	0,58	27,8%									
	3,02	8,9									
20			70			120			170		
	2,80	16,2									
	0,65	23,6									
30			80			130			180		
40			90			140			190		
	Vann										
50			100			150			200		

Koordinater : X = 1835

Y : 2/20

Z 562

Retning : $Az = 140^\circ$

Fall = 0

Length = 1150

Boringsdato: 19.2.232-1,5

Borere Brandsdal.

[illegible]

Koordinater : X = 2025

Y : 2125

z: 512

Retning : Az = 300°

Fall = 0

Length = 106,00

Boringsdato: 1811-3/2-65

Borere *Brandstad*

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
				0.72	26.1						
10			60			110			160		
	1.40	24.6									
	0.24	40									
20	0.12	40	70			120			170		
	7.46	20.5									
30			80			130			180		
40			90			140			190		
50			100			150			200		

2:512

Length = 93.00

Borere Brand: dal

S K 1000.90.6.60

Koordinater : X = 2042

Y : 2123

Z : 512

Retning : Az = 140°

Fall = 0

Lengde = 89.60

Boringsdato: 18.12-20.12 64

Borere Brøndsdal

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	10			60			110			160	
	20			70			120			170	
	30			80			130			180	
	40			90			140			190	
	50			100			150			200	

Diamant bor-hull nr. 566

Y : 2/26

z: 512

Fall - 0

Length = 50.00


Borere : Brandstad

[illegible]

z : 512

Lengde = 136,50

Borere Brandisdal



135. Sad.

Diamant bor-hull nr. 564

Y : 2134

2. 5/2

Fall = 0

Lengde = 72,50

Borere : Brandtall

[illegible]

Koordinater : X = 2078

Y = 2141

Z = 512

Retning : Az = 340°

Fall = 0

Lengde = 102,50

Boringsdato: 29/10-13.11-64

Borere Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	3,00	14,1									
10			60			110			160		
20			70			120			170		
30			80			130			180		
40			90			140			190		
50			100			150			200		
				4,15	31,7						

135. Sad

Diamant bor-hull nr. 562

Y : 2115

z: 512

Fall — 0

Length = 38.00

Borere : Brandes & C

[illegible]

S K 1000.90 6.60

125. Sad. MoH

Koordinator : X = 1996

Y: 2188

Z: 419

Retning : Az = 1405

Fall = 0

Lengde = 46.00

Boringsdato: 25.9-2006-64

Borere Brandstad

[illegible]

Koordinater : $X = 2016$

Y : 2/93

Z: 415

Retning : Az = 340°

Fall = 0

Lengde = 122,00

Boringsdato: 8.7-23.7-64

Borere : Brandsdal

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	3,10	26,40					2,50	25,3			
							16,3	7,7			
10			60			110	25,4	21,4		160	
							8,55	24,2			
20			70			120	3,15	20,1		170	
30			80			130				180	
	2,45	24,6									
	4,85	8,2									
40			90			140				190	
	1,10	24,0		2,11	13,2						
				2,06	10,1						
				5,39	32,5						
50			100			150				200	

S K 1000.90.6.60

125 Sad. Motu

Diamant bor-hull nr. 557


Y-2202

z: 415

Fall = 0

Lengde = 84,00

Borere : Brandsdal

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
		32,5									
		12,4									
		25,3									
10			60			110			160		
		27,8									
		10,5			14,1						
20			70			120			170		

125 Sad. Mou

Koordinater : X = 2032

Y : 2206

Z: 415

Retning : Az-1409


Fall = 0

Length = 30.50

Boringsdato: 19/8-20/8-64

Borere : Brandstad.

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	0,56	23,0									
10			60			110			160		
20	1,05	25,1	70			120			170		
30			80			130			180		
40			90			140			190		
50			100			150			200		



72

$$\begin{array}{r} 72 \\ \times 0.9 \\ \hline 64.8 \end{array}$$

120

$$\begin{array}{r} 72 \\ \times 0.7 \\ \hline 50.4 \end{array}$$

$$\begin{array}{r} 72.09 \\ \times 0.9 \\ \hline 64.88 \end{array}$$

$$\begin{array}{r} 65 \\ \downarrow \\ \hline 84 \end{array}$$

1/3
2/3
1/2

$$\begin{array}{r} 72 \\ \times 0.6 \\ \hline 43.2 \end{array}$$

$$\begin{array}{r} 72 \\ \times 0.7 \\ \hline 50.4 \end{array}$$

Z : 415

Length = 2400

Borere Brandstad

S K 1000,90 6,60

Koordinater : X = 2073

Y : 2217,5

Z : 419

Retning : Az = 3425

Fall = 0

Lengde = 98,00

Boringsdato: 20.6-3.8

Borere : Brandstad

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
	5,44	33,5									
10			60			110			160		
	0,30	40									
2,40	3,85	26,3									
		37,5									
20			70			120			170		
30			80			130			180		
0,03											
0,12											
0,20											
0,05											
0,10											
0,30	40		3,77	25,3							
40			90			140			190		
50			100			150			200		

Koordinater : X = 2070

Y

Z : 419

Retning : Az — 140

Fall = 0

Length = 21,25

Boringsdato: 19/6-20/6-64

Borere - Grand dale

Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S	Kjerne	Meter	% S
10			60			110			160		
20			70			120			170		
30			80			130			180		
40			90			140			190		
50			100			150			200		

125 Snd. Mo IV

Diamant bor-hull nr. 351

z : 4/9

Length = 79.40

Borere : *Brachyda C*

\$ K 1000.90 B.60