



Bergvesenet

Postboks 3021, N-7441 Trondheim

Rapportarkivet

Bergvesenet rapport nr BV 4038	Intern Journal nr Kasse 66	Gammelt internt rapp. nr.	Rapport lokalisering Trondheim	Gradering
Kommer fra ..arkiv	Ekstern rapport nr	Oversendt fra Tverrfjellet	Fortrolig pga	Fortrolig fra dato:
Tittel Analyseresultater - X-ray: Rombak, rock samples, 1983.				
Forfatter		Dato År 1983	Bedrift Folldal Verk A/S	
Kommune Narvik	Fylke Nordland	Bergdistrikt Nordlandske	1: 50 000 kartblad	1: 250 000 kartblad
Fagområde Kjemiske analyser	Dokument type	Forekomster Gautelis Kjørsvann Cainhavagge Cunojavri		
Råstoffgruppe	Råstofftype			
Sammenheng / innholdsfortegnelse Analyselister.				

Gautel's Gell

1984
FD-7

THE ANATOMY OF A SCANDAL

MINI-BOOKS

705 WEST 5TH ST. NORTH VANCOUVER B.C. V7S 1E1

H04E (604) 230.591a

Photo Number	Map Number	Texture: Green	Color	Notes
NR-129-84	1431 III	41	44	qtz - <u>spars rock</u> (meta arenite) <u>stonewatching</u> , massive, <u>myr - veins</u> of epidote with spots of <u>sillphides</u> (pg, pg), open very <u>stressed mat.</u> <u>sample originates from Profile - south west</u> <u>slope Gairdell's Hill, station 3+25 or</u> <u>chlorite - amphibolite (hem - andro.)</u> <u>(supposedly meta ultrabasic flow)</u> <u>green, massive, several irregular veins and</u> <u>strings of highly weathered sillphides,</u> <u>sample from pit zone at south west</u> <u>slope Gairdell's Hill, station 3+60 or,</u> <u>same mat as NR-15-83</u>
NR-129-84	1431 III			chlorite - <u>amphibolite (hem - andro.)</u> <u>green, massive, medium crystalline,</u> <u>side rock from NR-129-84, distance</u> <u>30cm from sample 129</u> <u>metasandstone / sillstone</u> <u>dark, massive, irregular po, pg unwa.</u> <u>as spots and strings, intensive rusty</u> <u>weathering with yellowish to brownish</u> <u>colours</u> <u>contact carbonate series with granitic gneiss</u>
NR-130-84	1431 III			chlorite - <u>amphibolite (hem - andro.)</u> <u>green, massive, medium crystalline,</u> <u>side rock from NR-129-84, distance</u> <u>30cm from sample 129</u> <u>metasandstone / sillstone</u> <u>dark, massive, irregular po, pg unwa.</u> <u>as spots and strings, intensive rusty</u> <u>weathering with yellowish to brownish</u> <u>colours</u> <u>contact carbonate series with granitic gneiss</u>
NR-131-84	1431 III			chlorite - <u>amphibolite (hem - andro.)</u> <u>green, massive, medium crystalline,</u> <u>side rock from NR-129-84, distance</u> <u>30cm from sample 129</u> <u>metasandstone / sillstone</u> <u>dark, massive, irregular po, pg unwa.</u> <u>as spots and strings, intensive rusty</u> <u>weathering with yellowish to brownish</u> <u>colours</u> <u>contact carbonate series with granitic gneiss</u>

NR 57-84
Gautier's field

GEOCHEMICAL SAMPLE DATA SHEET
MIN-EM Laboratories Ltd.
705 WEST 15th ST. NORTH VANCOUVER, B.C. V6P 1P1
PHONE (604) 270-5811

NR 84
FDR

Sample Number	Photo Number	Map Number	Texture	Color	Notes
NR-132-84	06	see grid Gautier's field southwest slope	29	36/37/38	sericite - qb - rich carbonate light greenings, crudely banded, homogeneous, idiomorphic py distinct rock type iron carbonate series
NR-133-84	06	see grid Gautier's field southwest slope			metasiltstone dark grey, massive, some spots of stringers of py and py, intensive rusty weathering from metased. series, 30m aside fault
NR-134-84	06	see grid Gautier's field southwest slope			metasiltstone dark grey, massive to crudely layered, finest dtx of py, some times with lenses of spots from metased. series, about 15m from fault
NR-135-84	06	see grid Gautier's field southwest slope			massive met ore from fault, wall rock gabbro (amphibolite), carbonate and metasiltstone, size 1m x 50cm
NR-136-84	06	see grid Gautier's field southwest slope			amphibolite layer of 1m thickness within carbonate series. in places deeply weathered with typical sulfide weathering, in fresh mat. no visible sulfides.

N-84-71

Guide to Hell

GEOCHEMICAL SAMPLE DATA SHEET

MUN EN Laboratories Ltd.

705 WEST 15th ST., NORTH VANCOUVER, B.C. V6P 3B1
PHONE (604) 266-5311

1984
FDP

Sample Number	Photo Number	Map Number	Tested (Y/N)	Tested (Y/N)	Tested (Y/N)
NR-137-84	06	see grid Gaultelishf. southwest slope	29	363738	41
NR-138-84	06	see grid Gaultelishf. southwest slope			
NR-139-84	06	see grid Gaultelishf. southwest slope			
NR-140-84	06	see grid Gaultelishf. southwest slope			

NR-137-84 06 see grid Gaultelishf.
southwest slope

1431 III

amphibolite
minerals preserves with typical sulfide
weathering, intensive rusty coatings,
fresh map with no visible sulfide
min.

25m from fault, carbonate series

1431 III

gneiss (gtz-rich meta-siltstone)
dark grey, mainly massive, crudely
layered, with some veinlets of DO,
sordidities some lenses or stringers
sulfide further obvious on shear planes
near fault, metased. series

1431 III

metasiltstone
dark grey, massive to crudely layered,
with high rusty weathered, some
disseminated DO min.

fault, contact carbonate

1431 III

deeply weathered rock from junction
carbonate series and metasiltstone
some of mat 10cm thickness, discon-
tinuous

NR-84-4
Gambelis Falls

GEOCHEMICAL SAMPLE ANALYSIS

MINIEM Laboratories
705 WEST 13TH ST., NORTH VATIC, IDAHO
PHONE (208) 340-5511

1984
FDR

North

Sample Number

Area Number

Fe

Ca

Mg

Si

Al

Other

NR-141-84 06 see grid Gambelis Falls
south west slope

1431 II

metasiltstone

dark grey, crudely layered, dis. po mic
1m thick layer within metased. series

NR-142-84 06 see grid Gambelis Falls
south west slope

1431 III

metasiltstone

dark grey, stressed

minor fault zone, disharmonic
folding of carbonate and metasiltstone

NR-143-84 06 see grid Gambelis Falls
south west slope

1431 IV

metacarbonate

light grey, massive, spots and stringers of
sulfide mineralization (py, pyrite)
massive weathered sample with
muddy matrix

limestone of about 2m length and 20cm
thickness at junction metased. series
and carbonate series. stressed mat.

NR-144-84 06 see grid Gambelis Falls
south west slope

1431 V

metacarbonate

light grey, massive, disseminated po and
py mineralization

side road to 143-84

N-84-1

Russot and Gaudelingsfell

1984
FDP

NR-149-84 083799757571620 1431II

magnetite - bornite - chalcopyrite ore
faded ore, interlayers of light
amphibole, deeply weathered, accu-
mulation of malachite

originally from same showing as
NR-148-84

NR-150-84 083799757571620 1431II

qtz - mica schist
light brown, massive with fissures of
light amphibole, no sulphides

wall rock to magnetite - bornite min.

NR-151-84 083811507571360 1431II

calc - serpentine with congl. or agglom.
light greenish grey, rounded fragments
of qtz - feldspar in a matrix
of calc and serpentine, no sulphides

0.5 m thick sand within a series of
carbonates, quartzites, ultrabasic volc.,
basic volc. and minor metapelites

NR-152-84 086152007553800 1431III

qtz - feldspar rock (felsic volcanic)
grey to dark grey, slightly layered, qtz and
carbonate nodules in places, strongly
foliated, sometimes stressed and
sheared, and disseminated py mineral-
ization, sometimes accumulations, 2 Vol. - 2

N-87-7

Gardelsfield

1984
FDPS

— —

Photo Number Map Number
29 46.2728

sample originates from contact between
metasiltstone (pyritic) and felsic
volcanic lavas. Slight movement
has taken place on the junction
plane. Sulphides may be pressed
into the slide zone.

NR-153-84 086152007553800

1431 III

qtz-fspar rock (felsic volcanic)
greywhite, laminated, homogeneous
varying amounts in py (down to 7 vol. %),
as disseminations or layers of mm
thickness

felsic volcanic within meta-siltstones
and amphibolites, 10 m thick horizon
with intensive rusty weathering

NR-154-84 086152007553800

1431 III

mica rich qtz-fspar rock (felsic volcanic)
dark grey, slightly layered, homogeneous,
disseminations of py, conchoidal
min stringers or lense shaped accumi-
lates, often crosscutting mineralization

felsic volcanic within meta-siltstones
— same as 152, 153 —, samples origi-
nates from the upper part of the horizon

N-84-4

Gauleisfjell / Nørkjøp

GEOCHEMICAL SAMPLE DATA SHEET

ENTER Laboratory No.

700 WEST 10th St. S.W. CALGARY, ALBERTA, CANADA T2P 1E6

PHONE (403) 243-1311

—

Photo Number

Map Number

Texture (cm)

10 20 30 40 50 60 70 80 90 100

NR-153-84 086152007553800

1431 III

mica-rich grt-fpoar rock (felsic volcanic) and
Plutonic
 dark grey, laminated, some stringers and
 nodules of gray grt and calcite
 have disseminations of Py

sample originates from hanging wall
 of felsic volcanic layer, see NR-153-84

NR-156-84 086151607553700

1431 II

grt-fpoar rock (felsic volcanic)
 light grey, laminated, alteration of
 mica, poar and mica rich layers,
 disseminated Py mineralization,
 sometimes Py accumulated at one
 site

felsic volcanic, same as NR-153-84,
 sample 100 m further south

NR-157-84 086151307553650

1431 III

grt-fpoar rock (felsic volcanic)
 see NR-156-84

felsic volcanic, horizon same as NR-153-84
 and NR-156-84, here 1m thickness and
 slightly stressed

NR-84
 FDR

NiOHojaa

11 01-7

GEOCHEMICAL SAMPLE DATA SHEET

MIN-EN Laboratories Ltd
705 WEST 10TH ST. NORTH VANCOUVER, B.C. V6L 1A5
PHONE (604) 470-5614

Lab No.	Field No.	Photo Number	Map Number	Sample Type	Test No.	Test Date	Test Result
NR-158-84	08615400	7554100	1431 III	363796	41	44	44

NR-158-84 08615400 7554100

1431 III

NR-158-84 (felsic volcanic)
light grey, laminated, in places massive,
fine to medium grained, dissemination
of Py, Po and Qz (Vol. %).

chip sample across felsic volcanic
lays, see too NR-153-84 and NR-156-84

NR-159-84 08615500 7554360

1431 III

amphibolite
green, fine grained, granulated, very
irregular wt, Po and Qz mineralization
from contact granitic gneiss and
metasupracrustals, stressed and folded
material, wt and Po, Qz mineralization
is very limited

1984
FDR

Frank.

Spelket, se rapp. nr. 23496

22.02 *

76591 FOLLW N

XRAYLAB TOR

ATTN: I. KILLI

TELEX REF. NO. 878

X-RAY ASSAY LABORATORIES 07-FEB-85 REPORT

O REF.19284 P 1

SAMPLE	AU OZ/TON
--------	-----------

GAU84-04-60	0.085
-------------	-------

GAU84-04-67	0.042
-------------	-------

GAU84-04-75	0.035
-------------	-------

VL-7-84	0.270
---------	-------

VL-8-84	0.021
---------	-------

VL-9-84	0.086
---------	-------

*

76591 FOLLW N

XRAYLAB TOR

....

Frank

X-RAY ASSAY LABORATORIES LIMITED
1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4
PHONE 416-445-5755 TELEX 06-986947

CERTIFICATE OF ANALYSIS

TO: FOLLDAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 291

DATE SUBMITTED
8-JAN-85

REPORT 23496

REF. FILE 19121-P2

43 C.ROCKS PROJ. N-84-9(330270)

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PFB	FADCP	2.000
NI PPM	DCP	1.000
CU PPM	DCP	0.500
ZN PPM	DCP	0.500
AS PPM	FAA	0.100
AG PPM	DCP	0.500
PB PPM	DCP	2.000

DATE 25-JAN-85

X-RAY ASSAY LABORATORIES LIMITED
CERTIFIED BY

SAMPLE	AU PPB 02/4	NI PPM	CU PPM	ZN PPM
GAU84-04-59	70	PPM	19.0	10.0
GAU84-04-60	5700 0.085 (2.7)	PPM	76.0	15.0
GAU84-04-61	100	--	89.0	51.0
GAU84-04-62	180	--	21.0	18.0
GAU84-04-63	9	--	2.0	58.0
GAU84-04-64	35	--	53.0	33.0
GAU84-04-65	770	--	17.0	29.0
GAU84-04-66	260	--	19.0	34.0
GAU84-04-67	1700 0.042 (1.34)	--	18.0	33.0
GAU84-04-68	28	--	62.0	110.
GAU84-04-69	<2	--	40.0	140.
GAU84-04-70	180	--	20.0	33.0
GAU84-04-71	340	--	23.0	67.0
GAU84-04-72	280	--	27.0	31.0
GAU84-04-73	15	--	52.0	35.0
GAU84-04-74	21	--	210.	53.0
GAU84-04-75	1100 0.035 (1.12)	--	54.0	92.0
GAU84-04-76	6	--	35.0	49.0
GAU84-04-77	8	--	10.0	48.0
VL-1-84	6	--	97.0	87.0
VL-2-84	490	--	6.5	18.0
VL-3-84	750	--	8.5	12.0
VL-4-84	15	--	4.5	47.0
VL-5-84	8	--	7.0	--
VL-6-84	79	--	250.	99.0
VL-7-84	9100 0.270 (864)	--	810.	65.0
VL-8-84	320 0.021 (67)	--	67.0	32.0
VL-9-84	3100 0.086 (2.75)	--	450.	120.
VL-10-84	4	24	120.	--
VL-11-84	6	31	380.	--
VL-12-84	8	83	830.	--
VL-13-84	8	--	58.0	85.0
VL-14-84	27	59	>4000.	--
VL-15-84	28	18	>4000.	--
VL-16-84	10	24	960.	--
VL-17-84	8	--	220.	49.0
VL-18-84	39	--	140.	75.0
VL-19-84	90	--	190.	110.
VL-20-84	260	--	240.	93.0
VL-21-84	10	--	1100.	17.0
VL-22-84	42	--	410.	28.0
VL-23-84	17	--	69.0	30.0
VL-24-84	8	1300	19.0	--

Alle
Vipewys

SAMPLE	AS PPM	AG PPM	PB PPM
GAU84-04-59	7.4	1.0	32
GAU84-04-60	2.8	1.5	50
GAU84-04-61	4.3	1.5	30
GAU84-04-62	3.3	1.5	50
GAU84-04-63	4.0	1.5	42
GAU84-04-64	2.8	1.5	40
GAU84-04-65	3.0	1.5	58
GAU84-04-66	3.3	1.5	56
GAU84-04-67	3.3	1.5	58
GAU84-04-68	5.5	1.5	24
GAU84-04-69	4.6	1.5	18
GAU84-04-70	2.8	1.5	42
GAU84-04-71	7.0	1.5	42
GAU84-04-72	5.9	1.5	60
GAU84-04-73	4.8	1.5	48
GAU84-04-74	0.9	1.5	42
GAU84-04-75	12.0	1.5	14
GAU84-04-76	5.9	1.0	22
GAU84-04-77	8.2	1.5	20
VL-1-84	6.2	1.5	32
VL-2-84	19.0	1.0	24
VL-3-84	15.0	1.0	26
VL-4-84	7.0	1.0	20
VL-5-84	--	--	--
VL-6-84	--	--	48
VL-7-84	36.0	5.0	230
VL-8-84	3.5	7.5	450
VL-9-84	26.0	2.5	52
VL-10-84	--	--	--
VL-11-84	--	--	--
VL-12-84	--	--	--
VL-13-84	5.9	1.5	20
VL-14-84	--	--	--
VL-15-84	--	--	--
VL-16-84	--	--	--
VL-17-84	--	--	14
VL-18-84	>1000.	2.0	32
VL-19-84	>1000.	1.5	12
VL-20-84	>1000.	3.0	40
VL-21-84	--	1.5	10
VL-22-84	--	2.0	16
VL-23-84	--	2.0	16
VL-24-84	--	--	--

Trisem.

X-RAY ASSAY LABORATORIES LIMITED 15 AUG. 1984
1385 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4
PHONE 416-445-5755 TELEX 06-986947

CERTIFICATE OF ANALYSIS

TO: FOLLDAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 295
DATE SUBMITTED
19-JUL-84

REPORT 21366

REF. FILE 17432-F3

14 C.ROCKS, 175 SOIL PROJ. 330.270 - *Narvik.*

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PPB	FADCP	2.000
AU OZ/TON	FA	0.001
CU PPM	DCP	0.500
ZN PPM	DCP	0.500
AS PPM	FAA	0.100
PB PPM	DCP	2.000

DATE 03-AUG-84

X-RAY ASSAY LABORATORIES LIMITED

CERTIFIED BY *SAB*

SAMPLE	AU PPB	AU OZ/TON	CU PPM
NR-128-84-ROCK	460	--	90.0
NR-129-84-ROCK	--	0.580	--
NR-130-84-ROCK	110	--	62.0
NR-131-84-ROCK	15	--	220.
NR-132-84-ROCK	300	--	41.0
NR-134-84-ROCK	7	--	140.
NR-137-84-ROCK	5	--	140.
NR-138-84-ROCK	<2	--	110.
NR-139-84-ROCK	5	--	30.0
NR-140-84-ROCK	22	--	570.
NR-141-84-ROCK	<2	--	150.
NR-142-84-ROCK	1400	--	2400.
NR-143-84-ROCK	110	--	17.0
NR-144-84-ROCK	17	--	150.
SR-1-84-SOIL	17	--	30.0
SR-2-84-SOIL	<2	--	17.0
SR-3-84-SOIL	2	--	7.5
SR-4-84-SOIL	4	--	10.0
SR-5-84-SOIL	<2	--	10.0
SR-6-84-SOIL	3	--	5.5
SR-7-84-SOIL	7	--	14.0
SR-8-84-SOIL	<2	--	16.0
SR-9-84-SOIL	10	--	67.0
SR-10-84-SOIL	6	--	110.
SR-11-84-SOIL	21	--	110.
SR-12-84-SOIL	11	--	91.0
SR-13-84-SOIL	120	--	140.
SR-14-84-SOIL	59	--	280.
SR-15-84-SOIL	<2	--	20.0
SR-16-84-SOIL	4	--	68.0
SR-17-84-SOIL	4	--	91.0
SR-18-84-SOIL	11	--	200.
SR-19-84-SOIL	18	--	57.0
SR-20-84-SOIL	33	--	170.
SR-21-84-SOIL	96	--	9.0
SR-22-84-SOIL	33	--	140.
SR-31-84-SOIL	<2	--	24.0
SR-32-84-SOIL	<2	--	13.0
SR-33-84-SOIL	<2	--	12.0
SR-34-84-SOIL	16	--	23.0
SR-35-84-SOIL	64	--	29.0
SR-36-84-SOIL	9	--	25.0
SR-37-84-SOIL	3	--	15.0
SR-38-84-SOIL	<2	--	28.0
SR-39-84-SOIL	20	--	35.0
SR-40-84-SOIL	39	--	520.
SR-41-84-SOIL	10	--	410.
SR-42-84-SOIL	130	--	46.0
SR-43-84-SOIL	17	--	300.
SR-44-84-SOIL	10	--	37.0

SAMPLE	AU PPB	AU OZ/TON	CU PPM
SR-45-84-SOIL	<2	--	97.0
SR-49-84-SOIL	<2	--	35.0
SR-52-84-SOIL	4	--	130.
SR-54-84-SOIL	3	--	160.
SR-59-84-SOIL	12	--	160.
SR-61-84-SOIL	5	--	23.0
SR-62-84-SOIL	2	--	14.0
SR-63-84-SOIL	170	--	160.
SR-64-84-SOIL	12	--	28.0
SR-65-84-SOIL	3	--	29.0
SR-66-84-SOIL	44	--	22.0
SR-67-84-SOIL	26	--	31.0
SR-68-84-SOIL	<2	--	32.0
SR-69-84-SOIL	12	--	27.0
SR-70-84-SOIL	2	--	53.0
SR-71-84-SOIL	<2	--	32.0
SR-72-84-SOIL	50	--	19.0
SR-73-84-SOIL	33	--	59.0
SR-74-84-SOIL	4	--	17.0
SR-75-84-SOIL	2	--	48.0
SR-76-84-SOIL	30	--	20.0
SR-77-84-SOIL	9	--	170.
SR-78-84-SOIL	3	--	59.0
SR-79-84-SOIL	200	--	610.
SR-80-84-SOIL	15	--	120.
SR-81-84-SOIL	25	--	68.0
SR-82-84-SOIL	110	--	210.
SR-83-84-SOIL	120	--	110.
SR-84-84-SOIL	2	--	30.0
SR-85-84-SOIL	<2	--	28.0
SR-86-84-SOIL	28	--	160.
SR-87-84-SOIL	62	--	84.0
SR-88-84-SOIL	<2	--	110.
SR-89-84-SOIL	13	--	290.
SR-90-84-SOIL	93	--	210.
SR-91-84-SOIL	5	--	140.
SR-93-84-SOIL	100	--	100.
SR-98-84-SOIL	6	--	18.0
SR-99-84-SOIL	49	--	23.0
SR-100-84-SOIL	59	--	72.0
SR-101-84-SOIL	<2	--	25.0
SR-102-84-SOIL	5	--	20.0
SR-103-84-SOIL	<2	--	34.0
SR-104-84-SOIL	14	--	46.0
SR-105-84-SOIL	25	--	87.0
SR-106-84-SOIL	<2	--	36.0
SR-107-84-SOIL	3	--	13.0
SR-108-84-SOIL	<2	--	34.0
SR-109-84-SOIL	16	--	70.0
SR-110-84-SOIL	<2	--	48.0

SAMPLE	AU PPB	AU OZ/TON	CU PPM
SR-111-84-SOIL	<2	--	24.0
SR-112-84-SOIL	<2	--	10.0
SR-113-84-SOIL	<2	--	29.0
SR-114-84-SOIL	12	--	66.0
SR-115-84-SOIL	20	--	11.0
SR-116-84-SOIL	<2	--	16.0
SR-117-84-SOIL	13	--	100.
SR-118-84-SOIL	<2	--	47.0
SR-119-84-SOIL	<2	--	10.0
SR-120-84-SOIL	33	--	17.0
SR-124-84-SOIL	6	--	27.0
SR-125-84-SOIL	10	--	35.0
SR-127-84-SOIL	3	--	10.0
SR-128-84-SOIL	16	--	83.0
SR-129-84-SOIL	5	--	68.0
SR-130-84-SOIL	29	--	120.
SR-131-84-SOIL	6	--	84.0
SR-132-84-SOIL	9	--	11.0
SR-133-84-SOIL	<2	--	15.0
SR-134-84-SOIL	38	--	64.0
SR-135-84-SOIL	53	--	36.0
SR-136-84-SOIL	25	--	130.
SR-137-84-SOIL	20	--	91.0
SR-138-84-SOIL	11	--	86.0
SR-139-84-SOIL	<2	--	44.0
SR-140-84-SOIL	<2	--	14.0
SR-141-84-SOIL	<2	--	14.0
SR-251-84-SOIL	25	--	16.0
SR-252-84-SOIL	23	--	120.
SR-253-84-SOIL	11	--	10.0
SR-254-84-SOIL	16	--	120.
SR-255-84-SOIL	23	--	13.0
SR-256-84-SOIL	32	--	18.0
SR-257-84-SOIL	4	--	39.0
SR-258-84-SOIL	2200	--	210.
SR-259-84-SOIL	6300	--	340.
SR-260-84-SOIL	200	--	130.
SR-261-84-SOIL	20	--	74.0
SR-262-84-SOIL	39	--	76.0
SR-263-84-SOIL	57	--	70.0
SR-264-84-SOIL	66	--	55.0
SR-265-84-SOIL	<2	--	35.0
SR-266-84-SOIL	<2	--	63.0
SR-267-84-SOIL	<2	--	18.0
SR-268-84-SOIL	3	--	19.0
SR-297-84-SOIL	>10000	--	270.
SR-298-84-SOIL	4	--	54.0
SR-299-84-SOIL	7	--	58.0
SR-300-84-SOIL	<2	--	21.0
SR-301-84-SOIL	<2	--	37.0

SAMPLE	AU PPB	AU OZ/TON	CU PPM
SR-302-84-SOIL	<2	--	20.0
SR-303-84-SOIL	16	--	200.
SR-304-84-SOIL	<2	--	46.0
SR-305-84-SOIL	<2	--	22.0
SR-322-84-SOIL	<2	--	41.0
SR-323-84-SOIL	<2	--	72.0
SR-326-84-SOIL	11	--	76.0
SR-328-84-SOIL	<2	--	38.0
SR-329-84-SOIL	3	--	190.
SR-331-84-SOIL	20	--	12.0
SR-332-84-SOIL	7	--	23.0
SR-333-84-SOIL	2	--	44.0
SR-334-84-SOIL	670	--	300.
SR-335-84-SOIL	<2	--	11.0
SR-336-84-SOIL	11	--	17.0
SR-337-84-SOIL	28	--	110.
SR-338-84-SOIL	2	--	110.
SR-339-84-SOIL	<2	--	48.0
SR-340-84-SOIL	<2	--	19.0
SR-341-84-SOIL	<2	--	11.0
SR-342-84-SOIL	<2	--	7.0
SR-343-84-SOIL	72	--	130.
SR-344-84-SOIL	35	--	29.0
SR-345-84-SOIL	53	--	55.0
SR-346-84-SOIL	3	--	13.0
SR-347-84-SOIL	10	--	15.0
SR-348-84-SOIL	21	--	23.0
SR-349-84-SOIL	240	--	75.0
SR-350-84-SOIL	110	--	74.0
SR-351-84-SOIL	16	--	58.0
SR-352-84-SOIL	73	--	100.
SR-353-84-SOIL	21	--	500.
SR-354-84-SOIL	49	--	320.
SR-360-84-SOIL	2	--	37.0
SR-363-84-SOIL	23	--	18.0
SR-364-84-SOIL	<2	--	34.0
SR-365-84-SOIL	46	--	190.
SR-366-84-SOIL	3	--	67.0
SR-367-84-SOIL	5	--	32.0

SAMPLE	ZN PPM	AS PPM	PB PPM
NR-128-84-ROCK	8.0	11.0	20
NR-129-84-ROCK	--	--	--
NR-130-84-ROCK	14.0	2.3	8
NR-131-84-ROCK	100.	2.5	8
NR-132-84-ROCK	7.0	0.8	18
NR-134-84-ROCK	140.	130.	10
NR-137-84-ROCK	120.	1.6	14
NR-133-84-ROCK	92.0	0.7	12
NR-139-84-ROCK	110.	0.8	10
NR-140-84-ROCK	150.	38.0	20
NR-141-84-ROCK	75.0	4.4	8
NR-142-84-ROCK	110.	7.4	20
NR-143-84-ROCK	29.0	19.0	14
NR-144-84-ROCK	140.	0.8	14
SR-1-84-SOIL	52.0	2.4	10
SR-2-84-SOIL	56.0	2.6	10
SR-3-84-SOIL	69.0	0.9	12
SR-4-84-SOIL	49.0	5.6	10
SR-5-84-SOIL	55.0	1.7	12
SR-6-84-SOIL	47.0	1.6	14
SR-7-84-SOIL	49.0	3.0	26
SR-8-84-SOIL	49.0	2.4	8
SR-9-84-SOIL	160.	11.0	20
SR-10-84-SOIL	170.	15.0	14
SR-11-84-SOIL	170.	11.0	22
SR-12-84-SOIL	140.	10.0	24
SR-13-84-SOIL	240.	12.0	70
SR-14-84-SOIL	290.	12.0	76
SR-15-84-SOIL	50.0	0.7	38
SR-16-84-SOIL	92.0	5.6	18
SR-17-84-SOIL	100.	3.2	20
SR-18-84-SOIL	230.	18.0	74
SR-19-84-SOIL	130.	5.2	20
SR-20-84-SOIL	96.0	5.2	34
SR-21-84-SOIL	25.0	0.8	54
SR-22-84-SOIL	400.	64.0	70
SR-31-84-SOIL	76.0	4.4	14
SR-32-84-SOIL	53.0	1.2	18
SR-33-84-SOIL	39.0	1.9	38
SR-34-84-SOIL	54.0	3.6	12
SR-35-84-SOIL	66.0	3.2	14
SR-36-84-SOIL	61.0	3.6	12
SR-37-84-SOIL	68.0	3.0	12
SR-38-84-SOIL	67.0	3.0	14
SR-39-84-SOIL	240.	14.0	18
SR-40-84-SOIL	320.	140.	110
SR-41-84-SOIL	110.	12.0	16
SR-42-84-SOIL	110.	5.2	26
SR-43-84-SOIL	120.	9.8	22
SR-44-84-SOIL	76.0	5.2	14

SAMPLE	ZN PPM	AS PPM	PB PPM
SR-45-84-SOIL	180.	10.0	40
SR-49-84-SOIL	33.0	7.6	18
SR-52-84-SOIL	270.	19.0	26
SR-54-84-SOIL	360.	40.0	50
SR-59-84-SOIL	1500.	18.0	36
SR-61-84-SOIL	59.0	4.4	12
SR-62-84-SOIL	39.0	4.0	10
SR-63-84-SOIL	190.	13.0	14
SR-64-84-SOIL	93.0	7.6	10
SR-65-84-SOIL	54.0	4.2	10
SR-66-84-SOIL	47.0	4.2	10
SR-67-84-SOIL	39.0	2.2	10
SR-68-84-SOIL	56.0	4.0	12
SR-69-84-SOIL	49.0	4.0	14
SR-70-84-SOIL	75.0	2.0	26
SR-71-84-SOIL	54.0	4.0	10
SR-72-84-SOIL	59.0	3.4	12
SR-73-84-SOIL	52.0	8.8	12
SR-74-84-SOIL	30.0	3.4	10
SR-75-84-SOIL	130.	10.0	18
SR-76-84-SOIL	69.0	6.8	16
SR-77-84-SOIL	130.	8.8	24
SR-78-84-SOIL	140.	15.0	32
SR-79-84-SOIL	270.	52.0	34
SR-80-84-SOIL	920.	150.	60
SR-81-84-SOIL	150.	32.0	14
SR-82-84-SOIL	280.	30.0	110
SR-83-84-SOIL	130.	16.0	32
SR-84-84-SOIL	72.0	6.0	14
SR-85-84-SOIL	53.0	7.6	12
SR-86-84-SOIL	47.0	2.3	14
SR-87-84-SOIL	270.	17.0	28
SR-88-84-SOIL	270.	34.0	30
SR-89-84-SOIL	950.	82.0	130
SR-90-84-SOIL	730.	26.0	110
SR-91-84-SOIL	200.	5.2	26
SR-93-84-SOIL	260.	14.0	50
SR-98-84-SOIL	53.0	2.4	12
SR-99-84-SOIL	33.0	1.6	14
SR-100-84-SOIL	29.0	12.0	8
SR-101-84-SOIL	56.0	2.3	10
SR-102-84-SOIL	55.0	4.0	12
SR-103-84-SOIL	61.0	4.4	10
SR-104-84-SOIL	36.0	2.2	10
SR-105-84-SOIL	73.0	9.6	20
SR-106-84-SOIL	30.0	20.0	16
SR-107-84-SOIL	73.0	10.0	32
SR-108-84-SOIL	85.0	6.0	20
SR-109-84-SOIL	130.	33.0	32
SR-110-84-SOIL	95.0	7.6	14

SAMPLE	ZN PPM	AS PPM	PB PPM
SR-111-84-SOIL	71.0	4.4	14
SR-112-84-SOIL	35.0	42.0	12
SR-113-84-SOIL	34.0	19.0	24
SR-114-84-SOIL	160.	24.0	82
SR-115-84-SOIL	51.0	1.7	10
SR-116-84-SOIL	78.0	3.2	14
SR-117-84-SOIL	98.0	23.0	22
SR-118-84-SOIL	84.0	6.0	24
SR-119-84-SOIL	52.0	1.6	12
SR-120-84-SOIL	31.0	3.2	36
SR-124-84-SOIL	75.0	2.6	12
SR-125-84-SOIL	79.0	1.3	32
SR-127-84-SOIL	56.0	4.8	22
SR-128-84-SOIL	160.	9.6	26
SR-129-84-SOIL	180.	8.0	20
SR-130-84-SOIL	350.	20.0	44
SR-131-84-SOIL	130.	16.0	14
SR-132-84-SOIL	63.0	1.3	12
SR-133-84-SOIL	41.0	2.3	8
SR-134-84-SOIL	190.	14.0	20
SR-135-84-SOIL	51.0	5.2	26
SR-136-84-SOIL	450.	23.0	52
SR-137-84-SOIL	200.	10.0	22
SR-138-84-SOIL	110.	4.0	24
SR-139-84-SOIL	120.	4.4	16
SR-140-84-SOIL	150.	1.6	18
SR-141-84-SOIL	41.0	1.2	16
SR-251-84-SOIL	62.0	4.0	18
SR-252-84-SOIL	500.	17.0	48
SR-253-84-SOIL	270.	1.7	12
SR-254-84-SOIL	910.	30.0	60
SR-255-84-SOIL	47.0	22.0	14
SR-256-84-SOIL	49.0	2.4	10
SR-257-84-SOIL	79.0	5.2	16
SR-258-84-SOIL	43.0	6.0	38
SR-259-84-SOIL	64.0	4.0	40
SR-260-84-SOIL	130.	10.0	18
SR-261-84-SOIL	210.	6.8	34
SR-262-84-SOIL	360.	6.4	180
SR-263-84-SOIL	600.	6.8	40
SR-264-84-SOIL	230.	12.0	28
SR-265-84-SOIL	71.0	4.0	10
SR-266-84-SOIL	96.0	5.2	12
SR-267-84-SOIL	45.0	3.2	10
SR-268-84-SOIL	49.0	4.0	10
SR-297-84-SOIL	130.	9.8	550
SR-298-84-SOIL	76.0	10.0	24
SR-299-84-SOIL	38.0	4.4	8
SR-300-84-SOIL	21.0	1.7	10
SR-301-84-SOIL	73.0	1.2	10

SAMPLE	ZN PPM	AS PPM	PB PPM
SR-302-84-SOIL	65.0	4.0	12
SR-303-84-SOIL	160.	1.9	20
SR-304-84-SOIL	38.0	2.0	10
SR-305-84-SOIL	19.0	1.9	10
SR-322-84-SOIL	75.0	6.8	16
SR-323-84-SOIL	260.	9.6	24
SR-326-84-SOIL	140.	28.0	30
SR-328-84-SOIL	230.	10.0	36
SR-329-84-SOIL	660.	40.0	210
SR-331-84-SOIL	42.0	2.3	10
SR-332-84-SOIL	53.0	3.2	8
SR-333-84-SOIL	110.	9.6	120
SR-334-84-SOIL	91.0	3.4	28
SR-335-84-SOIL	82.0	3.2	48
SR-336-84-SOIL	47.0	2.3	8
SR-337-84-SOIL	150.	14.0	28
SR-338-84-SOIL	150.	11.0	26
SR-339-84-SOIL	79.0	3.2	14
SR-340-84-SOIL	73.0	6.8	28
SR-341-84-SOIL	96.0	2.0	20
SR-342-84-SOIL	54.0	1.7	42
SR-343-84-SOIL	86.0	17.0	14
SR-344-84-SOIL	62.0	2.6	14
SR-345-84-SOIL	36.0	1.9	12
SR-346-84-SOIL	150.	1.3	12
SR-347-84-SOIL	130.	0.9	14
SR-348-84-SOIL	65.0	3.2	14
SR-349-84-SOIL	110.	13.0	12
SR-350-84-SOIL	110.	14.0	20
SR-351-84-SOIL	110.	4.4	12
SR-352-84-SOIL	130.	7.6	16
SR-353-84-SOIL	240.	160.	14
SR-354-84-SOIL	170.	130.	12
SR-360-84-SOIL	31.0	5.2	14
SR-363-84-SOIL	46.0	2.0	12
SR-364-84-SOIL	59.0	4.4	12
SR-365-84-SOIL	150.	16.0	26
SR-366-84-SOIL	290.	15.0	38
SR-367-84-SOIL	110.	4.4	8

A

X-RAY ASSAY LABORATORIES LIMITED
1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4
PHONE 416-445-5755 TELEX 06-985947

13 AUG. 1984

CERTIFICATE OF ANALYSIS

TO: FOLLODAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 29
DATE SUBMITTED
24-JUL-84

REPORT 21862

REF. FILE 17545-L2

97 SOIL PROJ. 330.270 - *Narvik.*
WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PPB	FADCP	2.000
CU PPM	DCP	0.500
ZN PPM	DCP	0.500
AS PPM	FAA	0.100
PB PPM	DCP	2.000

X-RAY ASSAY LABORATORIES LIMITED

CERTIFIED BY *[Signature]*

DATE 08-AUG-84

*** UNLESS INSTRUCTED OTHERWISE WE WILL DISCARD PULPS 180 DAYS ***
AND REJECTS 90 DAYS FROM DATE OF THIS REPORT

NOTE
↓

SAMPLE	AU PPB	CU PPM	ZN PPM	AS PPM	PB PPM
SR-23-84	9	39.0	230.	13.0	72
SR-24-84	9	14.0	110.	5.6	26
SR-25-84	32	22.0	67.0	4.0	10
SR-26-84	11	110.	230.	25.0	36
SR-27-84	<2	74.0	120.	6.4	18
SR-28-84	<2	65.0	160.	2.8	14
SR-29-84	41	7.0	48.0	13.0	32
SR-30-84	<2	23.0	76.0	1.2	8
SR-46-84	18	130.	620.	160.	76
SR-47-84	25	120.	290.	40.0	46
SR-48-84	5	180.	270.	40.0	150
SR-50-84	<2	43.0	76.0	4.8	14
SR-51-84	29	110.	110.	24.0	26
SR-53-84	7	100.	240.	48.0	42
SR-55-84	11	150.	550.	13.0	70
SR-56-84	<2	110.	91.0	1.6	28
SR-57-84	<2	46.0	190.	4.8	26
SR-58-84	<2	31.0	130.	5.6	28
SR-60-84	<2	22.0	67.0	4.0	12
SR-72-84	<2	47.0	120.	8.0	20
SR-74-84	6	81.0	410.	8.4	38
SR-95-84	<2	34.0	160.	12.0	26
SR-96-84	<2	110.	68.0	6.4	16
SR-97-84	<2	42.0	66.0	4.0	10
SR-121-84	<2	28.0	56.0	2.8	12
SR-122-84	13	18.0	53.0	2.8	8
SR-123-84	2	17.0	31.0	1.4	8
SR-126-84	34	110.	29.0	11.0	12
SR-128-84	9	68.0	120.	8.0	24
SR-142-84	NSS	29.0	120.	1.9	14
SR-143-84	26	100.	140.	8.0	32
SR-144-84	8	26.0	46.0	3.2	12
SR-145-84	29	56.0	120.	22.0	14
SR-146-84	<2	23.0	47.0	5.6	12
SR-147-84	<2	64.0	120.	9.6	18
SR-148-84	2	52.0	630.	9.8	64
SR-149-84	3	65.0	98.0	12.0	20
SR-150-84	<2	10.0	120.	13.0	12
SR-151-84	3	31.0	74.0	4.8	12
SR-152-84	<2	120.	52.0	4.8	12
SR-153-84	<2	30.0	60.0	3.2	12
SR-154-84	8	40.0	76.0	4.0	18
SR-269-84	4	39.0	71.0	5.6	12
SR-270-84	<2	42.0	110.	2.0	12
SR-271-84	<2	12.0	52.0	1.7	12
SR-272-84	<2	18.0	55.0	7.2	28
SR-273-84	9	61.0	100.	68.0	16
SR-274-84	<2	29.0	82.0	1.8	14
SR-275-84	<2	25.0	66.0	1.6	22
SR-276-84	12	63.0	190.	21.0	24

NSS - NOT SUFFICIENT SAMPLE

SAMPLE	AU PPB	CU PPM	ZN PPM	AS PPM	PB PPM
SR-277-84	12	75.0	240.	26.0	14
SR-278-84	15	100.	100.	13.0	34
SR-279-84	13	97.0	150.	11.0	24
SR-280-84	7	310.	170.	6.4	26
SR-281-84	4	86.0	110.	4.8	22
SR-282-84	11	34.0	430.	60.0	670
SR-283-84	4	87.0	110.	2.8	16
SR-284-84	13	65.0	93.0	4.8	30
SR-285-84	4	87.0	130.	3.8	34
SR-286-84	33	320.	330.	43.0	130
SR-287-84	8	51.0	290.	96.0	50
SR-288-84	6	150.	260.	32.0	310
SR-289-84	37	180.	300.	17.0	84
SR-290-84	3	69.0	230.	3.2	16
SR-291-84	49	90.0	200.	14.0	28
SR-292-84	12	100.	220.	13.0	38
SR-293-84	<2	69.0	160.	4.0	13
SR-294-84	<2	95.0	200.	6.4	12
SR-295-84	4	59.0	170.	24.0	44
SR-296-84	2	81.0	340.	13.0	52
SR-306-84	<2	23.0	31.0	5.6	12
SR-307-84	26	49.0	60.0	15.0	16
SR-308-84	19	9.5	40.0	1.5	10
SR-309-84	5	18.0	55.0	4.8	16
SR-310-84	<2	10.0	43.0	4.0	13
SR-311-84	4	16.0	61.0	4.8	22
SR-312-84	<2	69.0	170.	3.2	18
SR-313-84	<2	68.0	65.0	3.0	14
SR-314-84	<2	43.0	90.0	12.0	16
SR-315-84	<2	68.0	89.0	5.6	12
SR-316-84	<2	24.0	74.0	4.8	12
SR-317-84	6	35.0	95.0	5.6	18
SR-318-84	<2	66.0	110.	3.4	20
SR-319-84	3	37.0	88.0	13.0	30
SR-320-84	<2	21.0	57.0	4.8	12
SR-321-84	<2	20.0	34.0	2.0	10
SR-324-84	<2	60.0	180.	13.0	34
SR-325-84	<2	110.	350.	26.0	110
SR-327-84	<2	39.0	91.0	5.6	24
SR-330-84	3	37.0	160.	5.6	26
SR-355-84	10	140.	140.	40.0	12
SR-356-84	24	210.	190.	92.0	18
SR-357-84	6	130.	120.	43.0	18
SR-358-84	5	74.0	92.0	16.0	16
SR-359-84	4	120.	340.	32.0	28
SR-361-84	5	10.0	28.0	2.8	10
SR-362-84	<2	21.0	42.0	32.0	12

X-RAY ASSAY LABORATORIES LIMITED

13 AUG. 1984

1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4

PHONE 416-445-5755

TELEX 06-986947

CERTIFICATE OF ANALYSIS

TO: FOLLODAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 2

DATE SUBMITTED
24-JUL-84

REPORT 21862

REF. FILE 17545-L2

97 SOIL PROJ. 330.270

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PPB	FADCP	2.000
CU PPM	DCP	0.500
ZN PPM	DCP	0.500
AS PPM	FAA	0.100
PB PPM	DCP	2.000

X-RAY ASSAY LABORATORIES LIMITED

CERTIFIED BY 

DATE 08-AUG-84

*** UNLESS INSTRUCTED OTHERWISE WE WILL DISCARD PULPS 180 DAYS ***
AND REJECTS 90 DAYS FROM DATE OF THIS REPORT

SAMPLE	AU PPB	CU PPM	ZN PPM	AS PPM	PB PPM
SR-23-84	9	39.0	Zn 230.	18.0	72
SR-24-84	9	14.0	110.	5.6	26
SR-25-84	32	22.0	67.0	4.0	10
SR-26-84	11	110.	230.	25.0	36
SR-27-84	<2	74.0	120.	6.4	18
SR-28-84	<2	65.0	160.	2.8	14
SR-29-84	41	7.0	48.0	13.0	32
SR-30-84	<2	23.0	76.0	1.2	8
SR-46-84	18	130.	Zn 620.	160.	76
SR-47-84	25	120.	Zn 290.	40.0	46
SR-48-84	5	180.	Zn 270.	40.0	PB 150
SR-50-84	<2	43.0	76.0	4.8	14
SR-51-84	29	110.	110.	24.0	26
SR-53-84	7	100.	Zn 240.	48.0	42
SR-55-84	11	150.	Zn 550.	13.0	70
SR-56-84	<2	110.	91.0	1.6	28
SR-57-84	<2	46.0	190.	4.8	26
SR-58-84	<2	31.0	130.	5.6	28
SR-60-84	<2	22.0	67.0	4.0	12
SR-92-84	<2	47.0	120.	8.0	20
SR-94-84	6	81.0	Zn 410.	8.4	38
SR-95-84	<2	34.0	160.	12.0	26
SR-96-84	<2	110.	68.0	6.4	16
SR-97-84	<2	42.0	66.0	4.0	10
SR-121-84	<2	28.0	56.0	2.8	12
SR-122-84	13	18.0	53.0	2.8	8
SR-123-84	2	17.0	31.0	1.4	8
SR-126-84	34	110.	29.0	11.0	12
SR-128-84	9	68.0	120.	8.0	24
SR-142-84	NSS	29.0	120.	1.9	14
SR-143-84	26	100.	140.	8.0	32
SR-144-84	8	26.0	46.0	3.2	12
SR-145-84	29	56.0	120.	22.0	14
SR-146-84	<2	23.0	47.0	5.6	12
SR-147-84	<2	64.0	120.	9.6	18
SR-148-84	2	52.0	Zn 680.	9.8	64
SR-149-84	3	65.0	98.0	12.0	20
SR-150-84	<2	10.0	120.	13.0	12
SR-151-84	3	31.0	74.0	4.8	12
SR-152-84	<2	120.	52.0	4.8	12
SR-153-84	<2	30.0	60.0	3.2	12
SR-154-84	8	40.0	76.0	4.0	18
SR-269-84	4	39.0	71.0	5.6	12
SR-270-84	<2	42.0	110.	2.0	12
SR-271-84	<2	12.0	52.0	1.7	12
SR-272-84	<2	18.0	55.0	7.2	28
SR-273-84	9	61.0	100.	88.0	16
SR-274-84	<2	29.0	82.0	1.8	14
SR-275-84	<2	25.0	66.0	1.6	22
SR-276-84	12	63.0	190.	21.0	24

NSS - NOT SUFFICIENT SAMPLE

SAMPLE	AU PPB	CU PPM	ZN PPM	AS PPM	PB PPM
SR-277-84	12	75.0	Zn 240.	26.0	14
SR-278-84	16	100.	100.	13.0	34
SR-279-84	13	97.0	150.	11.0	24
SR-280-84	7	Cu 310.	170.	6.4	26
SR-281-84	4	86.0	110.	4.8	22
SR-282-84	11	34.0	Zn 430.	60.0	PB 670
SR-283-84	4	87.0	110.	2.8	16
SR-284-84	13	65.0	93.0	4.8	30
SR-285-84	4	87.0	130.	8.8	34
SR-286-84	33	Cu 320.	Zn 330.	48.0	PB 130
SR-287-84	8	51.0	Zn 290.	96.0	50
SR-288-84	6	150.	Zn 260.	32.0	PB 310
SR-289-84	37	180.	Zn 300.	17.0	84
SR-290-84	3	69.0	Zn 230.	3.2	16
SR-291-84	Au 49	90.0	Zn 200.	14.0	28
SR-292-84	12	100.	Zn 220.	13.0	38
SR-293-84	<2	69.0	160.	4.0	18
SR-294-84	<2	95.0	Zn 200.	6.4	12
SR-295-84	4	59.0	170.	24.0	44
SR-296-84	2	81.0	Zn 340.	13.0	52
SR-306-84	<2	23.0	31.0	5.6	12
SR-307-84	26	49.0	60.0	15.0	16
SR-308-84	19	9.5	40.0	1.5	10
SR-309-84	5	18.0	55.0	4.8	16
SR-310-84	<2	10.0	43.0	4.0	18
SR-311-84	4	16.0	61.0	4.8	22
SR-312-84	<2	69.0	170.	3.2	18
SR-313-84	<2	68.0	65.0	8.0	14
SR-314-84	<2	43.0	90.0	12.0	16
SR-315-84	<2	68.0	89.0	5.6	12
SR-316-84	<2	24.0	74.0	4.8	12
SR-317-84	8	35.0	95.0	5.6	18
SR-318-84	<2	66.0	110.	8.4	20
SR-319-84	3	37.0	88.0	13.0	30
SR-320-84	<2	21.0	57.0	4.8	12
SR-321-84	<2	20.0	34.0	2.0	10
SR-324-84	<2	60.0	180.	13.0	34
SR-325-84	<2	110.	Zn 350.	26.0	PB 110
SR-327-84	<2	39.0	91.0	5.6	24
SR-330-84	3	37.0	160.	5.6	26
SR-355-84	10	140.	140.	40.0	12
SR-356-84	24	Cu 210.	190.	92.0	18
SR-357-84	6	130.	120.	48.0	18
SR-358-84	5	74.0	92.0	16.0	16
SR-359-84	4	120.	Zn 340.	32.0	28
SR-361-84	5	10.0	28.0	2.8	10
SR-362-84	<2	21.0	42.0	32.0	12

hawk

X-RAY ASSAY LABORATORIES LIMITED
1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4
PHONE 416-445-5755 TELEX 06-986947

4 SEPT. 1984

CERTIFICATE OF ANALYSIS

TO: FOLLDAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 295

DATE SUBMITTED
1-AUG-84

REPORT 22100

REF. FILE 17635-M3

4 C.ROCKS, 8 SOIL PROJ. 330.270

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PPB	FADCP	2.000
CU PPM	DCP	0.500
ZN PPM	DCP	0.500
AS PPM	FAA	0.100
PB PPM	DCP	2.000

DATE 28-AUG-84

X-RAY ASSAY LABORATORIES LIMITED

CERTIFIED BY *[Signature]*

NOTE: SAMPLES SR-154-84-SOIL,
SR-155-84-SOIL, SR-156-84-SOIL
NOT SUFFICIENT TO PROPERLY
QUANTIFY AU.

SAMPLE	AU PPB	CU PPM	ZN PPM	AS PPM	PB PPM
NR-133-84-ROCK	3	150.	86.0	0.2	8
NR-136-84-ROCK	2	70.0	53.0	1.2	12
NR-145-84-ROCK	<2	210.	72.0	1.6	10
NR-146-84-ROCK	4	130.	16.0	0.6	8

SAMPLE	AU PPB	CU PPM	ZN PPM	AS PPM	PB PPM
SR-154-84-SOIL	<60	170.	220.	220.	18
SR-155-84-SOIL	<40	72.0	150.	220.	18
SR-156-84-SOIL	<100	120.	110.	32.0	16
SR-157-84-SOIL	8	140.	80.0	14.0	30
SR-158-84-SOIL	6	120.	290.	19.0	22
SR-159-84-SOIL	13	85.0	81.0	62.0	20
SR-160-84-SOIL	3	63.0	110.	14.0	38
SR-161-84-SOIL	4	50.0	61.0	5.6	18

X-RAY ASSAY LABORATORIES LIMITED
1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4
PHONE 416-445-5755 TELEX 06-986947

082-51123

CERTIFICATE OF ANALYSIS

TO: FOLLOAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 295

DATE SUBMITTED
19-JUL-84

REPORT 21866

REF. FILE 17482-F3


14 C.ROCKS.175 SOIL PROJ. 330.270

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PPB	FADCP	2.000
AU OZ/TON	FA	0.001
CU PPM	DCP	0.500
ZN PPM	DCP	0.500
AS PPM	FAA	0.100
PB PPM	DCP	2.000

X-RAY ASSAY LABORATORIES LIMITED

DATE 08-AUG-84

CERTIFIED BY 

SAMPLE	AU PPB	AU OZ/TON	CU PPM
NR-128-84-ROCK	460	--	90.0
NR-129-84-ROCK	--	0.580	--
NR-130-84-ROCK	110	--	62.0
NR-131-84-ROCK	15	--	220.
NR-132-84-ROCK	300	--	41.0
NR-134-84-ROCK	7	--	140.
NR-137-84-ROCK	5	--	140.
NR-138-84-ROCK	<2	--	110.
NR-139-84-ROCK	5	--	30.0
NR-140-84-ROCK	22	--	570.
NR-141-84-ROCK	<2	--	150.
NR-142-84-ROCK	1400	--	2400.
NR-143-84-ROCK	110	--	17.0
NR-144-84-ROCK	17	--	150.
SR-1-84-SOIL	17	--	30.0
SR-2-84-SOIL	<2	--	17.0
SR-3-84-SOIL	2	--	7.5
SR-4-84-SOIL	4	--	10.0
SR-5-84-SOIL	<2	--	10.0
SR-6-84-SOIL	3	--	5.5
SR-7-84-SOIL	7	--	14.0
SR-8-84-SOIL	<2	--	16.0
SR-9-84-SOIL	10	--	67.0
SR-10-84-SOIL	6	--	110.
SR-11-84-SOIL	21	--	110.
SR-12-84-SOIL	11	--	91.0
SR-13-84-SOIL	120	--	140.
SR-14-84-SOIL	59	--	280.
SR-15-84-SOIL	<2	--	20.0
SR-16-84-SOIL	4	--	68.0
SR-17-84-SOIL	4	--	91.0
SR-18-84-SOIL	11	--	200.
SR-19-84-SOIL	18	--	57.0
SR-20-84-SOIL	33	--	170.
SR-21-84-SOIL	95	--	9.0
SR-22-84-SOIL	33	--	140.
SR-31-84-SOIL	<2	--	24.0
SR-32-84-SOIL	<2	--	13.0
SR-33-84-SOIL	<2	--	12.0
SR-34-84-SOIL	16	--	23.0
SR-35-84-SOIL	64	--	29.0
SR-36-84-SOIL	3	--	25.0
SR-37-84-SOIL	3	--	15.0
SR-38-84-SOIL	<2	--	28.0
SR-39-84-SOIL	20	--	85.0
SR-40-84-SOIL	39	--	520.
SR-41-84-SOIL	10	--	410.
SR-42-84-SOIL	130	--	46.0
SR-43-84-SOIL	17	--	300.
SR-44-84-SOIL	10	--	37.0

SAMPLE	AU PPB	AU OZ/TON	CU PPM
SR-45-84-SOIL	<2	--	97.0
SR-49-84-SOIL	<2	--	35.0
SR-52-84-SOIL	4	--	130.
SR-54-84-SOIL	3	--	160.
SR-59-84-SOIL	12	--	160.
SR-61-84-SOIL	5	--	23.0
SR-62-84-SOIL	2	--	14.0
SR-63-84-SOIL	170	--	160.
SR-64-84-SOIL	12	--	28.0
SR-65-84-SOIL	3	--	29.0
SR-66-84-SOIL	44	--	22.0
SR-67-84-SOIL	26	--	31.0
SR-68-84-SOIL	<2	--	32.0
SR-69-84-SOIL	12	--	27.0
SR-70-84-SOIL	2	--	53.0
SR-71-84-SOIL	<2	--	32.0
SR-72-84-SOIL	50	--	19.0
SR-73-84-SOIL	33	--	59.0
SR-74-84-SOIL	4	--	17.0
SR-75-84-SOIL	2	--	48.0
SR-76-84-SOIL	30	--	20.0
SR-77-84-SOIL	9	--	170.
SR-78-84-SOIL	3	--	59.0
SR-79-84-SOIL	200	--	610.
SR-80-84-SOIL	15	--	120.
SR-81-84-SOIL	25	--	68.0
SR-82-84-SOIL	110	--	210.
SR-83-84-SOIL	120	--	110.
SR-84-84-SOIL	2	--	30.0
SR-85-84-SOIL	<2	--	28.0
SR-86-84-SOIL	23	--	160.
SR-87-84-SOIL	62	--	84.0
SR-88-84-SOIL	<2	--	110.
SR-89-84-SOIL	13	--	290.
SR-90-84-SOIL	93	--	210.
SR-91-84-SOIL	5	--	140.
SR-93-84-SOIL	100	--	100.
SR-98-84-SOIL	6	--	18.0
SR-99-84-SOIL	49	--	23.0
SR-100-84-SOIL	59	--	72.0
SR-101-84-SOIL	<2	--	25.0
SR-102-84-SOIL	5	--	20.0
SR-103-84-SOIL	<2	--	34.0
SR-104-84-SOIL	14	--	46.0
SR-105-84-SOIL	25	--	87.0
SR-106-84-SOIL	<2	--	36.0
SR-107-84-SOIL	3	--	13.0
SR-108-84-SOIL	<2	--	34.0
SR-109-84-SOIL	15	--	70.0
SR-110-84-SOIL	<2	--	48.0

SAMPLE	AU PPB	AU OZ/TON	CU PPM
SR-302-84-SOIL	<2	--	20.0
SR-303-84-SOIL	15	--	200.
SR-304-84-SOIL	<2	--	46.0
SR-305-84-SOIL	<2	--	22.0
SR-322-84-SOIL	<2	--	41.0
SR-323-84-SOIL	<2	--	72.0
SR-326-84-SOIL	11	--	76.0
SR-328-84-SOIL	<2	--	38.0
SR-329-84-SOIL	3	--	190.
SR-331-84-SOIL	20	--	12.0
SR-332-84-SOIL	7	--	23.0
SR-333-84-SOIL	2	--	44.0
SR-334-84-SOIL	570	--	300.
SR-335-84-SOIL	<2	--	11.0
SR-336-84-SOIL	11	--	17.0
SR-337-84-SOIL	23	--	110.
SR-338-84-SOIL	2	--	110.
SR-339-84-SOIL	<2	--	48.0
SR-340-84-SOIL	<2	--	19.0
SR-341-84-SOIL	<2	--	11.0
SR-342-84-SOIL	<2	--	7.0
SR-343-84-SOIL	72	--	130.
SR-344-84-SOIL	35	--	29.0
SR-345-84-SOIL	50	--	55.0
SR-346-84-SOIL	3	--	13.0
SR-347-84-SOIL	10	--	15.0
SR-348-84-SOIL	21	--	23.0
SR-349-84-SOIL	240	--	75.0
SR-350-84-SOIL	110	--	74.0
SR-351-84-SOIL	15	--	58.0
SR-352-84-SOIL	78	--	100.
SR-353-84-SOIL	21	--	500.
SR-354-84-SOIL	49	--	320.
SR-360-84-SOIL	2	--	37.0
SR-363-84-SOIL	23	--	18.0
SR-364-84-SOIL	<2	--	34.0
SR-365-84-SOIL	45	--	190.
SR-366-84-SOIL	3	--	67.0
SR-367-84-SOIL	5	--	32.0

SAMPLE	ZN PPM	AS PPM	PD PPM
NR-128-84-ROCK	8.0	11.0	20
NR-129-84-ROCK	--	--	--
NR-130-84-ROCK	14.0	2.3	8
NR-131-84-ROCK	100.	2.5	8
NR-132-84-ROCK	7.0	0.3	18
NR-134-84-ROCK	140.	130.	10
NR-137-84-ROCK	120.	1.6	14
NR-138-84-ROCK	92.0	0.7	12
NR-139-84-ROCK	110.	0.8	10
NR-140-84-ROCK	150.	38.0	20
NR-141-84-ROCK	75.0	4.4	3
NR-142-84-ROCK	110.	7.4	20
NR-143-84-ROCK	23.0	19.0	14
NR-144-84-ROCK	140.	0.8	14
SR-1-84-SOIL	52.0	2.4	10
SR-2-84-SOIL	56.0	2.6	10
SR-3-84-SOIL	69.0	0.9	12
SR-4-84-SOIL	49.0	5.6	10
SR-5-84-SOIL	55.0	1.7	12
SR-6-84-SOIL	47.0	1.6	14
SR-7-84-SOIL	49.0	3.0	26
SR-8-84-SOIL	49.0	2.4	3
SR-9-84-SOIL	160.	11.0	20
SR-10-84-SOIL	170.	15.0	14
SR-11-84-SOIL	170.	11.0	22
SR-12-84-SOIL	140.	10.0	24
SR-13-84-SOIL	240.	12.0	70
SR-14-84-SOIL	290.	12.0	76
SR-15-84-SOIL	50.0	0.7	38
SR-16-84-SOIL	92.0	5.6	18
SR-17-84-SOIL	100.	3.2	20
SR-18-84-SOIL	230.	18.0	74
SR-19-84-SOIL	130.	5.2	20
SR-20-84-SOIL	96.0	5.2	34
SR-21-84-SOIL	25.0	0.8	54
SR-22-84-SOIL	400.	64.0	70
SR-31-84-SOIL	76.0	4.4	14
SR-32-84-SOIL	58.0	1.2	18
SR-33-84-SOIL	39.0	1.9	38
SR-34-84-SOIL	54.0	3.6	12
SR-35-84-SOIL	66.0	3.2	14
SR-36-84-SOIL	61.0	3.6	12
SR-37-84-SOIL	68.0	3.0	12
SR-38-84-SOIL	67.0	3.0	14
SR-39-84-SOIL	240.	14.0	18
SR-40-84-SOIL	320.	140.	110
SR-41-84-SOIL	110.	12.0	16
SR-42-84-SOIL	110.	5.2	26
SR-43-84-SOIL	120.	9.8	22
SR-44-84-SOIL	76.0	5.2	14

SAMPLE	ZN PPM	AS PPM	PB PPM
SR-45-84-SOIL	180.	10.0	40
SR-49-84-SOIL	38.0	7.6	18
SR-52-84-SOIL	270.	19.0	26
SR-54-84-SOIL	360.	40.0	50
SR-59-84-SOIL	1500.	18.0	86
SR-61-84-SOIL	59.0	4.4	12
SR-62-84-SOIL	39.0	4.0	10
SR-63-84-SOIL	190.	13.0	14
SR-64-84-SOIL	93.0	7.6	10
SR-65-84-SOIL	54.0	4.2	10
SR-66-84-SOIL	47.0	4.2	10
SR-67-84-SOIL	39.0	2.2	10
SR-68-84-SOIL	56.0	4.0	12
SR-69-84-SOIL	49.0	4.0	14
SR-70-84-SOIL	75.0	2.0	26
SR-71-84-SOIL	54.0	4.0	10
SR-72-84-SOIL	59.0	3.4	12
SR-73-84-SOIL	52.0	8.8	12
SR-74-84-SOIL	30.0	3.4	10
SR-75-84-SOIL	130.	10.0	18
SR-76-84-SOIL	69.0	6.8	16
SR-77-84-SOIL	130.	8.8	24
SR-78-84-SOIL	140.	15.0	32
SR-79-84-SOIL	270.	52.0	84
SR-80-84-SOIL	920.	150.	60
SR-81-84-SOIL	150.	32.0	14
SR-82-84-SOIL	230.	30.0	110
SR-83-84-SOIL	130.	16.0	32
SR-84-84-SOIL	72.0	6.0	14
SR-85-84-SOIL	59.0	7.6	12
SR-86-84-SOIL	47.0	2.8	14
SR-87-84-SOIL	270.	17.0	28
SR-88-84-SOIL	270.	34.0	30
SR-89-84-SOIL	950.	82.0	130
SR-90-84-SOIL	730.	26.0	110
SR-91-84-SOIL	200.	5.2	26
SR-93-84-SOIL	260.	14.0	50
SR-95-84-SOIL	58.0	2.4	12
SR-99-84-SOIL	33.0	1.6	14
SR-100-84-SOIL	29.0	12.0	8
SR-101-84-SOIL	55.0	2.3	10
SR-102-84-SOIL	55.0	4.0	12
SR-103-84-SOIL	61.0	4.4	10
SR-104-84-SOIL	36.0	2.2	10
SR-105-84-SOIL	73.0	9.6	20
SR-106-84-SOIL	80.0	20.0	16
SR-107-84-SOIL	78.0	10.0	32
SR-108-84-SOIL	65.0	6.0	20
SR-109-84-SOIL	131.	33.0	32
SR-110-84-SOIL	95.0	7.6	14

SAMPLE	2M PPM	AS PPM	PS PPM
SR-111-84-S01L	71.0	4.4	14
SR-112-84-S01L	35.0	42.0	12
SR-113-84-S01L	84.0	19.0	24
SR-114-84-S01L	160.	24.0	82
SR-115-84-S01L	51.0	1.7	10
SR-116-84-S01L	73.0	3.2	14
SR-117-84-S01L	93.0	23.0	22
SR-118-84-S01L	84.0	6.0	24
SR-119-84-S01L	53.0	1.6	12
SR-120-84-S01L	31.0	3.2	36
SR-124-84-S01L	75.0	2.6	12
SR-125-84-S01L	70.0	1.3	32
SR-127-84-S01L	56.0	4.8	22
SR-128-84-S01L	150.	9.6	26
SR-129-84-S01L	130.	8.0	20
SR-130-84-S01L	350.	20.0	44
SR-131-84-S01L	130.	16.0	14
SR-132-84-S01L	63.0	1.3	12
SR-133-84-S01L	41.0	2.3	8
SR-134-84-S01L	190.	14.0	20
SR-135-84-S01L	51.0	5.2	26
SR-136-84-S01L	450.	23.0	52
SR-137-84-S01L	200.	10.0	22
SR-138-84-S01L	110.	4.0	24
SR-139-84-S01L	120.	4.4	16
SR-140-84-S01L	150.	1.6	18
SR-141-84-S01L	41.0	1.2	16
SR-251-84-S01L	62.0	4.0	18
SR-252-84-S01L	500.	17.0	48
SR-253-84-S01L	270.	1.7	12
SR-254-84-S01L	910.	30.0	60
SR-255-84-S01L	47.0	22.0	14
SR-256-84-S01L	40.0	2.4	10
SR-257-84-S01L	79.0	5.2	16
SR-258-84-S01L	43.0	6.0	38
SR-259-84-S01L	64.0	4.0	40
SR-260-84-S01L	130.	10.0	18
SR-261-84-S01L	210.	6.8	34
SR-262-84-S01L	350.	6.4	180
SR-263-84-S01L	600.	6.6	40
SR-264-84-S01L	230.	12.0	28
SR-265-84-S01L	71.0	4.0	10
SR-266-84-S01L	96.0	5.2	12
SR-267-84-S01L	47.0	3.2	10
SR-268-84-S01L	42.0	4.0	10
SR-297-84-S01L	150.	9.6	550
SR-298-84-S01L	75.0	10.0	24
SR-299-84-S01L	38.0	4.4	3
SR-300-84-S01L	21.0	1.7	10
SR-301-84-S01L	73.0	1.2	10

SAMPLE	ZN PPM	AS PPM	PB PPM
SR-302-84-SOIL	65.0	4.0	12
SR-303-84-SOIL	160.	1.9	20
SR-304-84-SOIL	38.0	2.0	10
SR-305-84-SOIL	12.0	1.9	10
SR-322-84-SOIL	75.0	6.8	16
SR-323-84-SOIL	260.	9.6	24
SR-326-84-SOIL	140.	28.0	30
SR-328-84-SOIL	230.	10.0	36
SR-329-84-SOIL	600.	40.0	210
SR-331-84-SOIL	42.0	2.3	10
SR-332-84-SOIL	53.0	3.2	8
SR-333-84-SOIL	110.	9.6	120
SR-334-84-SOIL	91.0	3.4	28
SR-335-84-SOIL	82.0	3.2	48
SR-336-84-SOIL	47.0	2.3	8
SR-337-84-SOIL	150.	14.0	28
SR-338-84-SOIL	150.	11.0	26
SR-339-84-SOIL	79.0	3.2	14
SR-340-84-SOIL	78.0	6.8	28
SR-341-84-SOIL	96.0	2.0	20
SR-342-84-SOIL	54.0	1.7	42
SR-343-84-SOIL	86.0	17.0	14
SR-344-84-SOIL	62.0	2.6	14
SR-345-84-SOIL	36.0	1.9	12
SR-346-84-SOIL	150.	1.3	12
SR-347-84-SOIL	130.	0.9	14
SR-348-84-SOIL	65.0	3.2	14
SR-349-84-SOIL	110.	13.0	12
SR-350-84-SOIL	110.	14.0	20
SR-351-84-SOIL	110.	4.4	12
SR-352-84-SOIL	130.	7.6	16
SR-353-84-SOIL	240.	160.	14
SR-354-84-SOIL	170.	130.	12
SR-360-84-SOIL	81.0	5.2	14
SR-362-84-SOIL	46.0	2.0	12
SR-364-84-SOIL	69.0	4.4	12
SR-365-84-SOIL	150.	16.0	26
SR-366-84-SOIL	290.	15.0	38
SR-367-84-SOIL	110.	4.4	3

X-RAY ASSAY LABORATORIES LIMITED
1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4
PHONE 416-445-5755
TELEX 06-986947

CERTIFICATE OF ANALYSIS

TO: FOLLDAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 29

DATE SUBMITTED
6-SEP-84

REPORT 22455

REF. FILE 18070-W5

5 C. ROCKS PROJ. 330.270

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PPM	FADCP	2.000
CU PPM	DCP	0.500
ZN PPM	DCP	0.500
AS PPM	FAA	0.100
PB PPM	DCP	2.000

ATE 25-SEP-84

X-RAY ASSAY LABORATORIES LIMITED
CERTIFIED BY 

SAMPLE	AU PPB	CU PPM	ZN PPM	AS PPM	PB PPM
NR-147-84	40	550.	69.0	3.6	42
NR-148-84	360	>4000.	68.0	6.5	22
NR-149-84	390	>4000.	280.	3.6	18
NR-150-84	8	170.	69.0	0.2	10
NR-151-84	5	53.0	6.0	0.5	6

> - CONCENTRATION TOO HIGH FOR TREATMENT BY GEOCHEMICAL METHOD

X-RAY ASSAY LABORATORIES LIMITED
1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4
PHONE 416-445-5755 TELEX 06-986947

CERTIFICATE OF ANALYSIS

TO: FOLLDAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 295

DATE SUBMITTED
11-SEP-84

REPORT 22501



REF. FILE 18125-C2

7 C.ROCKS PROJ. 330.270

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PPB	FADCP	2.000
CU PPM	DCP	0.500
ZN PPM	DCP	0.500
AS PPM	FAA	0.100
PB PPM	DCP	2.000

DATE 28-SEP-84

X-RAY ASSAY LABORATORIES LIMITED
CERTIFIED BY 


SAMPLE	AU PPB	CU PPM	ZN PPM	AS PPM	PB PPM
TK-1-84	9	78.0	750.	38.0	490
TK-2-84	29	190.	400.	400.	120
TK-3-84	16	75.0	200.	330.	140
TK-4-84	13	200.	1200.	33.0	420
TK-5-84	15	240.	180.	6.2	110
TK-6-84	30	140.	1200.	540.	240
TK-7-84	12	57.0	94.0	6.4	30

Frank,

X-RAY ASSAY LABORATORIES LIMITED
1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4
PHONE 416-445-5755 TELEX C6-986947

CERTIFICATE OF ANALYSIS

TO: FOLLDAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 295

DATE SUBMITTED
4-OCT-84

REPORT 22757

REF. FILE 18355-N5

8 C.ROCKS PROJ. 330.270

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PPB	FADCP	2.000
CU PPM	DCP	0.500
ZN PPM	DCP	0.500
AG PPM	DCP	0.500
SN PPM	EMS	3.000
W PPM	NA	1.000
PB PPM	DCP	2.000

DATE 23-OCT-84

X-RAY ASSAY LABORATORIES LIMITED

CERTIFIED BY *[Signature]*

SAMPLE	AU PPB	CU PPM	ZN PPM	AG PPM
TH-8-84	12	870.	64.0	1.5
TH-9-84	4	>4000.	2000.	56.0
TH-10-84	21	>4000.	3900.	>80.
TH-11-84	120	>4000.	43.0	63.0
TH-12-84	320	>4000.	110.	>80.
TH-13-84	48	2100.	52.0	20.0
TH-14-84	410	>4000.	110.	>80.
TH-15-84	690	>4000.	48.0	>80.

↑
TH

SAMPLE	SN PPM	W PPM	PB PPM
TH-8-84	<3	4	12
TH-9-84	<3	7	150
TH-10-84	7	4	230
TH-11-84	20	1	20
TH-12-84	<3	<1	20
TH-13-84	17	1	22
TH-14-84	<3	2	40
TH-15-84	<3	2	36

↑
T/K

assay for Ag

X-RAY ASSAY LABORATORIES LIMITED

1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4

PHONE 416-445-5755

TELEX 06-986947

CERTIFICATE OF ANALYSIS

TO: FOLLDAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 29

DATE SUBMITTED
1-OCT-84

REPORT 22822

REF. FILE 18310-N5

35 C.ROCKS, 4 SOIL PROJ. 330.270

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PPB	FADCP	2.000
CU PPM	DCP	0.500
CU %	XRF	0.010
ZN PPM	DCP	0.500
ZN %	XRF	0.010
AS PPM	FAA	0.100
AS %	XRF	0.010
PB PPM	DCP	2.000
PB %	XRF	0.010

X-RAY ASSAY LABORATORIES LIMITED

DATE 29-OCT-84

CERTIFIED BY *[Signature]*

NOTE: FOR DUPLICATE DETERMINATIONS BY
DIFFERENT METHODS, VALUES APPEAR
IN ORDER OF LISTING ON HEADER
PAGE.

	SAMPLE	AS PPM	AS %	PB PPM	PB %
03 -	GAU-84-15-5350-5660	130.	--	22	--
	GAU-84-16-5640-5740	>1000.	0.30	10	--
	GAU-84-17-5740-5840	680.	--	10	--
	GAU-84-18-5840-5940	>1000.	0.97	12	--
	GAU-84-19-5940-6005	>1000.	0.96	16	--
	GAU-84-20-6005-6060	35.0	--	28	--
	GAU-84-20-6060-6160	>1000.	0.80	10	--
	GAU-84-21-6160-6260	>1000.	4.16	10	--
	GAU-84-22-6260-6360	>1000.	4.16	24	--
	GAU-84-23-6360-6460	>1000.	1.44	18	--
	GAU-84-24-6460-6560	>1000.	1.23	16	--
	GAU-84-25-6560-6660	82.0	--	200	--
	GAU-84-26-6660-6760	80.0	--	26	--
02 -	GAU-84-9-6700-6800	45.0	--	22	--
02 -	GAU-84-10-6800-6900	130.	--	18	--
01 -	GAU-84-1-6850-6950	>1000.	1.98	44	--
02 -	GAU-84-11-6900-7000	94.0	--	58	--
01 -	GAU-84-2-6950-7050	430.	--	22	--
02 -	GAU-84-12-7000-7100	42.0	--	18	--
01 -	GAU-84-3-7050-7150	350.	--	18	--
02 -	GAU-84-13-7100-7200	6.8	--	20	--
01 -	GAU-84-4-7150-7250	>1000.	0.25	40	--
01 -	GAU-84-5-7250-7350	>1000.	0.47	40	--
02 -	GAU-84-14-7300-7400	76.0	--	22	--
01 -	GAU-84-6-7350-7450	120.	--	26	--
01 -	GAU-84-7-7450-7550	520.	--	14	--
01 -	GAU-84-8-7550-7650	42.0	--	12	--
	NR-152-84	6.0	--	>4000	1.09
	NR-153-84	6.8	--	26	--
	NR-154-84	5.0	--	26	--
	NR-155-84	3.3	--	22	--
	NR-156-84	5.0	--	64	--
	NR-157-84	3.0	--	14	--
	NR-158-84	5.8	--	14	--
	NR-159-84	0.6	--	12	--

	SAMPLE	AU PPB	CU PPM	CU %	ZN PPM	ZN %
	GAU-84-15-5350-5650	34	190.	--	77.0	--
	GAU-84-16-5640-57-0	160	130.	--	120.	--
	GAU-84-17-5740-5840	330	110.	--	130.	--
	GAU-84-18-5840-5940	820	210.	--	96.0	--
	GAU-84-19-5940-6005	370	120.	--	120.	--
	GAU-84-20-6005-6050	40	650.	--	19.0	--
03	GAU-84-20-6060-6150	380	53.0	--	91.0	--
	GAU-84-21-6150-6250	2100	36.0	--	110.	--
	GAU-84-22-6260-6360	1800	110.	--	60.0	--
	GAU-84-23-6360-6460	1800	1500.	--	72.0	--
	GAU-84-24-6460-6560	1400	610.	--	120.	--
	GAU-84-25-6560-6660	2000	360.	--	>4000.	0.41
	GAU-84-26-6660-6760	82	87.0	--	2700.	--
02	- GAU-84-9-6700-6800	190	57.0	--	150.	--
02	- GAU-84-10-6800-6900	16	130.	--	160.	--
01	- GAU-84-1-6850-6950	1800	190.	--	57.0	--
02	- GAU-84-11-6900-7000	49	180.	--	150.	--
01	- GAU-84-2-6950-7050	220	250.	--	23.0	--
02	- GAU-84-12-7000-7100	21	810.	--	150.	--
01	- GAU-84-3-7050-7150	260	230.	--	29.0	--
02	- GAU-84-13-7100-7200	11	190.	--	150.	--
01	- GAU-84-4-7150-7250	320	180.	--	33.0	--
01	- GAU-84-5-7250-7350	330	140.	--	34.0	--
02	- GAU-84-14-7300-7600	6	120.	--	170.	--
01	- GAU-84-6-7350-7450	45	210.	--	33.0	--
01	- GAU-84-7-7450-7550	100	340.	--	75.0	--
01	- GAU-84-8-7550-7650	63	130.	--	49.0	--
	NR-152-84	55	3600.	--	2100.	--
	NR-153-84	160	1000.	--	10.0	--
	NR-154-84	25	630.	--	96.0	--
	NR-155-84	6	200.	--	99.0	--
	NR-156-84	61	>4000.	0.47	38.0	--
	NR-157-84	44	1200.	--	56.0	--
	NR-158-84	48	3400.	--	65.0	--
	NR-159-84	20	1800.	--	83.0	--

SAMPLE	AU PPB	CU PPM	ZN PPM	AS PPM	PB PPM
SR-370-84	80	680.	53.0	26.0	12
SR-371-84	170	480.	36.0	11.0	20
SR-372-84	50	470.	35.0	15.0	12
SR-373-84	20	440.	75.0	26.0	22

Fraugh.

X-RAY ASSAY LABORATORIES LIMITED
1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4
PHONE 416-445-5755 TELEX 06-986947

CERTIFICATE OF ANALYSIS

TO: FOLLDAL VERK A/S
ATTN: IVAR KILLI
2661 HJERKINN
NORWAY

CUSTOMER NO. 225

DATE SUBMITTED
24-OCT-84

REPORT 22912

REF. FILE 18544-A4

31 C.ROCKS PROJ. 330.270

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
AU PPB	FADCP	2.000
CU PPM	DCP	0.500
ZN PPM	DCP	0.500
AS PPM	FAA	0.100
AG PPM	DCP	0.500
PB PPM	DCP	2.000

DATE 07-NOV-84

X-RAY ASSAY LABORATORIES LIMITED
CERTIFIED BY *[Signature]*
per Manager

SAMPLE	AU PPB	CU PPM	ZN PPM
GAU-84-28	<2	25.0	62.0
GAU-84-29	<2	7.5	63.0
GAU-84-30	<2	31.0	38.0
GAU-84-31	15	33.0	54.0
GAU-84-32	<2	5.5	46.0
GAU-84-33	<2	6.5	54.0
GAU-84-34	<2	23.0	65.0
GAU-84-35	600	18.0	50.0
GAU-84-36	7	2.5	60.0
GAU-84-37	5	830.	110.
GAU-84-38	2	53.0	80.0
GAU-84-39	<2	43.0	75.0
GAU-84-40	<2	22.0	81.0
GAU-84-41	400	65.0	160.
GAU-84-42	55	110.	180.
GAU-84-43	280	88.0	10.0
GAU-84-44	310	180.	14.0
GAU-84-45	160	24.0	10.0
GAU-84-46	140	140.	16.0
GAU-84-47	370	400.	32.0
GAU-84-48	230	300.	15.0
GAU-84-49	120	170.	25.0
GAU-84-50	1500	280.	18.0
GAU-84-51	4700	650.	34.0
GAU-84-52	1000	350.	40.0
GAU-84-53	32	21.0	74.0
GAU-84-54	6	400.	110.
GAU-84-55	<2	11.0	110.
GAU-84-56	<2	25.0	130.
GAU-84-57	2	14.0	59.0
GAU-84-58	<2	24.0	140.

SAMPLE	AS PPM	AG PPM	PB PPM
GAU-84-28	18.0	1.0	20
GAU-84-29	4.0	1.0	34
GAU-84-30	2.2	0.5	8
GAU-84-31	6.6	0.5	8
GAU-84-32	7.4	<0.5	8
GAU-84-33	3.4	0.5	6
GAU-84-34	12.0	0.5	10
GAU-84-35	5.7	0.5	8
GAU-84-36	12.0	<0.5	6
GAU-84-37	5.3	2.5	12
GAU-84-38	4.5	1.0	16
GAU-84-39	4.2	1.0	16
GAU-84-40	2.2	1.0	14
GAU-84-41	3.1	1.0	12
GAU-84-42	1.7	1.0	12
GAU-84-43	13.0	1.5	48
GAU-84-44	9.8	1.5	28
GAU-84-45	9.1	1.0	20
GAU-84-46	12.0	1.0	26
GAU-84-47	16.0	2.0	40
GAU-84-48	15.0	1.0	32
GAU-84-49	15.0	1.0	32
GAU-84-50	28.0	1.5	36
GAU-84-51	27.0	2.0	60
GAU-84-52	5.9	1.5	32
GAU-84-53	13.0	0.5	14
GAU-84-54	35.0	1.5	12
GAU-84-55	2.4	1.0	10
GAU-84-56	7.6	1.0	10
GAU-84-57	14.0	1.0	22
GAU-84-58	24.0	1.0	10

Frank P

4

X-RAY ASSAY LABORATORIES LIMITED
1885 LESLIE STREET, DON MILLS, ONTARIO M3B 3J4
PHONE 416-445-5755 TELEX 06-986947

20 NOV. 1984

CERTIFICATE OF ANALYSIS

TO: FOLLDAL VERK A/S
ATTN: IVAR KILLI ←
2661 HJERKINN
NORWAY

CUSTOMER NO. 295

DATE SUBMITTED
1-NOV-84

REPORT 22972

REF. FILE 18620-PH

15 PULPS W.O#18125, W.O#18355

WERE ANALYSED AS FOLLOWS:

	METHOD	DETECTION LIMIT
CU %	XRF	0.010
AG OZ/TON	FA	0.100

DATE 12-NOV-84

X-RAY ASSAY LABORATORIES LIMITED
CERTIFIED BY

SAMPLE	CU %	AG OZ/TON
TH-8-84	0.09	TRACE
TH-9-84	1.16	4.56
TH-10-84	8.00	36.00
TH-11-84	0.69	1.94
TH-12-84	1.59	NSS
TH-13-84	0.20	0.53
TH-14-84	5.74	2.48
TH-15-84	11.2	32.50
TK-1-84	--	TRACE
TK-2-84	--	TRACE
TK-3-84	--	TRACE
TK-4-84	--	TRACE
TK-5-84	--	TRACE
TK-6-84	--	TRACE
TK-7-84	--	TRACE

NSS - NOT SUFFICIENT SAMPLE

ROMBACK PROJECT

Sample data sheets
rock sample

sample nr

GAUTELIS-areå: 1. Kjørsvann:	NR-1-83
	NR-2-83
	NR-3-83
	NR-4-83
	NR-5-83
	NR-6-83
	NR-7-83
2. Gautelisfjell:	NR-10-83
	NR-11-83
	NR-12-83
	NR-13-83
	NR-14-83
	NR-15-83
	NR-16-83
	NR-17-83
	NR-28-83
	NR-29-83
	NR-30-83
	NR-31-83
	NR-32-83
	NR-33-83
	NR-75-83
	NR-76-83
	NR-77-83
	NR-78-83
	NR-79-83
	NR-80-83
	NR-81-83
	NR-82-83
	NR-83-83
	NR-84-83
	NR-85-83
	NR-86-83
	NR-87-83

sample nr

2. Gautelisfjell: NR-88-83
NR-89-83
NR-90-83
NR-91-83
NR-92-83
NR-93-83
NR-94-83
NR-95-83
NR-96-83
NR-97-83
NR-98-83
NR-99-83
NR-100-83
NR-101-83
NR-102-83
NR-110-83
NR-111-83
NR-127-83
PN-1 to
PN-9
PO-1 to
PO-15
PO-21 to
PO-32
PS-1 to
PS-7
I
II
III
IV
V
SL-6 to
SL-14

3. Nuorjøjakka: NR-113-83
NR-114-83
NR-115-83
NR-116-83
NR-117-83

sample nr

3. Nuorjojakka: NR-118-83
NR-119-83
NR-120-83
NR-121-83
NR-122-83
NR-123-83
NR-124-83
NR-125-83
NR-126-83

4. Ireha fjelldal: NR-8-83
NR-9-83

CAINHVAGGE:

..... NR-19-83
NR-20-83
NR-21-83
NR-22-83
NR-23-83
NR-24-83
NR-25-83
NR-26-83
NR-112-83

CUNOJAVRI-area:

1. Aksu: NR-18-83
NR-71-83
NR-72-83
NR-73-83
NR-74-83


2. Vavrat: NR-34-83
NR-35-83
NR-36-83
NR-37-83
NR-47-83
NR-48-83
NR-49-83
NR-50-83
NR-51-83


sample nr

2. Vavrat: NR-52-83
NR-53-83
NR-54-83
NR-55-83
NR-56-83
NR-57-83
NR-58-83
NR-64-83
NR-65-83
NR-66-83
NR-67-83
NR-68-83
NR-69-83
NR-103-83
NR-104-83
NR-105-83
NR-106-83
NR-107-83
NR-108-83
NR-109-83
P1- 1-83
to
P1-10-83
P2- 1-83
to
P2- 9-83
P3- 1-83
to
P3- 5-83
P4- 1-83
to
P4-11-83
P6- 1-83
to
P6- 6-83
P10- 1-83
to
P10- 7-83


sample nr

3. Ruvstot:	NR-38-83
	NR-39-83
	NR-40-83
	NR-41-83
	NR-42-83
	NR-43-83
	NR-44-83
	NR-45-83
	NR-46-83
	NR-59-83
	NR-60-83
	NR-61-83
	NR-62-83
	NR-63-83
	NR-70-83
etc.	NR-27-83





NORGE – NORWAY 1:50 000




Sample Number	Date		X	West East	Y	South North	Photo Number	Map Number	Type	Charact.	Texture	Origin	Horizon	Color	pH	Eh	Width	Depth	Velocity	Slope	Rock Sample	Min. +	Bio. Species	Bio. from	Lab. ev.	Field ev.	X Cu ppm	X H.M. ppm			
	D	M		Line		Station																									
1	6	7	8	10			29	363738	41			44	46	48	50		54	56	58	59	62	63	64	65	66	68	69	71	74	77	80
MAIN SHOWING - GUTENISFELLE 613 400 / 7557 812 - Skjoldulen																															
Profile A: across main showing (shaft)																															
83-ROM-A-1 limestone, 3 m west of shaft																															
83-ROM-A-2 siltstone with sulfide impregnation																															
83-ROM-A-3 almost massive Aspy, at shaft																															
83-ROM-A-4 partly massive Aspy, partly with silicified siltstone																															
83-ROM-A-5 massive Aspy																															
83-ROM-A-6 silicified siltstone with impregnation of Aspy, 1m east main ore																															
83-ROM-A-7 siltstone with very little impregnation, 4 m east of main ore																															
83-ROM-A-8 siltstone without Aspy, 10m east main ore																															
83-ROM-A-9 rusty siltstone, 20m east of main ore																															
Profile B:																															
83-ROM-B-1 55m north of shaft																															
83-ROM-B-2 limestone																															
83-ROM-B-3 massive Aspy out of trench (no outcrop)																															
siltstone, 30m above trench																															
Profile C: 135 m north of shaft (no visible mineralization)																															
83-ROM-C-1 limestone, 5 m to contact																															
83-ROM-C-2 limestone, 1 m to contact																															
83-ROM-C-3 contact zone, green amphibolitic schist																															
83-ROM-C-4 green fine grained rock																															

Sample Number	Date		X	West East	Y	South North	Photo Number	Map Number	Type	Character	Texture	Origin	Horizon	Color	pH	Eh	Width	Depth	Velocity	Slope	Rock Sample	Min. + Bio. Species	Bio. from Lab. av.	Field av.	X Cu ppm	X H.M. ppm
	D	M																								
1	6	7	8	10	Line	16	Station	22																		
																					</					

Main showing Castel's fall

Z

135



L = Limestone
S = Siltstone (silicified)
A = Comminuted siliceous

A B C D E = profiles

THICKNESS OF ORE AT:

Profile	A: ~ 3m mostly massive, banded w. siltst.
"	B: ? trench, no outcrops
"	C: no visible ore
"	D: ~ 1m mostly banded massive/siltst
"	E: ~ 2m with impregnation, rusty

Sample Number	Date		X	West East		Y	South North		Photo Number	Map Number	Type	Character.	Texture	Origin	Horizon	Color	pH	Eh	Width	Depth	Velocity	Slope	Rock Sample	Min. +	Bio. -	Bio. Species	Bio. from	Lab. ev.	Field ev.	X Cu ppm	X HM ppm
	D	M		Line	Station																										
1	6	7 8 10			16			22	29		363738	41		44	46	48	50	54	56	58 59	62 63 64 65 66	68 69	71	74	77	80					
SHOWING KJGRRSVANN 6 11 320 / 75 54 050																															
rusty zone with sulfide impregn. at contact limestone / amphibolite																															
83-ROH-R-13	quartz vein with Py + chalc. Py.																														
83-ROH-R-14	" " " "																														
83-ROH-R-15	" " " "																														
83-ROH-R-16	amphibolitic rock with impregnations of Aspy + Py																														
83-ROH-R-17	" " " "																														
83-ROH-R-18	" " " "																														

330 250 Routes

AREA GAUTELIS, Kjerisvabu

GEOCHEMICAL SAMPLE DATA SHEET

MIN-EN Laboratories Ltd.
705 WEST 12th ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814



YEAR: 1983

COLLECTOR: RDFF

[illegible]

PROJECT No.: 330250 Room 242
AREA GAUTELIS, Gautelishill

GEOCHEMICAL SAMPLE DATA SHEET

MIN-EN Laboratories Ltd.
705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

983

YEAR:

COLLECTOR: FDT[illegible]

PROJECT No.:

330250 Roundax

AREA - GATEFELLS, GARDENFIELD

GEOCHEMICAL SAMPLE DATA SHEET

W. Z. Z. Laboratories Ltd.

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

1983

YEAR

COLLECTOR:

[illegible]

GEOCHEMICAL SAMPLE DATA SHEET

[illegible]

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

YEAR. 1983

YEAR:

COLLECTOR: TDP

[illegible]

PROJECT No.: 330250 Route 252
AREA GAITHERS, Gaithersburg

W. Z. Z. Laboratories Ltd.

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

1983

YEAR:

COLLECTOR:

[illegible]

Sample Number	Date		X	Y		Photo Number	Map Number	Type	Character	Texture	Origin	Horizon	Color	pH	Eh	Width	Depth	Velocity	Scops	Rock	R Sample	Min. +	Bio -	Bio - Spec	Bio from	Lab. av.	Field av.	X Cu ppm	X H.M. ppm
	D	M		Line	Station																								
NR-127-83	6	7	8	08613420	7551520	29	1431 III	363738	41	44	46	48	50	54	56	58	59	62	63	64	65	66	68	69	71	74	77	80	
massive cy, no ore mm to cm bands from carbonate horizons of the carbonate series																													
75 S of the Gairdelis - grid																													
PN-1	08613590		08613590	7551760	7551760	1431 III																							
metacarbonate Thin: 14, 10 rare spots of cy, green & disse- minations																													
PN-2	08613620		08613620	7551760	7551760	1431 III																							
metacarbonate gt, laminated																													
PN-3	08613630		08613630	7551760	7551760	1431 III																							
metacarbonate																													
PN-4	08613670		08613670	7551760	7551760	1431 III																							
metacarbonate gt, massive																													
PN-5	08613680		08613680	7551760	7551760	1431 III																							
metacarbonate to metacarbonate gt, massive																													

PROJECT No.: 330250 Route 28
AREA GAFFELIS, Gault's field

MIN-EN Laboratories Ltd.
705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

YEAR: 1983
COLLECTOR: FDTT

[illegible]

PROJECT No.: 330250 Room 242
AREA GAUTELIS, Gautelis Field

MIN-EN Laboratories Ltd.
705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

YEAR: 1983
COLLECTOR: FDP

[illegible]

PROJECT No.: 330250 Romberg
AREA GAUFELIS, Gaute's field

[illegible]

PROJECT No.: 330250 Romtaz
AREA GAUTELIS, Niojaja

W-Z Laboratories Ltd.

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

YEAR: 1983
COLLECTOR: F.D.P.

[illegible]

PROJ. No.: 330250 Route 2
 AREA GAUTIELIS, Niorsja 88a
 GEOCHEMICAL SAMPLE DATA SHEET
 MIN-EN Laboratories Ltd.
 705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2
 PHONE (604) 980-5814
 FIELD No.: 1983
 YEAR: 1983
 COLLECTOR: FDP

Sample Number	Date	X	West-East	Y	South-North	Photo Number	Map Number	Type	Charact.	Texture	Origin	Horizon	Color	pH	Eh	Width	Depth	Velocity	Slope	Rock	Min. +	Max. +	Specs	Bio from	Lab. ev.	Field ev.	X Cu ppm	X H.M. ppm
1	6 7 8	10	Line	16	Station	22	29	363738	41	44	46	48	50	54	56	58	59	62	63	64	65	66	68	69	71	74	77	80
NR-125-83	08	615480	7553480				1431 III				metased								+									
				</																								

1. 0.001 g
 2. 0.002 g
 3. 0.005 g
 4. 0.01 g
 5. 0.02 g
 6. 0.05 g
 7. 0.1 g
 8. 0.2 g
 9. 0.5 g
 10. 1 g
 11. 2 g
 12. 5 g
 13. 10 g
 14. 20 g
 15. 50 g
 16. 100 g
 17. 200 g
 18. 500 g
 19. 1 kg
 20. 2 kg
 21. 5 kg
 22. 10 kg
 23. 20 kg
 24. 50 kg
 25. 100 kg
 26. 200 kg
 27. 500 kg
 28. 1 t
 29. 2 t
 30. 5 t
 31. 10 t
 32. 20 t
 33. 50 t
 34. 100 t
 35. 200 t
 36. 500 t
 37. 1000 t
 38. 2000 t
 39. 5000 t
 40. 10000 t
 41. 20000 t
 42. 50000 t
 43. 100000 t
 44. 200000 t
 45. 500000 t
 46. 1000000 t
 47. 2000000 t
 48. 5000000 t
 49. 10000000 t
 50. 20000000 t
 51. 50000000 t
 52. 100000000 t
 53. 200000000 t
 54. 500000000 t
 55. 1000000000 t
 56. 2000000000 t
 57. 5000000000 t
 58. 10000000000 t
 59. 20000000000 t
 60. 50000000000 t
 61. 100000000000 t
 62. 200000000000 t
 63. 500000000000 t
 64. 1000000000000 t
 65. 2000000000000 t
 66. 5000000000000 t
 67. 10000000000000 t
 68. 20000000000000 t
 69. 50000000000000 t
 70. 100000000000000 t
 71. 200000000000000 t
 72. 500000000000000 t
 73. 1000000000000000 t
 74. 2000000000000000 t
 75. 5000000000000000 t
 76. 10000000000000000 t
 77. 20000000000000000 t
 78. 50000000000000000 t
 79. 100000000000000000 t
 80. 200000000000000000 t
 81. 500000000000000000 t
 82. 1000000000000000000 t
 83. 2000000000000000000 t
 84. 5000000000000000000 t
 85. 10000000000000000000 t
 86. 20000000000000000000 t
 87. 50000000000000000000 t
 88. 100000000000000000000 t
 89. 200000000000000000000 t
 90. 500000000000000000000 t
 91. 1000000000000000000000 t
 92. 2000000000000000000000 t
 93. 5000000000000000000000 t
 94. 10000000000000000000000 t
 95. 20000000000000000000000 t
 96. 50000000000000000000000 t
 97. 100000000000000000000000 t
 98. 200000000000000000000000 t
 99. 500000000000000000000000 t
 100. 1000000000000000000000000 t

1983

1983
J.D.P.

CAL SAMPLE DATA
MIN-EN Laboratories, Ltd.

GEOCHEMICAL SAMPLE DATA
MIN-EN Laboratories Ltd.
705 WEST 15th ST., NORTH VANCOUVER, B.C.
PHONE (604) 980-5814

GÄTTELIS, Treher Spill dal

Sample Number	Date	Locality	Line	Station	Photo Number	Map Number	Core Depth	Texture	Origin	Horizon	Color	pH	Elv	Notes
NR-8-83	08617260	7554130	16	22	29	1431 III	363738	41	44	46	48	50	54	quartz-feldspar rock (felsic volcanic) reddish-bt (oxidized), fine grained, massive, mica as scattered flakes band of 10cm thickness and about 3m length within an aegaeous series occurring in the Qtz-fld. gneiss
NR-9-83	08619460	7554200				1431 III								quartz-feldspar rock (felsic volcanic) wgt, banded Min: Cy , Py , Gabara (?), as finest disse- minations volcanic section interbedded by meta- sediments, section consists of phyllites, Qtz-feldspar gneisses, Qtz-fld rocks, Qtz-diorite rocks

[illegible]

GEOCHEMICAL SAMPLE DATA SHEET

YEAR: 1983
COLLECTOR: FDP

Sample Number	Date		X	Y	Station		Photo Number	Map Number	Type	Chert.	Texture	Origin	Horizon	Color	pH	Eh	Width	Depth	Velocity	Slope	Rock	Min. +	Bio. +	Bio. Species	Bio. from	Lab. ev.	Field ev.	X Cu ppm	X H.M. ppm		
	D	M			Line	16																								22	North
NR-112-83	6	7	8	10	08	6222	240	7562000	1431 III	363738	41	44	46	48	50		54	56	58	59	62	63	64	65	66	68	69	71	74	77	89
quartz - feldspar rock (felsic volcanic)																															
fine grained, homogeneous, porphyritic																															
from bedded siltstones																															
metased. metavolc. section Carthage																															

Sample Number	Date		X	Y		Photo Number	Map Number	Type of Loc.	Texture	Origin	Horizon	Color	pH	Eh	Width	Depth	Velocity	Slope	Rock Sample	Min. + 1	Bio. Species	Bio. from	Lab. ev.	Field ev.	X Cu ppm	X H.M. ppm
	D	M		East	North																					
NR-18-83	6	7	8	10	08	376	100	7565900	29	143111	363738	41														
quartz-feldspar rock (felsic volcanic) is, medium grained to fine grained, massive to slightly laminated by numerous beds of mica and/or chlorite Min: py; finest disseminations, partly idiomorphic, < 1 Vol.-%																										
flow																										
NR-71-83					08	377	920	7568930		143111																
quartz-feldspar rock (felsic volcanic) lgn, fine grained, laminated by horns and and actinolite Min: py; idiomorphic as finest disseminations, 1 Vol.-%																										
metased. meta volc. section bordered by a dioritic intrusion																										
NR-72-83					08	378	100	7569140		143111																
amphibolite on, very fine crystalline, massive Min: py; local rare spots of cy, < 1 Vol.-%																										
rusty body bordering the metased. meta-volc. section to the east																										
NR-73-83					08	378	100	7569140		143111																
amphibolite same as: NR-72-83 Min: rare spots of py																										

COLLECTOR:

COLLECTOR:

[illegible]

[illegible]

PHONE (604) 980-5814

AREA CUNOYAVR1, Vavrat

PHONE (604) 980-5814

PHONE (604) 980-5814

[illegible]

AREA CiNO (AVR), variat

GEOCHEMICAL SAMPLE DATA SHEET

W-N-E Laboratories Ltd.

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

YEAR

COLLECTOR:

1983

204

[illegible]

[illegible]

COLLECTORS

[illegible]

[illegible]

29

YEAR 1983

YEAR: 1983
COLLECTOR: KDP

YEAR: 1983
COLLECTOR: KDP

FIGURE 10047 200-3514

Sample Number	Date		X	Y		Photo Number	Map Number	Type	Character	Texture	Origin	Horizon	Color	pH	En	Width	Depth	Velocity	Slope	Rock	Min. +	Bio. Spec.	Bio. from	Lab. av.	Field av.	X Cu ppm	X H.M. ppm
	D	M		Line	Station																						
71-7-83	08	08	7890	6935	29	1431	363738	41	44	46	48	50	54	56	58	59	62	63	64	65	66	68	69	71	74	77	80
Basaltic to quartz porphyry (quartz, plagioclase, biotite, muscovite, chlorite) gr., fine grained, laminated fin: minor disc of sulfides																											
71-8-83	08	08	7890	6935		1431																					
Basaltic a. quartz porphyry (buff?) gr. to brgs., fine grained, laminated fin: xx galena																											
71-9-83	08	08	7890	6935		1435																					
Basaltic buff quartz, pyrite brgs., fine grained, slightly laminated																											
71-10-83	08	08	7890	6935		1435																					
Basaltic buff quartz, pyrite to mica-rich quartz-feldspar brgs., fine grained, homogeneous to slightly laminated																											

[illegible]

GEOCHEMICAL SAMPLE DATA SHEET

Neuroscience Laboratories

4188-066 (409) 710-6

Vavrat, profile 2

AREA

234

1983

COLLECTOR: *TDJR*

Sample Number	Date		X	Y	Station		Photo Number	Map Number	Type	Object	Texture	Horizon			Color	PH	Eh	Width	Depth	Velocity	Slope	Rock	Min. sample	Bio. +	Bio. species	Bio. from	Lab. no	Field no.	X Cu ppm	X H.A. ppm	
	D	M			Line	16						22	41	46																	48
72-7-83	08	08	7890	6945	7890	6945	29	1431H	1431H	363738	41	44	46	48	50	54	56	59	62	63	64	65	66	68	69	71	74	77	80		
intermediate to acid volcanics (quartz, feldspar, biotite, unscorite) gr., fine grained, homogeneous to slightly lam. Min: minor po, finest discs																															
72-8-83	08	08	7890	6945	7890	6945		1431H	1431H																						
Biotite pgs gr., fine grained, slightly laminated Min: po, finest discs																															
72-9-83	08	08	7890	6945	7890	6945		1431H	1431H																						
Phyolite vein (quartz, feldspar, unscorite) gr., medium grained, granular texture																															

colleagues

T. NORTH VANCOUVE

[illegible]

GEOCHEMICAL SAMPLE DATA SHEET

AREA

Varvat, profile 4

MIN-EN Laboratories Ltd.

705 WEST 15th ST, NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

YEAR: 1983

COLLECTOR: E.J.

Sample Number	Date	X	East	Y	South	Station	Photo Number	Map Number	Type	Character	Texture	Origin	Horizon	Color	pH	Eh	Width	Depth	Velocity	Slope	Rock Sample	Min. +	Bio. +	Species	Bio. from	Lab. ev.	Field ev.	X Cu ppm	X H.M. ppm
74-7-83	08	08	7890	7890	6915	6915	29	1431 II	363738	41		44	46	48	50	54	56	58	59	+	626364	65	66	68	69	71	74	77	80
74-8-83	08	08	7890	7890	6915	6915		1431 II																					
74-9-83	08	08	7890	7890	6915	6915		1431 II																					
74-10-83	08	08	7890	7890	6915	6915		1431 II																					
74-11-83	08	08	7890	7890	6915	6915		1431 II																					

graphite - rich acidic volcanic tuff
gr. fine to medium grained, siltstone
fin: diss: of po

intermediate volcanic
phyllite to quartz phyllite
dr. slightly siltstone
fin: po as diss.

quartz biotophy
gr. fine grained, massive
fin: po, diss.

intermediate volcanic
quartz - feldspar diorite silt
dr. siltstone, inhomogeneous with num
nodules of granular quartz - feldspar

intermediate volcanic
quartz phyllite to quartz - feldspar diorite
silt
dr. homogeneous
fin: po silt diss.

GEOCHEMICAL SAMPLE DATA SHEET

MIN-EN Laboratories Ltd.
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

AREA Vavrat, profile 6

YEAR: 1983
COLLECTOR: E. S.

[illegible]

GEOCHEMICAL SAMPLE DATA SHEET

WILKINSON Laboratories Ltd.

705 WEST 15th ST, NORTH VANCOUVER, B.C. V7M 1T2

PHONE (609) 980-5814

YEAR 1983

COLLECTOR: E.S.

Varat, profile 10

[illegible]

..... A

YEAR: 1983
COLLECTOR: E. Y.

WYN-ENZ Laboratories Ltd.

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 930-5814

Sample Number	Date		X	Y	Station	Photo Number	Map Number	Type Character.	Texture	Origin	Horizon	Color	pH	Eh	Width	Depth	Velocity	Slope	Rock	R sample	Min. + -	Bio. +	Bio. Species	Eto from	Lab. av.	Field av.	X Cu ppm	X HM ppm
	D	M																										
1	6	7	8	10	08	7945	7070	14311	362738	41	44	46	48	50	54	56	58	59	+	62.63	45	46	68	69	71	74	77	80
quartz - feldspar gneiss																												
gr., coarse grained, granular texture to porphyric																												

GEOCHEMICAL SAMPLE DATA SHEET

MIN-EN Laboratories Ltd.
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

Sample # Number	Date		X	West East		Y	South North		Photo Number	Map Number	Texture Charact.	Horizon	Color	pH	Eh	Width	Depth	Velocity	Slope	Rock R. Sample	Min. +	Bio - Species	Bio from	Lab. no.	Field no.	X Cu ppm	X H.M. ppm
	D	M		Line	Station																						
<u>samples from junction Carbonate series and metasediments, metabasites</u>																											
NR-59-83	67	8	10	08381150	7570100	29	363738	41	44	46	48	50	54	56	58	59	62	63	64	65	66	68	69	71	74	77	80
graywacke																											
gr. massive, in places mm layers of amphibole.																											
Min. 10% py, finest disseminations, $\leq 1\%$ total %																											
Russot south slope																											
NR-60-83	08	38	1650	7570350	1431 II																						
metasiltstone																											
qs, very fine grained, laminated, mm layers of feldspar + hornblende assemblage, Hid: no visible sulphides																											
Russot south slope																											
NR-61-83	08	38	0900	7569650	1431 II																						
quartz-feldspar rock (felsic volcanic)																											
gr. medium grained, laminated, mm blocks of amphibole or quartz																											
Min. arsenopy, as finest stringers, 10% cyp, py, ds rare spots, total sulphide $\leq 1\%$ total %																											
Russot south slope As - showing																											

PROJECT No.: 300650

PLAN No.:

AREA 6051

GEOCHEMICAL SAMPLE DATA SHEET

MIN-EN Laboratories Ltd.
705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2
PHONE (604) 980-5814

YEAR: 1983

COLLECTOR: FDT

Sample Number	Date		X	Y	Station	Photo Number	Map Number	Type	Charact.	Texture	Origin	Horizon	Color	pH	Eh	Width	Depth	Velocity	Slope	Rock Sample	Min. +	Bio. +	Bio. Species	Bio. from	Lab. av.	Field av.	X Cu ppm	X Hg ppm		
	D	M																												
NR-2783	6	7	8	10	08	—	—	363738	41	44	46	48	50	54	56	58	59	—	+	62	63	64	65	66	68	69	71	74	77	80
hornblende																														
gr. fine grained, massive to slightly																														
fine grained																														
Min: py; idiomorphic, disseminated,																														
2-3 Vol-%																														
gray wacke																														
gr. fine grained, massive																														
Min: py; idiomorphic, disseminated,																														
1 Vol-%																														
gravel pit at Woodlawn Lake																														

GEOCHEMICAL SAMPLE DATA SHEET

YEAH

1983

COLLECTOR

[illegible]